JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 376 (1989)–400 (1990)

AUTHOR INDEX

Abe, Y., (381) 155
Abedini, M., (376) C20
Abel, E.W., (378) 473; (383) 11, 253; (394) 455
Abu-Orabi, S.T., (378) 33
Abu-Salah, O.M., (387) 123; (389) 427; (391) 267
Ackermann, K., (383) 93
Adam, M., (387) C13
Adams, H., (387) 305; (394) 349, 583
Adams, R.D., (386) 95
Affolter, S., (395) 231; (398) 197
Afshari, M., (384) C9
Agbossou, S.K., (397) 333
Agirbas, H., (378) 303
Aguirre, A., (378) C11
Ahlgren, M., (391) 403
Aizpurua, J.M., (391) 13
Akabori, S., (377) 327
Akiba, M., (385) 247
Akkerman, O.S., (393) 315
Al-Allaf, T.A.K., (391) 37
Alami, M., (397) 291
Albano, V.G., (389) 341
Albanov, A., (389) 1
Albers, M.O., (386) 111
Albert, J., (379) 177
Albertin, G., (377) 145
Albinati, A., (395) 231
Albrecht, M., (382) 89
Albrecht, R., (399) 163
Alcock, N.W., (386) 399
Alexander, J.J, (379) 119
Al-Fekri, D.M., (390) 275
Al-Gurashi, M.I., (393) 27
Al-Hassan, M.I., (386) 395; (395) 227
Aliev, A.S., (382) 423
Al-Juaid, S.S., (384) 33; (385) 13; (394) 69
Allaoud, S., (379) 89
Al-Mansour, A.I., (393) 27
Al-Ohaly, A.R.A., (389) 427; (391) 267
Alper, H., (383) 573
Al-Rubaie, A.Z., (382) 383
Al-Saadoon, A.W., (384) C12
Alt, H.G., (378) 33; (379) 289; (381) 233; (383) 125; (388) 105; (390) 53, 159; (391) 53; (393) 83; (398) 91; (399) 83, 125, 131
Al-Tayy, M.A.M., (391) 37
Alvarez, C., (379) 271; (386) 51
Alvarez, S., (377) 291
Alvarez-Ibarra, C., (382) 397
Alvhäll, J., (377) 75
Amatore, C., (390) 389
Amaudrut, J., (391) 61
Amer, I., (383) 573
Amri, H., (384) 1
An, Z.-w., (397) 371, C31
Andersen, R.A., (376) 407; (394) 417
Anderson, G.K., (388) 221
Anderson, S., (394) C24
Andreu, P.L., (384) C25; (393) C30
Andrews, P.C., (386) 287
Andrianarison, M., (381) C38
Andringa, H., (393) 307
Ang, H.G., (379) 325; (396) C43
Angelici, R.J., (378) 81; (383) 321; (394) 235
Angermund, K., (389) 399
Anillo, A., (393) 423
Aniss, K., (385) C1
Annby, U., (377) 75
Anson, C.E., (383) 441
Ansorge, A., (396) 253
Antiñolo, A., (382) 389; (396) C12
Antipova, B.A., (378) 235
Antropiusová, H., (385) 335
Aoki, K., (383) 367
Apostolidis, C., (396) 315
Apreda, M.C., (398) 177
Aramini, J.M., (385) 73
Arce, A.J., (389) 361
Arif, A.M., (383) 213; (384) C29; (395) 219
Armstrong, K.P., (377) C73; (394) 711
Arndt, L.W., (383) 191; (394) 733
Arnold, L.J., (387) 197
Aroney, M.J., (381) 147; (393) 371
Arsenault, G.J., (390) 121
Arya, P., (399) 11
Ash, C.E., (383) 191; (394) 733
Ashby, E.C., (390) 275
Askham, F.R., (387) C31
Astruc, D., (377) 309
Ateş, M., (378) 327; (388) C9; (398) 85
Atiya, G.A., (378) 307
Atwood, D.A., (394) C6
Atwood, J.D., (383) 59
Atwood, J.L., (381) 53; (383) 227; (394) C6
Auderset, P.C., (381) 139
Augé, J., (377) 205
Aumann, R., (378) 57, 171, 185; (389) C1; (391) C7
Auner, N., (377) 175; (393) 33
Avilés, T., (388) 143
Azevedo, C.G., (391) 345

Badman, G.T., (388) 117
Baeg, J.-O., (389) 205
Baer, H.H., (376) C20
Baghurst, D.R., (384) C57
Bahrmann, H., (389) 85
Bailey, N.A., (387) 305; (394) 349, 583
Bailey, P.J., (377) C17; (383) 441
Baird, M.C., (377) C52
Bajaj, H.C., (397) 279
Bakar, W.A.W.A., (394) 177
Baker, P.K., (391) C12; (397) 59
Bakhmutov, V.I., (383) 85
Bakos, J., (385) 147
Balagurova, E.V., (385) 307
Balakrishna, M.S., (390) 203
Balavoine, G., (389) 259; (390) C84
Baldan, D., (377) 145
Balegroune, F., (399) 349
Ball, R.G., (383) 481
Ballintine, T.A., (376) 419
Balz, H., (387) 77
Bandyopadhyay, A.K., (394) 15
Bankston, D., (379) 129
Bannikova, O.B., (376) 249
Barfuss, S., (391) 209
Barger, P.T., (383) 521
Bärhausen, D., (379) C7; (397) C20
Barion, D., (390) C89
Barluenga, J., (382) 61
Barnes, J.C., (385) 369

Barra, E.C., (394) C21
Barrau, J., (387) 65; (395) 27
Barrientos, C., (394) C31
Barron, A.R., (381) 165
Bartók, G.B., (384) 385
Bartók, M., (384) 385
Basolo, F., (383) 579
Batchelor, R.J., (397) 69
Bates, P.A., (383) 253; (394) 455
Bau, R., (396) 385
Baudry, D., (388) 279; (397) 169
Baum, G., (376) 397
Bayón, J.C., (385) 409
Beck, G., (379) 97, 277
Beck, W., (383) 143; (394) 601
Becker, B., (388) 57
Beckers, H., (385) 207
Beek, J.A.M. van, (394) 659
Beer, P.D., (376) C11; (377) C23; (378) 437
Behrens, U., (384) 49; (387) 219; (388) 21; (393) 97
Belciug, M.-P., (378) 469
Beletskaya, I.P., (385) 289
Bell, P., (387) 175; (394) 195
Bell, W., (385) 369
Bellachioma, G., (391) 367
Bellassoued, M., (393) 19
Bel'sky, V.K., (388) 11; (390) 35, 153
Belt, H.-J., (386) 167
Ben Hadda, T., (388) C13
Ben Hamida, N., (387) 65
Bender, B.R., (383) 497
Benn, R., (376) 359; (382) 89
Bennett, M.A., (382) 175; (394) 481
Benyunes, S.A., (390) C32
Berg, E. van den, (388) 233
Bergdahl, M., (391) C19
Bergman, R.G., (394) 417; (400) 273
Beringhelli, T., (399) 291
Berke, H., (378) 211
Bermúdez, M.-D., (381) 285
Bernauer, K., (379) 165
Bernhardt, W., (383) 357
Berre, N. Le, (389) 61, 71
Berthet, J.-C., (393) C47
Bertoncello, R., (396) 73
Bertram, G., (379) 235
Besace, Y., (388) C5
Besenyei, I., (387) 147
Besten, R. den, (385) 153
Bettonville, S., (377) 59; (393) 205
Betz, P., (382) 77; (387) 113, 233
Bhattacharyya, N.K., (394) 305
Bhattiprolu, K.R. (398) 205
Bhide, V., (376) 91
Biagini, P., (390) C61
Bianca, F. Di, (381) C17
Bianchini, C., (390) C16
Bickelhaupt, F., (390) 171, C1; (393) 315
Biddulph, M.A., (387) 277
Bidon, C., (393) 161, 173
Bielmeier, E., (384) 223
Biersack, M., (381) 379
Bihan, J.-Y. Le, (385) C35
Bir, G., (390) 1
Biran, C., (382) C17, C21
Birğele, I., (385) 185; (390) 139; (393) 11
Bitterer, F., (399) C4
Bitterwolf, T.E., (386) 9, 229; (396) 279; (397) 51
Bjarnason, A., (383) 543
Blackett, S.J., (399) 215
Blath, C., (387) C21
Blinn, D.A., (393) 143
Blom, R., (391) 47; (395) 69
Bloodworth, A.J., (386) 299
Boag, N.M., (391) 209; (394) 433
Bobrovskii, S.I., (395) 121
Bochkarev, M.N., (378) 363
Bock, H., (398) 65
Boersma, J., (376) 223; (378) 115; (390) C21; (396) 25
Boese, R., (378) 449; (385) 1; (394) C1; (395) 39
Bogoradovsky, E.T., (390) 139; (393) 11
Bohle, D.S., (393) 243
Böhme, P., (395) 341; (399) 327
Bohra, R., (389) 417
Bois, C., (382) 407; (384) C25
Boissière, S., (387) 153
Bolhuis, F. van, (389) 47
Bonati, F., (378) 139; (391) 155
Bonrath, W., (397) 255
Bordeau, M., (382) C17, C21
Bordignon, E., (377) 145
Bordoni, S., (389) 341
Borisova, L., (393) 57
Bortolini, O., (379) C13
Bott, A., (394) 533
Bott, S.G., (389) 129; (394) C6
Botteghi, C., (385) 439; (397) 375
Boubekeur, K., (389) 259
Boudjada, E., (377) 171
Bour, J.J., (388) 233
Bourleaux, G., (377) 205
Bowen Jones, J., (399) 215
Bown, M., (390) 379
Boyd, L.M., (397) 209
Bozec, H. Le, (388) C13
Braga, D., (377) C1; (389) 341; (391) 225, C28; (398) 159
Bragilevsky, I.O., (387) 147
Brandl, P., (390) C81
Brand-Roth, B., (379) 217
Brandsma, L., (385) 153; (393) 307
Branger, G., (382) 319
Brauer, D.J., (378) 125; (385) 161; (396) 253; (399) C4
Brauers, F., (377) C45
Brégaint, P., (398) C25
Breunig, H.J., (378) 327; (388) C9; (398) 85
Brieden, W., (377) C45
Bright, T.A., (385) C27
Brintzinger, H.-H., (378) 153; (397) 21
Brito, I., (377) 235
Brodie, N.M.J., (383) 531
Broicher, V., (381) 315
Bromm, D., (386) 1
Brothers, P.J., (394) 615
Brown, C.J., (394) 711
Brown, D.S., (399) 215
Brown, S.L., (377) C23
Brown, S.S.D., (377) C31
Browning, A.F., (387) 305
Browning, J., (396) C47
Brubaker Jr., C.H., (390) 73
Bruce, M.I., (391) 81; (394) 365; (397) 187; (400) 321
Brunet, J.-J., (384) 193
Brunner, H., (381) C7; (384) 223; (387) 209; (388) 203; (390) C81; (393) 119, 401, 411; (394) 555; (397) C25
Bruno, J.W., (382) 361
Bruns, W., (390) C45
Bryars, K.H., (386) 399
Buchholz, D., (377) 25; (381) 79, 97; (388) 307, 321
Budzelaar, P.H.M., (376) 223; (393) 287; (396) 33
Budzichowski, T.A., (379) 33
Bueno, C., (395) 85; (396) 327
Bulbulia, Z., (389) 139
Bulgakov, R.G., (377) 1; (387) 11
Bullock, L.M., (381) 429
Bulot, E., (388) 279; (397) 169
Bulychev, B.M., (388) 11; (390) 35, 153
Bundel, Yu.G., (395) 121

Burdof, H., (391) 195
Bürger, H., (378) 125; (385) 161, 207; (396) 253
Burger, P., (378) 153; (397) 21
Bürglen, B., (382) 77
Burlakov, V.V., (389) 251, 409; (390) 113; (391) 119
Burrell, A.K., (388) 291; (394) 615; (398) 133
Burschka, C., (396) C4
Busetto, L., (389) 341
Bush, B.F., (386) 37
Butcher, R.J., (376) 277
Button, R.S., (393) 143
Buttrus, N.H., (394) 57
Byers, P.K., (384) 315; (385) 417, 429; (390) 399; (393) 299

Caballero, C., (386) 209
Cabeza, J.A., (376) C23; (384) C25; (393) 423, C30
Cabioch, J.L., (377) 227
Cahiez, G., (397) 291
Calderazzo, F., (383) 45; (400) 303
Calhorda, M.J., (391) 345
Calligaris, M., (390) 267
Cambie, R.C., (381) C26; (384) C6; (398) 117, C22
Cameron, M., (378) 493
Campana, C.J., (379) 119
Campero, A., (378) 91
Campo, J.A., (382) 397; (396) 49
Campostrini, R., (390) 267
Cano, F.H., (398) 177
Cano, M., (382) 397; (396) 49
Canovese, L., (381) C17
Canty, A.J., (385) 417, 429; (387) 247; (389) 277; (390) 399; (393) 299; (396) 105
Cardaci, G., (391) 367
Carlton, L., (378) 469; (389) 139; (394) 177
Carmona, D., (396) C17
Carmona, E., (377) 157
Caro, B., (385) C35
Carr, N., (384) 315
Carriedo, C., (379) 331
Carriedo, G.A., (391) 431; (394) 275; (397) 309
Carrillo, L., (381) 1
Carrondo, M.A.A.F. de C.T., (388) 143; (391) 345; (395) 279
Carson, A.S., (391) 361
Carturan, G., (390) 267
Cartwright, J., (396) C31
Carty, A.J., (385) C50
Carvalho, M.F.N.N., (384) 121
Casarin, M., (382) 445; (396) 73
Casas, J.S., (384) 19; (385) 329; (390) 293
Casellato, U., (396) 19
Cásenský, B., (386) 157
Casey, C.P., (387) C31; (394) 339; (400) 205
Castaño, A.M., (379) 171
Castaño, M.V., (385) 329
Castel, A., (386) 147; (397) 7
Castellano, E.E., (384) 19
Castellari, C., (388) 243
Castillo, D., (381) 1
Catellani, M., (390) 251; (397) 371, C31
Catlow, A., (397) 187
Cauletti, C., (382) 445
Caulton, K.G., (376) 343
Cavinato, G., (398) 187
Caygill, G.B., (382) 455; (395) 359, 375
Cecchi, P., (378) 139; (391) 155
Ceccon, A., (379) 67
Cerný, Z., (386) 157
Cerveau, G., (389) 159
Chaminant, F., (399) 317
Chang, C.-J., (395) C47
Charpin, P., (379) 259
Charreau, P., (379) 201
Chary, C.M., (376) 53
Chaudhry, S.C., (382) 345
Chaudret, B., (391) C45
Chauvin, R., (387) C1
Chelius, E.C., (379) 187
Chen, B.-F., (377) C59
Chen, C., (378) 147
Chen, H., (376) C7; (377) C65; (389) C16; (398) 159
Chen, I.-H., (398) 219
Chen, S., (382) 69
Chen, S.-T., (398) 219
Chen, W., (377) 137; (391) 313; (396) 307
Chen Wei, (376) 277
Cheng, C.H., (390) 333; (393) 237
Cheng, C.-Y., (378) 45; (390) 333
Cheng, M.-C., (376) 333; (386) 79; (387) 83; (393) 431
Cherepanov, I.A., (383) 85
Chetcuti, M.J., (394) 765
Chi, Y., (377) C59; (378) 45; (384) 93; (389) C7; (390) C50
Chiang, M.Y., (389) 47
Chiang, R.-K., (377) C59
Chicote, M.-T., (381) 285; (394) 77
Chihara, T., (383) 367
Chin, C.S., (393) 131
Chin, K.L., (376) 277
Chipperfield, A.K., (384) C38
Chisholm, M.H., (394) 265, C16; (400) 235
Chiusoli, G.P., (394) 569; (397) 371, C31
Choe, S.-B., (376) 419
Choi, M.-G., (383) 321
Choi, S.-B., (391) 27
Chojnowski, J., (377) 197
Chopa, A.B., (376) 283
Choukroun, R., (391) 189; (399) C1
Chow, F.L., (377) C65
Chu, S.-Y., (384) 71
Chudek, J.A., (377) C69
Chuit, C., (389) 159
Chung, T.C., (388) 1
Churchill, M.R., (395) 85; (396) 327
Cian, A. De, (393) C25; (394) 213
Ciani, G., (399) 291
Cifuentes, M.P., (397) 187
Cingolani, A., (378) 139
Clark, G.R., (388) 391; (393) 243; (394) 615; (397) 209; (398) 133
Clarke, M.P., (376) 165
Clarkson, L.M., (390) C10
Clarkson, R.M., (393) 371
Claver, C., (398) 177
Clegg, W., (386) 287; (399) C21
Clinet, J.C., (389) 259; (390) C84
Coffy, T.J., (394) C27
Coley, S.M., (389) 295
Colombie, A., (383) 421
Colomer, E., (381) C1
Compton, N.A., (399) C21
Conlin, R.T., (376) 259
Conole, G., (379) C1; (383) 441
Conroy-Lewis, F.M., (396) 83; (399) 307
Consiglio, G., (386) 389; (390) C64; (396) 375
Contreras, R., (381) 1
Conway, B.G., (383) 227
Cooper, M.K., (381) 147
Coote, S.J., (379) 81

Corey, E.R., (399) 221
Corey, J.Y., (399) 221
Corriu, R.J.P., (376) C39; (381) C1; (389) 159; (395) 1; (396) C35; (399) 11; (400) 81
Costa, M., (394) 569
Cotton, J.D., (388) 123, 133
Couret, C., (397) 1
Courtois, G., (376) 235
Covarrubias, M., (381) 275
Coville, N.J., (378) 401; (386) 111
Cowie, J., (394) 1
Cowley, A.H., (394) C6; (400) 71
Cox, M.G., (384) 217
Crascall, L.E., (394) C35
Crespo, M.C., (397) 309
Cresson, P., (388) C5
Crociani, B., (381) C17
Crocker, M., (394) 339
Cross, R.J., (388) 221
Crumbliss, A.L., (385) 131
Csaszar, P., (379) 337
Cuenca, T., (382) 103
Cuevas, J., (377) 235
Cunningham, D., (381) C13; (393) 69
Cunningham, P.N., (394) 765
Curnow, O.J., (388) 379
Cutler, A.R., (378) 421
Cypryk, M., (377) 197

D'Agostino, M.F., (394) 145
Dahl, L.F., (383) 543
Dahlenburg, L., (378) 199
D'Alfonso, G., (399) 291
Damour, D., (396) 289
Damrauer, R., (391) 7
Dang, Y., (381) 333
Daniels, L.M., (383) 321
Danks, I.P., (384) 139; (388) 301; (390) 227
Daran, J.-C., (377) 89; (381) 191; (386) 51
Darchen, A., (385) C4
Darensbourg, D.J., (381) 349
Darensbourg, M.Y., (383) 191; (394) 733
Dargatz, M., (388) 259
Dargelos, A., (379) 41
Darmuth, M., (379) 107
Dartiguenave, M., (384) 61
Dartiguenave, Y., (384) 61
Dartmann, M., (385) 255; (399) 189
Das, I., (397) 219
Das, K., (397) 161
Das, T.K., (396) 9
Date, T., (386) 365
David, D.M., (390) C6
Davidson, J.L., (394) 177
Davies, A.G., (389) 301
Davies, D.L., (376) C31; (383) 463
Davies, S.G., (379) 81; (386) 195; (387) 381; (395) C39; (397) C13; (400) 223
Davis, M.E., (396) 363; (397) 109
Davis, R., (386) 229; (387) 277; (396) 55; (397) 51
Deane, M.E., (381) 213, 357
De Cian, A., (393) C25; (394) 213
Deeming, A.J., (384) 181, 347; (389) 361; (398) 299
De Felice, V., (388) 243
De Graaf, W., (378) 115
Dehghan, K., (396) C47
Dehnicke, S., (382) 89
Dekker, G.P.C.M., (394) 659
Delavaux-Nicot, B., (399) 77
Deleris, G., (398) 79
Delgado, S., (397) 93
Della Pergola, R., (396) 385
Delmond, B., (398) 79
Del Zotto, A., (390) 97
Demartin, F., (396) 385
Dement'ev, V.V., (378) 235
Demina, M.M., (376) 31
Den Besten, R., (385) 153
Denis, J.M., (377) 227
Denise, B., (377) 89; (386) 51
Denner, C.E., (390) 53; (391) 53; (398) 91
Deppisch, B., (382) 345
Dérien, S., (385) C43
Derunov, V.V., (379) 303
De Sanctis, Y., (389) 361
DesEnfants, II, R.E., (383) 543
Deshpande, S.S., (378) 103
Desmond, T., (381) C33
Desor, D., (386) 147; (397) 7
Desseyn, H.O., (381) 333
des Tombe, F.J.A., (396) 25
Deus, N., (384) 155; (386) 253
Devanne, D., (390) 371
Dewey, M.A., (384) C29
De Wolf, W.H., (390) 171
Dias, A.R., (390) 193; (391) 345, 361; (395) 279
Diaz, C., (377) 235; (397) 309
Di Bianca, F., (381) C17
Diemert, K., (378) 17; (393) 379
Dietrich, A., (377) C5
Ding, H., (387) 131
Dinh, N.H., (377) 171
Diogo, H.P., (391) 361
Dirè, S., (390) 267
Dixneuf, P.H., (386) 95; (390) 371
Dixon, K.R., (396) C47
Do, K., (390) 91
Doak, G.O. (380) 1, 35
Dobson, G.R., (397) 279
Does, T. van der, (390) C1
Doh, C.H., (382) 419
Dohmaru, T., (381) 155
Dominquez, R., (377) 265
Dommisse, R., (381) 333
Domrachev, G.A., (389) 187
Donaldson, W.A., (395) 113, 187
Dong, T.-Y., (391) 377
Dormond, A., (398) C1
Dörnhöfer, C., (377) 281
Dörrenbach, F., (378) 125; (385) 161; (396) 253; (399) C4
Dötz, K.H., (383) 93
Dowben, P.A., (391) 209
Doyle, R.A., (378) 81
Dräger, M., (378) 327; (399) 63
Drahs, E., (386) 29
Drake, J.E., (377) 43
Drew, M.G.B., (378) 437; (391) C12
Drummond, D.K., (376) 311
Dubac, J., (384) 61
Dubuffet, T., (393) 161, 173
Duchêne, A., (387) 153
Duczmal, W., (385) 319
Duer, M.J., (383) 441
Dufour, P., (384) 61
Duisenberg, A.J.M., (396) 25
Dülsen, S., (390) 309
du Mont, W.-W., (395) C23
Duñach, E., (385) C43
Dunoguès, J., (382) C17, C21; (398) 79
Durán Pomposo, G., (387) 265
Durrant, J.L.A., (386) 229
Duteil, A., (391) C45
Dutton, T., (379) C1
Dyer, D.W., (390) C73

Eaborn, C., (384) 33; (385) 13; (393) 27; (394) 69; (396) 1; (398) 59
Ealick, S.E., (385) 49
Eaton, B.E., (384) 105
Eaton, D.R., (396) 65
Ebeling, B., (379) 235

Eber, B., (381) 409
Echavarren, A.M., (379) 171; (390) C57; (391) 219
Edelmann, F.T., (388) 21; (395) C26
Edema, J.J.H., (389) 47
Eder, R., (394) 555
Edlund, U., (393) C35
Edwards, K.J., (386) C1
Edwin, J., (394) 329
Egert, E., (398) 339
Egorov, M.P., (391) C1
Eichele, K., (386) 63, 187
Einstein, F.W.B., (385) 73; (397) 69
Eisch, J.J., (382) 273
Ekkehardt Hahn, F., (390) 301
Elder, S.M., (398) 165
Eldik, R. van, (397) 279
El-Hinnawi, M., (377) 373
Eller, S., (390) 309
Ellermann, J., (378) 73
Ellert, O.G., (384) 279, 295; (385) 277
Ellis, J.E., (383) 521
Elschenbroich, Ch., (391) 195
Elsegood, M.R.J., (391) 239
Elsevier, C.J., (378) 115; (396) 73
Elter, G., (381) 299
Elyusufi, A., (391) 13
Emrich, K.-H., (391) 209
Enders, B.G., (385) 33
Enders, D., (382) 295
Engelen, B., (377) C45
Engelhardt, H.E., (378) 33; (379) 289
Englert, U., (383) 45; (399) 35
Engman, L., (388) 71; (391) 165
Ennigrou, R., (393) 19
Ephritikhine, M., (379) 259; (388) 279; (393) 339, C47; (397) 169; (399) 77
Eppley, H., (389) 295
Erchak, N.P., (384) 257
Eremenko, I.L., (378) 67; (382) 423; (384) 279, 295; (385) 277; (386) 225
Erker, G., (377) C55; (378) 163; (382) 89; (390) 323; (394) 99; (399) C1; (400) 185
Ernst, R.D., (392) 51
Errington, R.J., (399) C21
Escudié, J., (397) 1
Esmadi, F.T., (377) 373
Esmans, E., (381) 333
Esteruelas, M.A., (381) 275; (387) 103; (388) 365
Ettel, F., (397) 299
Evans, W.J., (376) 311; (394) 87
Evertz, K., (378) 153; (393) 213
Exner, R., (386) 375
Ezhova, M.B., (391) C1

Fachinetti, G., (390) C61
Fahim, M., (376) 321
Faist, R., (391) 1
Fajardo, M., (382) 389; (389) C16; (396) C12
Fajarí, L., (381) 321
Faller, J.W., (383) 161
Fan, B., (376) 61; (377) 51
Fang, J.-M., (398) 219
Faraone, F., (387) 357
Farazi, V., (393) 143
Färber, G., (377) C69
Farfán, N., (381) 1
Farona, F., (376) 91
Farrugia, L.J., (390) C10; (394) 515
Fässler, T., (381) 391, 409
Fässler, Th., (376) 367
Fattah, F.A., (393) 27; (396) 1
Fauvarque, J.-F., (390) 389
Fawzi, R., (385) C13; (386) 63
Fedorova, E.A., (378) 363
Feher, F.J., (379) 33
Fehlhammer, W.P., (379) 97, 277
Fehlner, T.P., (394) 15
Feldman, K.S., (381) 251
Felice, V. de, (388) 243
Felix, M.S.B., (384) 181
Félix, V., (391) 345
Fendesak, G.H.B., (390) 237; (397) 261
Feng, W.C., (394) 251
Fennis, P.J., (393) 287
Ferguson, G., (381) 213, 357, C33; (390) 121
Ferhat, M., (389) 315
Fernández, M.J., (381) 275
Fernandez-Sanz, J., (379) 41
Fernandez-Trujillo, M.J., (377) 241
Ferrer, M., (377) 291; (381) 183
Fest D., (390) 339
Fichter, K.C., (382) 273
Fiedler, S., (381) 409
Field, J.S., (377) C35; (381) 429; (386) C1; (389) 227; (395) C9, C16
Filippou, A.C., (378) 387; (382) 143; (383) 179; (386) 333; (393) C10; (398) 99
Fillaut, J.-L., (386) 95
Filliatre, C., (398) 79
Finch, H., (395) C5
Fischer, B., (376) 223
Fischer, E.O., (382) 143; (383) 179; (386) 333
Fischer, H., (377) 105; (384) 305; (385) 351; (397) 41; (399) 153
Fischer, J., (393) C25; (394) 213
Fischer, R.A., (377) 275
Fischer, R.D., (387) C13; (390) 309
Fish, F.P., (385) 49
Fisher, G.A., (399) C21
Flower, K.R., (391) C12; (397) 59
Foces-Foces, C., (398) 177
Foley, C.A., (396) 247
Folting, K., (376) 343; (394) 265
Foltynowicz, Z., (376) 15
Fontaine, X.L.R., (390) 379; (391) 123; (394) 699
Font-Bardía, M., (388) 169; (389) 219; (395) 305
Ford, P.C., (383) 339
Forniés, J., (390) 257; (394) 643
Fortuño, C., (394) 643
Frampton, C.S., (394) 145
Frange, B., (379) 89
Frank, L.-R., (393) 213
Frank, W., (386) 177
Franken, M., (379) 235
Frauenhoff, G.R., (397) 359
Freedman, L.D., (380) 1, 35
Freni, M., (399) 291
Friedrich, C., (377) C27
Friedrich, H.B., (384) 325; (394) 313
Frijns, J.H.G., (393) 287; (396) 33
Fritsche, K., (388) 47
Fritz, M., (395) C30
Fröhlich, R., (389) C29
Fröhling, B., (384) C53
Fronda, A., (391) 289; (398) 229
Frunze, T.M., (378) 235
Fuchs, J., (379) 277
Fuger, J., (377) 59; (393) 205
Fujii, T., (391) 147
Fujiwara, Y., (385) 297
Fulford, A., (398) 311
Fülöp, V., (377) 19; (384) 41
Fumanal, A.J., (396) 121
Funabiki, T., (384) 199
Funaioli, T., (390) C61
Fusek, J., (386) 157

Gabor, B., (397) 255
Gallop, M.A., (386) 121; (395) 333
Gallucci, J., (383) C1
Galminas, A.M., (391) C1
Gamasa, M.P., (378) C11
Gambaro, A., (379) 67
Gambarotta, S., (389) 47
Gamper, S., (394) 757
Ganorkar, M.C., (376) 53
Ganter, C., (394) C1
Ganunis, T.F., (385) 33; (389) 295
García, G., (393) C53
Garcia, M.H., (395) 279
García, M.P., (388) 365
Garcia-Alejandre, J., (398) 177
García Alonso, F.J., (382) 445; (398) 275
García Martínez, E., (385) 329
García Tasende, M.S., (384) 19; (390) 293
Garland, M.-T., (377) 309
Garlaschelli, L., (378) 457; (396) 385
Garnes, K.T., (378) 293
Garralda, M.A., (377) 367
Garrett, K.E., (394) 251
Gastel, F. van, (385) C50
Gattermayer, R., (379) 235
Gaudemar, M., (393) 19
Gaukhman, A., (384) 257
Gautheron, B., (376) 321
Gavars, M., (393) 333
Gavney Jr., J.A., (383) 543
Gavrilov, K.N., (397) 245
Geffken, D., (381) 315
Gehrke, J.-P., (395) 341; (399) 327
Geise, H.J., (381) 333
Geng, L., (376) 41
Gentric, D., (385) C35
Geoffroy, G.L., (384) 209; (394) 251
Gerbing, U., (377) 105
Geret, L., (385) 1
Gervais, D., (391) 189; (399) C1
Gesing, E.R.F., (381) 139
Gevorgyan, V., (393) 57, 333
Gewald, R., (377) 9
Ghazy, T., (390) 91
Ghedini, M., (395) 105
Ghosh, C.K., (394) C31
Giannetto, A., (396) 115
Giannotti, C., (385) C23; (388) 175; (390) C77
Gilbert, S., (388) 327
Gill, J.B., (394) 583
Gillette, G.R., (394) 45
Gimeno, J., (378) C11
Ginzburg, A., (397) 203
Giordani, C., (393) 227
Giuseppetti-Dery, M.E., (378) 421
Gladysz, J.A., (383) 213; (384) C29; (397) 333
Glaser, E., (391) C37; (398) 325
Gleixner, R., (393) 33
Glidewell, C., (385) 369; (398) 241
Glöckner, W., (388) 95
Gobetto, R., (377) 85
Goddard. R., (378) 185
Goede, S.J., (390) C1
Goerlitz, F., (390) 19
Goffart, J., (377) 59; (393) 205
Goggin, P.L., (379) 337
Goh, L.Y., (381) 349; (395) 269; (399) 115
Goldman, A.S., (382) 237
Gollapudi, S.R., (398) 205
Gomes de Lima, L.C., (389) 71
Gómez, M., (381) 183
Gómez, R., (382) 103
Gömöry, A., (387) 147
Göndös, G., (384) 385
González, G., (377) 235
Gopinathan, C., (378) 103
Gopinathan, S., (378) 103
Gordon, C., (386) 111
Gordon, J.C., (394) 765
Gorecki, T., (384) 165
Görls, H., (389) 251, 409; (390) 113
Gostevskii, B.A., (376) 249
Gottardi, F., (379) 67
Goumont, R., (377) 89
Gourdon, A., (388) 195
Gouyon, T., (394) 37
Gowenlock, B.G., (378) 239, 493
Gowik, P., (385) 345; (387) C27; (393) 343; (398) 1, 241
Graaf, W. de, (378) 115
Gradella, C., (391) 225
Grady, A.S., (378) 307
Graham, W.A.G., (383) 481; (394) C31
Grandinetti, F., (382) 445
Grandjean, D., (385) C4; (399) 349
Granell, J., (379) 177
Granozzi, G., (382) 445
Grant, B.E., (394) 765
Graßl, R., (393) 119
Gray, G.M., (381) 53; (385) 49; (391) 259, 415
Graziani, R., (396) 19
Greaves, M.R., (395) 167
Grebenik, P.D., (382) C1
Green, D.V.S., (388) 117
Green, M., (384) C12; (390) C32
Green, M.L.H., (382) C1; (394) C9; (395) 279
Grega, K.C., (381) 251
Gregorowicz, J., (397) 147
Gremaud, G., (388) 351
Grepioni, F., (377) C1; (391) 225, C28; (398) 159
Grevels, F.-W., (382) 201; (394) 15
Grobe, J., (385) 255; (386) 321; (389) C29; (399) 189
Gronowitz, S., (377) 75
Gross, M., (381) 239
Grosspietsch, T., (385) 255
Grünleitner, W., (378) 387; (386) 333; (393) C10; (398) 99
Gruselle, M., (399) 317
Grushin, V.V., (382) 185
Grushow, A., (385) 33
Guerchais, J.E., (389) 61, 71; (391) 61
Guerchais, V., (381) C47
Guerin, C., (396) C35
Guerra, M.A., (390) C73
Guhl, D., (378) 279; (384) C43; (387) 233
Guilard, R., (389) 315
Guindi, L.H.M., (392) 1
Guisheng, L., (381) 29
Güleç, S., (378) 327
Günauer, D., (381) 79, 409
Gunko, Yu. K., (390) 35, 153
Gupta, B.D., (397) 219
Gupta, K., (399) 11
Guselnikov, L.E., (391) 275
Güthner, T., (379) 59
Gutiérrez-Puebla, E., (382) 397; (384) 79
Gutmann, S., (397) 21
Guyot, B., (386) 19

Habben, C.D., (390) 339
Hadda, T. Ben, (388) C13
Hadj-Bagheri, N., (396) C47
Hafid, A., (398) C1
Haga, M.-a., (377) C77
Hagen, A.P., (385) 39
Hagen, T., (396) 253
Haggerty, B.S., (384) 209

Hahn, F.E., (398) C19
Haines, R.J., (377) C35; (381) 429; (386) C1; (389) 227; (395) C9, C16
Hajela, S., (377) 85
Håkansson, M., (397) 383
Hall, C.D., (384) 139; (388) 301; (390) 227
Hallberg, A., (377) 75
Halpern, J., (382) 237
Halton, B., (388) 215
Hamann, H., (386) 29
Hambley, T.W., (381) 349; (395) 269
Hamers, H., (394) 213
Hamese, A.M., (384) C17; (393) C40
Hamida, N.Ben, (395) 27
Hamilton, E.J.M., (394) 1
Hammel, A., (378) 347; (388) 75
Hammer, B., (394) 555
Hammond, C.E., (394) 265, C16
Hammond, P.J., (388) 301
Hamon, J.-R., (398) C25
Hamor, T.A., (395) 167
Hampden-Smith, M.J., (390) 121
Han, J.S., (399) 131
Han, R., (393) C43
Han, S.-H., (384) 209
Handler, A., (389) C23
Hanna, T., (377) 133
Hanson, B.E., (396) 363; (397) 109
Hanusa, T.P., (376) 311
Hardcastle, K.I., (384) 181; (389) 361
Harder, S., (385) 153
Haridon, P., (389) 61, 71
Harman, A., (396) C31
Harp, J.J., (393) C1
Harper, J.R., (390) C36
Härter, P., (397) C1
Hartshorn, R.M., (382) 455
Hartwig, J.F., (394) 417
Hasegawa, Y., (381) C57
Hassler, K., (376) C1; (384) 263; (385) 201; (398) 225; (399) C18
Hausen, H.-D., (376) C27
Hawthorne, M.F., (394) 29
Hayashi, M., (382) 19; (385) C17
Hayashi, R.K., (383) 543
Hayashi, Y., (376) C3
Haynes, A., (383) 497
He, X.D., (391) C45
Healey, F.I., (376) C31
Healy, M.D., (381) 165
Heck, J., (376) C15
Heeb, S., (377) 357
Hegedus, L.S., (380) 169; (392) 285
Heil, B., (379) 191; (385) 147; (393) 153
Heine, A., (386) 1
Heinen, H., (389) C1; (391) C7
Heitz, H., (379) 311
Helm, D. van der, (385) 39; (390) 19
Hencsei, P., (377) 19
Henderson, M.J., (384) C1
Henderson, W., (394) 121
Hengelsberg, H., (379) 211
Henner, B., (396) C35
Hepiègne, P., (398) C1
Hepp, W., (385) 221
Heras, J.V., (396) 49
Herberhold, M., (377) 151, 281; (381) 379; (383) 71; (387) 323; (394) 113; (395) 195, 207, 315, 327; (398) 259
Herberich, G.E., (394) C1; (399) 35
Herbst-Irmer, R., (398) 339
Herdtweck, E., (382) 103; (394) 285; (397) C9
Hermánek, S., (386) 157
Herndon, J.W., (393) C1
Herring, A.M., (394) 699
Herrmann, G.S., (390) 159; (393) 83; (399) 83
Herrmann, R., (384) 155; (386) 241, 253
Herrmann, W.A., (377) 275; (382) 1, 103; (383) 21; (389) 85, 103; (394) 285; (395) 55, 69
Herter, W., (394) 329
Hesselbarth, F., (388) 259
Hessell, E.T., (376) 21
Hey, E., (378) 375
Heys, J.R., (378) 293
Hickey, C.E., (398) 311
Higgins, J., (395) 279
Higgs, P.I., (384) C6
Hill, A.F., (377) 151; (387) 323; (394) C24; (395) 195, 207, 315, 327, C35; (396) C22, C31
Hill, E.A., (396) 247
Hills, A., (391) C41; (398) C15
Hinz, A., (393) 379
Hirotsu, K., (389) C12
Hirschwald, W., (391) 209
Hitchcock, P.B., (384) 33; (385) 13; (394) 57, 69; (398) 59
Hneihen, A.S., (382) 361
Ho, D.M., (397) 313
Hoberg, H., (378) 279; (379) C7; (382) C6; (384) C43; (387) 233; (397) C20
Hoeveler, M., (399) 35
Hoffmann, G.G., (391) 1
Hoffmann, R.W., (376) 397
Hofmann, J., (384) 305; (397) 41; (399) 153
Hogarth, G., (394) C9; (399) 149
Höhn, A., (382) 255, 445
Holden, M.S., (383) 307
Holeček, J., (389) 29
Holley, W.K., (381) 15
Holloway, C.E., (396) 129
Holt, E.M., (383) 295; (394) 305
Holzmeier, P., (382) 129
Homann, B., (386) C1
Honeyman, R.T., (385) 417, 429; (387) 247; (389) 277; (396) 105
Hong, J.-H., (391) 27
Honrath, U., (395) C9
Hooker, R.H., (382) 201
Hor, T.S.A., (381) 121; (390) 345; (397) 29
Horchler, K., (399) 1
Horiuchi, C.A., (385) C17
Hosmane, N.S., (390) 203
Hossain, M.A., (381) 293
Hossain, M.B., (385) 39; (390) 19
Hou, Z., (399) 103
Housecroft, C.E., (384) C38
Howarth, J., (376) C31
Howie, R.A., (385) 369
Hrncir, D.C., (385) 23
Hsiao, Y.M., (388) 151; (394) 733
Hsu, L.-Y., (383) 421
Hsu, W.-L., (383) 421
Hu, N., (377) 137; (391) 313
Huang, L., (383) 587
Huang, P.S., (388) 151
Huang, Y.-H., (383) 213
Huang, Y.-Z., (378) 147; (381) 29; (398) 251
Hübener, G., (384) 155
Hudeček, M., (393) 115
Huffman, J.C., (376) 343; (382) 361; (394) C16
Hugel-Le Goff, C., (389) 389
Hughes, D.L., (377) 241; (391) C41; (398) C15

Huhn, M., (398) 339
Humphrey, M.G., (378) 163
Hund, H.-U., (378) 153, 211
Hundt, R., (379) 235
Hunter, G., (377) C69
Hursthouse, M.B., (381) 293, C43; (383) 253; (394) 455
Huttner, G., (376) 367; (377) 25, 373; (381) 79, 97, 391, 409; (384) 93; (388) 307, 321; (390) C50; (393) 213; (397) 299; (399) 255, 267, 281
Hwang, D.-K., (389) C7
Hwang, L.-S., (377) C59
Hwang, M.-Y., (391) 377
Hwang, W.A., (384) 133
Hwang, W.-S., (391) 377
Hwu, J.-M., (385) 61; (386) 79; (390) 179; (399) 141
Hwu, J.R., (399) C13
Hynes, M.J., (393) 69

Iapalucci, M.C., (378) 457
Ibarlucea, L., (377) 367
Ibbotson, A., (376) C11; (386) 195
Ibi, K., (386) 313
Iczek, F., (382) C11
Ignatenko, A.V., (385) 173
Ignatovich, L.M., (384) 257; (389) 23
Ihrman, K.G., (382) 333
Ikenishi, Y., (391) 139
Imaki, N., (379) 27
Imhof, W., (377) 25, 373; (381) 79; (384) 93; (388) 307, 321; (397) 299; (399) 281
Inamoto, N., (389) C12
Ingold, F., (399) 349
Ingram, G., (381) 127
Inouye, M., (385) 399
Irie, M., (388) 253
Irie, S., (388) 253
Irvine, G.J., (387) C5, C9
Isaeva, L.S., (376) 141; (381) 281; (384) 397
Ishido, Y., (385) 247
Ishihara, H., (386) 313
Ishii, H., (391) 147
Ishikawa, M., (381) C57; (399) 205
Isobe, K., (395) 47; (399) 199
Isogai, N., (397) 101
Issleib, K., (382) 53
Ito, Y., (385) 399
Ivakhnenko, Ye.P., (379) 1

Jacke, J., (382) 201
Jackson, P.A., (391) 225
Jackson, S.A., (378) 307
Jacobsen, G.E., (395) C1
Jagner, S., (397) 383
Jain, V.K., (387) 163; (389) 417; (396) 9
Jaitner, P., (381) 127; (396) 355
Jakkal, V.S., (389) 417
Jamea, E.H., (391) 361
Jan, D.-Y., (383) 421
Jan, M., (381) 53
Jancke, H., (386) 29; (389) 289
Janietz, N., (388) 203
Janzen, C.P., (383) 191
Jaouen, G., (399) 317
Jastrzebski, J.T.B.H., (396) 25
Jay, J.A., (377) C35; (395) C16
Jean, A., (396) C35
Jeannin, Y., (382) 407; (384) C25; (388) 195
Jeffery, J.C., (382) 225; (383) 463; (394) 167
Jeffrey, J.G., (388) 391; (394) 533
Jégat, C., (389) 71
Jegorov, A., (379) C5
Jemmis, E.D., (388) 289
Jenke, T., (379) 311; (391) 395
Jenner, G., (387) 315
Jenneskens, L.W., (390) 171
Jenny, T., (389) 149
Jensen, M.P., (383) 279; (394) 121
Jeong, J.H., (397) 17; (399) 235
Jeżowska-Trzebiatowska, B., (376) 67
Jibril, I., (377) 373; (393) 213
Jiménez, J., (396) 121
Jimenez-Tenorio, M., (377) 241; (391) C41
Jin, M.-J., (387) 373
Jin, Z., (377) 137; (391) 313; (396) 307
Jintoku, T., (385) 297
John, C.S., (399) 221
Johnels, D., (393) C35
Johnson, B.F.G., (376) C7; (377) C1, C17; (379) C1; (383) 441; (385) 387; (386) 121; (389) 129, C16; (391) 225; (394) 533; (396) C43; (397) C28; (398) 159
Johnston, D.H., (383) 279; (394) 121
Johnston, P., (378) 401
Johnston, V.J., (394) 265, C16
Jolly, P.W., (382) C11
Jonas, K., (400) 165
Jones, C., (396) C39
Jones, L.M., (383) 279
Jones, P.G., (394) 77
Jones, R.A., (394) C6
Jones, R.H., (385) 73
Jones, S.S., (396) 279
Jones, W.M., (376) 103
Joo, W.-C., (391) 27
Joseph-Nathan, P., (381) 1; (387) 265
Juárez Saavedra, P., (387) 265
Juliá, L., (381) 321
Julia, M., (379) 201; (387) 365
Jun, C.-H., (390) 361
Jund, R., (381) 239
Jung, O.-S., (397) 17; (399) 235
Jungbluth, H., (377) 339; (388) 351; (391) 109
Juris, A., (390) C61
Jurkschat, K., (381) C53; (388) 259
Jutand, A., (390) 389
Jutzi, P., (384) 33; (390) 317; (400) 1

Käb, H., (385) C27
Kabachnik, M.I., (379) 1
Kabalka, G.W., (392) 1
Kabuto, C., (390) C27
Kadiata, M., (391) 387
Kaesz, H.D., (383) 413; (394) 433
Kageyama, H., (386) 313
Kagramanov, N.D., (387) 147
Kaim, W., (390) C45; (398) 293
Kakimoto, N., (385) 247; (399) 47
Kakkar, A.K., (394) 777
Kalikhman, I.D., (376) 31, 249
Kalinin, V.N., (379) 195, 303; (381) 281; (383) 85
Kamalov, G.L., (378) 67
Kaneko, T., (382) 19
Kanellakopulos, B., (396) 315
Kane-Maguire, L.A.P., (390) 91, C6
Kang, B.-S., (386) 261, 267
Kanters, R.P.F., (384) 405; (388) 233
Kapoor, P.N., (394) 69
Kapoor, R.N., (384) 41
Karim, A., (379) 89
Karsanov, I.V., (379) 1
Kaschube, W., (389) 399
Katada, M., (377) 327
Kato, S., (386) 313

Katugin, A.S., (382) 423; (386) 225
Katzenbeisser, U., (399) C18
Kaufmann, D., (390) 1; (398) 53
Kaur, G., (388) 63
Kawai, K., (382) 19
Kawalek, B., (384) 165
Kawata, I., (385) 297
Kawata, S., (399) 301
Kawauchi, T., (385) 297
Kazakov, V.P., (377) 1; (387) 11
Kazaryan, S.G., (397) 203
Keefe, A.D., (378) 437
Keim, W., (382) 295
Keller, A., (385) 285; (393) 389
Keller, H., (378) C19
Kellner, J., (389) 103
Kennard, C.H.L., (396) C39
Kennedy, J.D., (390) 379
Kerber, R.C., (380) 77
Kergoat, R., (389) 61, 71
Kerzina, Z.A., (387) 147
Kesavadas, T., (387) 163
Ketkov, S.Yu., (389) 187
Ketter, A., (386) 241
Keyer, R.A., (394) 87
Khabashesku, V.N., (387) 147
Khadra, A., (396) C4
Khandkarova, V.S., (379) 1
Khattar, R., (385) 387; (386) 121
Khazal, N.M.S., (386) 229; (397) 51
Khoo, S.K., (399) 115
Khoudary, K.P., (399) C13
Khrushcheva, N.S., (378) 227
Kiel, W.A., (383) 481
Kim, C.H., (391) 27
Kim, C.M., (394) 733
Kim, T.-J., (389) 205
Kim, Y.-J., (382) 303
King, M.A., (376) 359
King, R.B., (383) 295; (394) 305
Kiprof, P., (395) 55, 69; (397) C1
Kisch, H., (382) 129
Kitagawa, S., (391) 131
Kitamura, M., (382) 19
Klabunde, K.J., (376) 419
Klabunovsky, E.I., (397) 245
Klahn-Oliva, A.H., (385) 73
Klaiss, J., (394) 765
Klapötke, T., (379) 251; (385) 345; (387) C27; (393) 343; (398) 1
Kläui, W., (394) 213; (398) 339
Kleinpeter, E., (388) 259
Klement, U., (394) 555
Klepetko, R.J., (393) 371
Klingebiel, U., (381) C38
Klotzbücher, W.E., (382) 201
Knobler, C.B., (394) 29, 433
Knoch, F., (391) 327
Knorr, M., (388) 327
Knösel, F., (388) 21
Knox, S.A.R., (394) 385; (400) 255
Ko, Y.H., (386) 147; (397) 7
Kobayashi, K., (386) 365
Kobayashi, S., (382) 39
Kochi, J.K., (382) 129
Koehnes, A., (382) 295
Köhler, F.H., (386) C13
Koide, Y., (386) 365
Koike, Y., (385) C17
Kolesnikov, S.P., (391) C1
Koll, L.C., (376) 283
Kollár, L., (379) 191; (385) 147; (386) 389; (393) 153; (396) 375
Kölle, U., (378) 449; (386) 261, 267
Köllemann, Chr., (396) C1
Kölliker, R., (396) 375
Kolmogorov, Yu.N., (385) 173
Kolobova, N.E., (379) 303
Konidaris, P.C., (394) C9; (399) 149
Konkol, W., (389) 85
Köpf, H., (387) 77
Koralewicz, M., (384) 381
Korshev, S.Ya., (378) 363
Kossakowski, J., (378) 449
Koten, G. van, (376) 223; (378) 115; (390) C21; (394) 659; (396) 25; (400) 283
Köttnitz, J., (395) 341
Kovac, S., (384) 147
Kovács, I., (377) 19
Kovalev, I.P., (385) 173; (386) 139
Kowalczyk, J.J., (397) 333
Kowalski, P., (391) 13
Kpoton, A., (395) 1
Kraatz, H.-B., (394) 167
Kraft, A., (394) 99
Kramer, A., (388) 187
Krasnokutsky, S.N., (397) 245
Krause, J., (383) 421
Kravtsov, D.N., (376) 141; (381) 281; (384) 397
Krebs, B., (385) 255; (389) C29; (399) 189
Kreißl, F.R., (376) 45; (378) C19; (397) C6, C9
Kreiter, C.G., (377) 105; (387) 175; (394) 195
Kremnitz, W., (383) 71
Krishnamurthy, S.S., (390) 203
Kríz, O., (386) 157
Kroes, M.M., (388) 133
Krone-Schmidt, W., (394) 433
Kroos, R., (390) 317
Krüger, C., (377) C55; (378) 185; (382) 77, 89, C11; (386) 261, C13; (387) 113; (389) 399; (390) 323; (394) 99; (397) 255
Kruger, T.L., (393) 143
Krumm, B., (385) 161
Kruppa, A.I., (377) 1; (391) C1
Kubicki, M.M., (389) 61, 71
Kuchen, W., (378) 17; (393) 379
Kuchler, J.G., (395) 55
Kudzin, Z.H., (376) 245
Kuhn, N., (385) C9
Kuhnlein, M., (383) 71; (398) 259
Kulpe, J.A., (389) 85
Kulshreshtha, S.K., (382) 375
Kumar, S.K., (397) 161
Kumar Das, V.G., (376) 277; (377) 211, 221; (379) 247; (390) 19; (393) 201
Kummer, D., (382) 345
Kunai, A., (381) C57; (399) 205
Kundu, K., (385) 13
Kunicki, A.R., (399) 199
Kunkely, H., (378) C15
Kuran, W., (384) 13
Kwik, W.L., (379) 325; (396) C43
Kwon, K.-H., (389) 205
Kwon, S.-C., (389) 205
Kwon, Y.G., (382) 419
Kynast, U., (384) C1

Labrador, M., (391) 431
Lagow, R.J., (390) C73
Lagowski, J.J., (386) 37
Laguna, A., (394) 743; (396) 121
Laguna, M., (394) 743; (396) 121
Lahoz, F.J., (388) 365; (396) C17
Lahtin, V.G., (385) 185
Lai, C.-K., (390) 73
Lai, J.S., (393) 431; (399) 361
Lain, J.S., (390) 333
Lalor, F.J., (381) 213, 357, C33
Lamata, M.P., (396) C17
Lambert, C., (383) 161
Lambert, J.B., (379) 187

Lampe, E.-M., (385) C9
Lamprecht, G.J., (397) 239
Lance, M., (379) 259; (388) 279
Landrum, B.E., (378) 421
Landvatter, S.W., (378) 293
Lanfranchi, M., (387) 357
Lang, H., (386) 349; (388) C1; (389) 325; (393) C17; (395) C30
Lange, H., (388) 57
Langenbahn, M., (379) 165; (397) 347
Langer, C., (383) 1
Lanneau, G.F., (399) 11
Lanza, S., (396) 115
Lapinte, C., (381) C47; (398) C25
Laporterie, A., (391) 7
Lappert, M.F., (394) 57
Lastra, E., (378) C11
Laurie, J.C.V., (394) 1
Lauron, H., (387) 365
Lay, U., (388) C1
Lazraq, M., (397) 1
Leach, J.B., (382) C1
Leaman, S.A., (388) 221
Léandri, G., (384) C9
Lebedev, V.N., (385) 307
Le Berre, N., (389) 61, 71
Le Bihan, J.-Y., (385) C35
LeBlanc, M.B., (382) 333
Le Bozec, H., (388) C13
Lee, B., (393) 131; (396) 269
Lee, C.C., (387) 295; (395) 293
Lee, D.-H., (389) 205
Lee, G.-H., (377) 123; (389) C7
Lee, H.S., (382) 419
Lee, S.S., (394) 29
Lee, S.W., (398) C6
Le Floc'h, C., (390) C39
Léger, M.-P., (382) C17, C21
Lehmann, J., (388) 259
Lehmann, R., (389) 149
Lehn, J.-M., (382) 157
Leigh, G.J., (391) C41
Leins, A.E., (378) 401
Leipoldt, J.G., (397) 239
Leise, M., (386) 349; (389) 325; (393) C17; (395) C30
Leismann, H., (387) 315
Leissring, E., (382) 53
Leitner, P., (377) 281
Leitner, W., (387) 209
Le Maréchal, J.F., (379) 259; (393) C47
Lennhoff, N.S., (377) 133
Lentz, D., (377) 305; (381) 205
Leonesi, D., (391) 155
Leong, W.K., (379) 325; (396) C43
Lesch, A., (385) C47
Leshina, T.V., (391) C1
Lespes, G., (379) 41
Leung, W.-P., (394) 57
Le Van, D., (385) 255; (386) 321; (389) C29; (399) 189
Lewis, J., (376) C7; (377) C1, C17; (379) C1; (383) 441; (385) 387; (386) 121; (389) 129, C16; (391) 225; (394) 533; (396) C43; (397) C28; (398) 159
Lhadi, E.K., (385) C4
L'Haridon, P., (389) 61, 71
Li, G., (381) 29
Li, L., (396) 65
Liang, S., (387) 131
Liao, S., (382) 69
Liao, Y., (378) 147
Licandro, E., (393) 227
Lickiss, P.D., (384) 33; (393) 27; (398) 59
Liddell, M.J., (391) 81
Liepiņš, E., (385) 185; (389) 23; (390) 139; (393) 11, 333
Lim, Y.Y., (399) 115
Lin, G., (396) 307
Lin, I.J.B., (393) 431; (399) 361
Lin, J.T., (388) 151
Lin, L., (391) 307, 321
Lin, Y., (376) 61; (377) 51; (381) 135; (391) 307, 321; (399) 247
Lindner, E., (379) 107; (385) C13; (386) 63, 187; (391) C37; (398) 325
Lindsell, W.E., (378) 245
Linford, L., (393) C49
Liou, W.T., (384) 133
Lis, T., (377) 69; (393) 349
Litster, S.A., (394) C35
Liu, F.-C., (377) 123
Liu, G.-J., (387) 83
Liu, L.-K., (390) C50; (397) 29; (399) 361
Liu, R.-S., (377) 123
Liu, S.-T., (376) 333; (387) 83
Livotto, F.S., (391) C28
Lixandru, T., (378) 99
Lloyd, B.R., (394) 385
Lo, P.Y., (391) 19; (396) 299
Lo, W., (387) 131
Lobana, T.S., (384) 115; (388) 273; (390) 29; (395) 167
Lobbia, G.G., (378) 139; (391) 155
Lochmann, L., (376) 1; (393) 307
Loebel, J., (379) 51; (384) C49; (390) 45
Lokshin, B.V., (397) 203
Long, N.J., (378) 473; (383) 253; (394) 455
Longoni, G., (378) 457
López, A.M., (388) 365
López, F., (382) 61
López, G., (393) C53
López, J., (379) 171; (391) 219
López, T., (378) 91
Lorenz, I.-P., (388) 187
Lorenzen, D., (378) 17; (393) 379
Lorenzotti, A., (378) 139
Lo Schiavo, S., (387) 357
Loumrhari, H., (384) C61; (385) 379
Löwe, C., (378) 211
Lu, X., (376) 41
Lubienski, M.C., (384) 139
Lucas, D., (396) C12
Lucchini, V., (379) 67
Lukevics, E., (384) 257; (385) 185; (389) 23; (390) 139; (393) 11, 57, 333
Lukose, P., (393) 365
Luo, S., (376) 297
Lusenkova, M.A., (379) 303
Lyčka, A., (389) 29
Lynch, T.J., (377) 265

Maas, G., (391) 289; (398) 229
Macartney, D.H., (377) C52
Macazaga, M.J., (397) 93
Macchioni, A., (391) 367
Mach, K., (385) 335; (389) 41
MacHale, D., (381) C13
Macías, A., (385) 329
Mackay, K.M., (387) 197
MacKay, R.L., (377) C69
Maercker, A., (377) C45
Magomedov, G.K.-I., (385) 113, 289
Mahon, M., (381) C13
Maier, R., (396) 315
Mailvaganam, B., (395) 177
Maiorana, S., (393) 227
Maisel, H.E., (381) 233; (399) 125, 131
Maitlis, P.M., (394) 583; (398) 311; (399) 199
Majchrzak, W., (376) 245
Mak, T.C.W., (377) C65; (379) 247; (393) 201
Makhesha, P.A., (384) 325

Maksimenko, A.A., (391) 179
Malisch, W., (385) C27
Malitesta, C., (378) 239
Mallet, M., (382) 319
Mallin, D.T., (381) 35
Manassero, M., (396) 385
Mancilla, T., (381) 1
Mandal, S.K., (397) 313
Mann, B.E., (390) 251
Mann, K.R., (378) 255
Manning, A.R., (384) 217
Manohara Chary, C., (376) 53
Manriquez, V., (377) 235
Manuel, G., (391) 7
Marchionna, M., (378) 457
Marciniec, B., (376) 15; (385) 319
Marcos, M., (387) 103
Marder, T.B., (394) 777
Margorskaya, O.I., (376) 31
Marín, J.M., (377) 157
Markham, D.P., (391) 123; (394) 699
Markies, P.R., (393) 315
Markó, L., (380) 429; (397) 231
Markwell, A.J., (378) 401
Markwell, R.D., (388) 123, 133
Marr, G., (392) 93, 161
Marsais, F., (382) 319
Marshall, J.E., (384) 347
Marsmann, H., (385) C47
Martí, J.M., (393) C53
Martinengo, S., (396) 385
Martinet, P., (393) 161
Martínez, F., (394) 643
Martinez, J., (394) 583
Martinho Simões, J.A., (391) 361
Marton, D., (376) 269; (390) 127; (391) 295
Maryasova, V.I., (391) C1
Marz, D.W., (394) 285
Masciocchi, N., (396) 385
Masdeu, A.M., (398) 177
Maslakov, A.G., (391) 179
Massa, W., (376) 397, C15
Massey, A.D., (391) 225; (397) C28
Massey, A.G., (399) 215
Massoud, A., (386) 51
Masters, A.F., (393) 371
Masters, J.G., (385) 39
Masuda, H., (391) 131
Mathey, F., (384) 271; (389) 389; (400) 149
Mathieu, R., (388) 169; (389) 197, 219; (395) 305
Mathur, P., (385) 363; (387) 193
Matias, P.M., (395) 279
Matos, R., (390) C89
Matsuda, I., (377) 347
Matsuda, Y., (382) 19
Matsuzaka, H., (394) 251
Matt, D., (399) 349
Matteoli, U., (385) 439; (397) 119, 375
Mattern, G., (382) 345
Matthews, D.M., (384) C38
Mayer, H.A., (386) 63; (398) 325
Mazanek, E., (384) 13
Mažeika, I., (384) 257
Mazid, M.A., (381) C43
Mazilu, I., (378) 99
Mazzieri, M.R., (383) 161
Mbogo, S.A., (384) 115; (388) 273; (390) 29; (395) 167
McAlees, A.J., (390) 121
McArdle, P., (381) C13
McCabe, A., (384) 217
McCarthy, D.A., (383) 421
McCarthy, P.J., (377) C73; (394) 711
McCrindle, R., (390) 121
McGlinchey, M.J., (394) 145; (395) 177; (396) 65
McMahon, I.J., (382) 175
McManus, J., (393) 69
McPartlin, M., (377) C17, C73; (379) C1; (383) 441; (394) 711
McPhail, A.T., (381) 15
McPhillips, T., (389) 361
McWhinnie, W.R., (384) 115; (388) 273; (390) 29; (395) 167
Mealli, C., (386) 203
Meanwell, N.J., (396) C47
Medvedeva, A.S., (376) 31
Meese-Marktscheffel, J.A., (377) C5; (390) 301
Mehrotra, S.K., (390) C73
Meidine, M.F., (390) C89
Meier, W., (381) C7
Meisner, T., (397) 41
Meller, A., (381) 299; (386) 1
Melling, R.P., (396) C22
Melnik, M., (396) 129
Melnyk, O., (388) C5
Mena, M., (390) 323; (391) 47
Mendoza, A., (396) C17
Meng, X., (394) 15
Mercer, R.J., (384) C12
Mercier, F., (389) 389
Mercier, R., (391) 61
Merlic, C.A., (391) C23
Mesnard, D., (397) 127, 139
Metzler, M.R., (381) C26; (398) 117, C22
Meunier-Piret, J., (388) 259
Meuret, J., (398) 65
Meyer, G., (393) 137
Meyer, R., (398) 205
Michaelis, S., (397) 255
Middlemiss, D., (379) 81
Miginiac, L., (376) 235; (386) 19; (396) 289; (397) 127, 139
Miguel, D., (383) 463
Mikhail, I., (398) 53
Miki, E., (385) C17
Mikolaiski, W., (376) 397
Milart, P., (384) 165
Miles, E.A., (388) 133
Miller, D.C., (394) 235
Miller, G.A., (383) 271
Milone, L., (377) 85
Minas da Piedade, M.E., (391) 361
Mingos, D.M.P., (384) 405, C57; (394) 679
Mink, J., (379) 337
Minkin, V.I., (391) 179
Minshall, E., (381) 429
Mintz, E.A., (381) 35
Miravitlles, C., (381) 321
Mitchell, T.N., (376) 283; (384) C53; (386) 167
Mitter, F., (376) C1
Mochida, K., (399) 53
Möhrke, A., (384) 33
Moise, C., (398) C1
Moiseev, S.K., (383) 85
Moldes, I., (395) 305
Molins, E., (381) 321
Moll, M., (378) 73; (391) 327
Molla, M.E., (385) 13
Monari, M., (377) C1; (389) 341
Mond, L., (383) 1, 7
Monge, A., (384) 79
Mont, W.-W. du, (395) C23
Monti, H., (384) C9
Montoya, J., (390) C57
Moore, M.H., (381) 429
Morandini, F., (390) C64
Moreau, J.J.E., (376) C39
Moreno, C., (397) 93
Morère, A., (386) C7
Moret, M., (399) 291
Mori, E., (399) 93
Mori, M., (395) 255; (399) 93
Morozova, L.N., (381) 281
Morrison, J.A., (376) 149
Morton, D.A.V., (394) 385
Mortreux, A., (379) 89

Moss, J.R., (384) 325; (394) 313
Motevalli, M., (381) 293, C43
Motohashi, N., (398) 205
Motoyama, I., (399) 301
Motz, P.L., (379) 119; (383) 201
Mountassir, C., (388) C13
Mountford, P., (382) C1; (394) C9
Mourad, Y., (388) C9; (398) 85
Mousser, A., (385) C4
Muetterties, E.L., (376) 407
Mugnier, Y., (382) 389; (388) C9; (396) C12; (398) 85
Mukaiyama, T., (382) 39
Mul, W.P., (396) 73
Mulla, F., (381) 429; (389) 227
Müller, C., (384) 243
Müller, E.P., (389) C23
Müller, G., (383) 93; (394) 757
Müller, J., (377) C27
Mulvey, R.A., (386) 287
Munakata, M., (391) 131
Munz, C., (384) 243; (395) C42
Murai, T., (386) 313
Murakami, M., (385) 399
Murray, J.B., (385) 91
Mustafa, M.O., (377) 69
Mutin, H., (396) C35
Mutter, Z.F., (389) 427; (391) 267
Mynott, R., (382) 89; (397) 255

Nagasawa, K., (391) 139
Nagy, A.G., (390) 217
Nahmed, E.M., (387) 315
Naiini, A.A., (390) 73
Nair, H.K., (376) 149
Nakagawa, Y., (391) 139
Nakamura, A., (400) 35
Nakao, R., (381) 155; (388) 253; (390) 7
Namavari, M., (376) 259
Nardin, G., (390) 267
Narula, A.K., (393) 365
Nasser, F.A.K., (385) 39
Nation, J.E., (377) C23
Natkaniec, L., (376) 67
Navarro, R., (390) 257; (394) 643
Naylor, A., (379) 81
Naylor, S., (386) 275
Nayyar, N.K., (389) 159
Neeb, M.K., (393) 143
Nefedov, O.M., (391) C1
Nefedov, S.E., (384) 279, 295; (385) 277
Negri, S., (390) 389
Net, G., (385) 409
Neuhaus, M., (381) 299
Neumann, F., (379) 139, 151; (389) 351
Neumann, H.-P., (377) 255; (388) 203
Ng, S.W., (376) 277; (377) 211, 221; (378) 339; (379) 247; (390) 19; (393) 201
Nicholas, K.M., (384) 361; (399) 317
Nicholls, S.M., (394) 385
Nicholson, B.K., (385) 91; (387) 197; (388) 379
Nie, G., (377) 137
Niecke, E., (390) C89
Niedercorn, F., (383) 213
Nief, F., (384) 271
Nierlich, M., (379) 259; (388) 279
Nifantyev, E.E., (397) 245
Niitsu, T., (389) C12
Nikishin, G.I., (385) 173; (386) 139
Nilsson, M., (391) C19
Nishimura, H., (376) C3
Nissen-Sobocińska, B., (376) 67
Nixon, J.F., (390) C89
Nkosi, B.S., (386) 111
Nobile, C.F., (378) 239
Noe, R., (394) 99
Nohlen, M., (382) C6
Noltemeyer, M., (388) 21
Nomura, Y., (399) 205
Norman, N.C., (390) C10; (399) C21
Normant, J.-F., (393) 161, 173; (394) 37; (400) 19
Norton, J.R., (383) 497
Novotortsev, V.M., (384) 279, 295; (385) 277
Noyori, R., (382) 19
Nozaki, S., (385) C17
Nuber, B., (381) C7; (386) 209; (388) 203; (393) 119; (398) 259
Nuel, D., (384) 181, 347

Obeso-Rosete, R., (393) 423
O'Brien, G., (384) 347
Oehme, G., (389) 251, 409; (390) 113; (391) 119
Oguni, N., (382) 19
Ohshita, J., (399) 205
Oka, K., (381) 155; (388) 253; (390) 7
Okada, S., (382) 19
Oknińska, E., (376) 7
Okuda, J., (384) C21; (385) C39; (397) C37
Öller, H.-J., (394) 757
Olofson, J.M., (376) 311
Olsson, T., (391) C19
Ong, C.W., (384) 133
Oort, A.B. van, (396) 33
Orama, O., (388) 321
Orazsakhatov, B., (382) 423; (384) 279, 295; (385) 277
Orchin, M., (383) 201; (397) 313
Oro, L.A., (381) 275; (387) 103; (388) 365; (396) C17; (398) 177
Orpen, A.G., (384) C12; (393) 287; (394) 385; (396) 33
Orrell, K.G., (378) 473; (383) 253; (394) 455
Osakada, K., (382) 303; (383) 587; (399) 341
Osborne, A.G., (378) 473; (383) 253; (394) 455
Osella, D., (377) 85
Oskam, A., (390) 61
Ossig, E., (379) 107
Osterberg, C.E., (376) 359
O'Sullivan, B., (381) C33
Otero, A., (382) 389; (396) C12
Otter, J.C., (385) 33; (389) 295
Ott-Lastic, J., (377) 281
Ovchinnikov, Yu.E., (378) 235
Ovejero, P., (396) 49
Owen, D.A., (395) C5
Owen, D.W., (398) 299
Ozawa, F., (383) 587
Ozawa, Y., (399) 341

Pabel, M., (386) 187
Pacchione, G., (377) C13
Padolik, L.L., (383) C1
Paetzold, P., (385) 1
Paganelli, S., (385) 439; (397) 119, 375
Pakkanen, T.A., (391) 403; (397) 81
Palacios, F., (382) 61
Palackal, S.J., (388) 105
Palamidis, E., (384) C49; (390) 45
Palma, P., (377) 157
Pampaloni, G., (383) 45
Pankayatselvan, R., (384) 361
Pannell, K.H., (384) 41
Panunzi, A., (388) 243
Panza, M., (394) 569
Papagni, A., (393) 227
Paquette, L.A., (397) 177
Park, S.C., (393) 131

Park, W.H., (382) 419
Park, Y.K., (383) 191
Park, Y.T., (391) 7
Párkányi, L., (384) 41
Parker, N., (378) 307
Parkin, G., (393) C43
Parlier, A., (377) 89; (379) 271; (381) 191; (386) 51
Parrain, J.-L., (387) 153
Parrott, M.J., (382) 225
Partin, J.A., (396) 339
Parulekar, C.S., (387) 163
Parvez, M., (381) 213, 357
Pastor, S.D., (376) 21; (381) C21
Pasynkiewicz, S., (387) 1; (389) 289; (397) 269
Pasynskii, A.A., (378) 67; (382) 423; (384) 279, 295; (385) 277; (386) 225
Patalinghug, W.C., (390) 29
Patin, H., (385) C4
Patino, R., (386) 51
Pavlov, V.A., (397) 245
Pawelke, G., (378) 125; (385) 161; (396) 253
Paz-Sandoval, M.A., (387) 265
Pearson, A.J., (383) 307
Peganova, T.A., (376) 141; (384) 397
Pelling, S., (382) 175
Pellinghelli, M.A., (376) C23; (379) 311; (385) C50
Peng, S.-M., (376) 333; (377) 123; (387) 83; (389) C7
Pennington, W.T., (385) 23; (396) 269
Penyagina, I.M., (378) 363
Perales, A., (384) C61; (385) 379
Pereyre, M., (391) 283; (398) 79
Pérez-García, V., (382) 397
Pergola, R. della, (396) 385
Périchon, J., (385) C43; (393) 137
Peringer, P., (389) C23
Perpiñan, M.F., (384) 79
Persson, J., (388) 71
Peruzzini, M., (390) C16
Peruzzo, V., (396) 19
Pestunovich, V.A., (376) 249
Peter, H., (393) 401, 411
Peters, K., (381) 173
Pétillon, F.Y., (390) C39
Petit, F., (379) 89
Petrovich, L.M., (387) C31
Petrovskii, P.V., (376) 141; (378) 67; (379) 195, 303; (381) 281; (384) 397; (391) 119
Pfaff, R., (394) 99
Pfeffer, M., (394) 213
Phang, L.-T., (381) 121; (390) 345; (397) 29
Philomin, V., (399) 317
Piana, H., (388) 327
Picard, J.P., (391) 13
Pickardt, J., (393) 343
Pickett, C.J., (390) C39
Piedade, M.F.M., (388) 143
Pierens, R.K., (393) 371
Pietsch, B., (378) 199
Pikies, J., (378) 317; (386) 305; (393) 187
Pino, P., (386) 389
Piórko, A., (387) 295; (395) 293
Piras, P., (384) C9
Pitt, C.G., (381) 15
Plappert, E.-C., (399) 153
Plazzogna, G., (396) 19
Pleixats, R., (381) C1
Podestà, J.C., (376) 283
Poë, A.J., (383) 531
Pohl, S., (379) 217
Pohmer, K., (385) C13; (386) 63
Poirier, M., (395) 1
Pola, J., (391) 275
Polácek, J., (385) 335
Polborn, K., (394) 601
Poliakoff, M., (383) 497
Polyakov, A.V., (385) 307; (389) 251, 409; (390) 113
Pombeiro, A.J.L., (384) 121; (398) C15
Pomeroy, R.K., (383) 387
Pons, P., (382) C17, C21
Popall, M., (383) 93
Pornet, J., (386) 19; (396) 289
Pörschke, K.R., (389) 399; (397) 255
Porzel, A., (377) 9
Pöschl, M., (385) 201; (398) 225
Pounds, J.M., (382) C1
Pourcelot, G., (388) C5
Poveda, M.L., (377) 157
Powell, H.R., (377) C17, C73; (379) C1; (383) 441; (394) 711
Powell, N.I., (384) 181, 347; (389) 361; (398) 299
Powell, P., (387) 265
Power, P.P., (400) 49
Praet, H., (376) C39
Prakasha, T.K., (390) 203
Prasad, K.M., (376) 53
Pratten, S.J., (381) 147
Predieri, G., (378) 109
Pregosin, P.S., (395) 231; (398) 197
Pretorius, G., (384) C17
Price, R.T., (376) 407
Priede, E., (393) 333
Pringle, P.G., (386) 399
Prokof'ev, A.I., (379) 1
Prosenc, M.-H., (397) 21
Proserpio, D.M., (386) 203
Pruchnik, F.P., (376) 133; (384) 381
Pucci, D., (395) 105
Puerta, M.C., (377) 241; (382) 389
Puff, H., (379) 223, 235
Pursiainen, J., (391) 403; (397) 81
Pyatt, D., (387) 381
Pyne, S.G., (390) C6

Qi, M., (399) 247
Qian, C., (398) 251
Qian, Y., (381) 29
Queguiner, G., (382) 319
Queirós, M.A., (390) 193
Quin, L.D., (385) 131
Quincke, F., (383) 1
Quintard, J.-P., (387) 153

Raabe, E., (382) 89
Raabe, G., (386) 261
Rachwal, S., (384) 165
Rad'kov, Yu. F., (378) 363
Radonovich, L.J., (376) 419
Rae, A.D., (383) 543
Raharinirina, A., (395) 39
Raithby, P.R., (376) C7; (385) 387; (386) 121; (389) C16; (396) C43; (397) C28
Ramacher, L., (398) 339
Ramakrishnan, S., (388) 1
Ramão, C.C., (391) 345
Rama Rao, N., (376) 53
Rambaud, M., (384) 1
Ramirez-de-Arellano, M.C., (394) 77
Ramsden, J.A., (387) 305
Randrianoelina, B., (396) 289
Rannenberg, M., (376) C27
Rao, N.R., (376) 53
Raoult, Y., (391) 189; (399) C1
Rapić, V., (384) 147
Raptis, R., (384) 41
Rasmussen, P.G., (385) 409
Raston, C.L., (384) C1; (395) C1; (396) C39

Rath, N.P., (399) 221
Rau, D., (387) 219
Raubenheimer, H.G., (384) C17; (393) C40, C49
Rausch, M.D., (381) 35; (383) 227; (396) 279
Razavi, A., (399) 131
Real, J., (385) 409
Rebizant, J., (396) 315
Recknagel, A., (395) C26
Reddy, V.D., (385) 363; (387) 193
Reddy, V.V.S., (391) 259
Redhouse, A.D., (394) C35; (399) 307
Reed, D., (386) 287
Reetz, M.T., (382) 121
Rehder, D., (388) 95; (393) 97
Reibenspies, J., (381) 349; (394) 733
Reichenbach, G., (391) 367
Reid, R.S., (395) 293
Reina, R., (377) 291; (398) 285
Reindl, D., (385) 351
Reiter, B., (376) C1
Rest, A.J., (382) 201; (394) C21
Reuter, H., (379) 223
Reutov, O.A., (378) 227
Reveco, P.G., (394) C21
Reye, C., (389) 159
Rheingold, A.L. (378) 339; (381) 35; (383) 71; (384) 209; (390) C36; (394) 113, 251; (395) 85; (397) 231
Rhodes, C.J., (378) 303
Ribeiro da Silva, M.A.V., (393) 359
Ribeiro da Silva, M.D.M.C., (393) 359
Ricard, L., (384) 271; (389) 389
Richards, R.L., (398) C15
Richmond, M.G., (396) 339; (398) C6
Richmond, T.G., (376) 359
Rickard, C.E.F., (387) C5, C9; (388) 391; (389) 375; (393) 243; (394) 615; (395) 333; (398) 133
Ridgway, C., (394) 349
Riede, J., (377) 105; (395) 55
Rieker, C., (381) 127; (396) 355
Riepl, H., (389) 103
Riera, J., (381) 321
Riera, V., (376) C23; (382) 407; (384) 339, C25; (391) 431; (393) 423, C30; (394) 275; (397) 309; (398) 275
Rigo, P., (390) 97
Rihs, G., (381) C21
Rimmelin, J., (381) 239
Rinaldi, P., (376) 91
Rivière, P., (386) 147; (397) 7
Rivière-Baudet, M., (386) C7
Rizzi, G.A., (396) 73
Robalo, M.P., (395) 279
Roberts, R.M.G., (388) 181
Robertson, F.J., (388) 221
Robinson, B.H., (387) 337; (398) 165
Robinson, G.H., (385) 23; (396) 269
Robles, D., (386) 253
Rocamora, M., (388) 221
Rockett, B.W., (392) 93, 161
Rodman, G.S., (378) 255
Rodriquez, M.L., (377) 235
Roethel, T., (382) 295
Rogers, L.M., (380) 51
Rogers, R.D., (378) 33; (379) 289; (380) 51; (381) 233; (383) 227; (388) 105; (396) 269; (397) 177
Rohde, W., (385) 101; (393) C25
Roller, S., (378) 327
Román, E., (377) 309
Romero, A., (391) 219
Roos, H.M., (393) C49
Roper, W.R., (387) C5, C9; (388) 391; (389) 375; (393) 243; (394) 615; (395) 333; (397) 209; (398) 133
Ros, J., (384) C61; (385) 379; (388) 169; (389) 197, 219; (390) C57; (395) 305
Ros, M.B., (387) 103
Rosales, M.J., (385) 387
Rose, E., (377) C9; (385) C1
Rose-Munch, F., (377) C9; (385) C1
Rosenberg, E., (377) 85
Rosenthal, U., (389) 251, 409; (390) 113; (391) 119
Rossell, D., (381) 183
Rossell, O., (377) 291; (398) 285
Rossi, S., (391) 403; (397) 81
Rotem, M., (387) 95
Rotondo, E., (396) 115
Roullier, L., (396) C12
Roustan, J.-L., (376) C20
Roy, M., (397) 219
Royo, G., (395) 1
Royo, P., (382) 103; (391) 47
Rozite, S., (384) 257
Rozova, E.A., (388) 11
Rubezhov, A.Z., (379) 1
Rubinsztajn, S., (377) 197
Rudler, H., (377) 89; (379) 271; (381) 191; (386) 51
Rudler, M., (381) 191
Rufińska, A., (376) 359; (382) 89
Ruhl, B.L., (381) 213, 357; (390) 121
Rühlemann, A., (381) C53
Rühlmann, K., (377) 9
Ruiz, J., (377) 309; (384) 339; (393) C53
Ruiz, M.A., (382) 407
Ruiz, N., (398) 177
Ruiz-Pérez, C., (377) 235
Ruiz-Valero, C., (384) 79
Russell, D.K., (378) 307
Russell, D.R., (376) C31
Rutledge, P.S., (381) C26; (384) C6; (398) 117, C22
Rybinskaya, M.I., (383) 113
Rycroft, D.S., (388) 221
Rypdal, K., (391) 47

Saak, W., (379) 217
Sabat, M., (383) 279; (394) 121
Sabbatini, L., (378) 239
Sacco, A., (378) 239
Sadekov, I.D., (391) 179
Sadykov, R.A., (377) 1
Saez, I.M., (394) 583
Sakamoto, H., (377) C77
Sakurai, H., (390) C27
Sala-Pala, J., (391) 61
Salerno, G., (394) 569
Sales, J., (379) 177
Salter, I.D., (377) C31, C73; (394) 711
Sánchez, A., (384) 19; (388) 243; (390) 293
Sánchez, G., (391) 431
Sánchez González, A., (385) 329
Sánchez-Peláez, A.E., (384) 79
Sánchez-Santano, M.-J., (381) 285
Sanctis, Y. De, (389) 361
Sandhu, G.K., (388) 63; (393) 195
Sándor, P., (379) 191; (385) 147; (393) 153
Sanganee, M., (381) 293, C43
Sangokoya, S.A., (385) 23
San Jose, E., (396) C17
Sano, H., (399) 301
Santana, M.D., (393) C53
Santi, S., (379) 67
Santos, A., (379) 171; (390) C57; (391) 219

Sappa, E., (378) 109; (385) C50
Sarter, C., (377) C55; (382) 89; (394) 99
Sastry, G.N., (388) 289
Satgé, J., (386) C7; (387) 65; (395) 27; (397) 1, 7; (400) 121
Sato, M., (377) 327
Sato, N., (393) 1
Sato, S., (377) 347
Satoh, J.Y., (385) C17
Sauerwald, M., (382) 121
Sauvêtre, R., (393) 161, 173; (394) 37
Savvopoulos, I., (399) 35
Saxcé, A. de, (395) 1
Sayer, B.G., (395) 177
Schaaf, P.A. van der, (396) 25
Schacht, H.T., (381) 261
Schäfers, K., (381) 173
Schaffner, K., (382) 201
Schat, G., (393) 315
Scheim, U., (377) 9
Schenk, W.A., (396) C4, C8
Schenke, D., (382) 109
Scherer, O.J., (376) C35; (387) C21
Scherhag, F., (385) C27
Schiemann, A., (389) C29
Schiesser, C.H., (389) 301
Schlebos, P.P.J., (388) 233
Schlosser, M., (389) 149
Schlund, R., (382) 89
Schmid, G., (395) 39
Schmidbaur, H., (394) 757
Schmidt, B.M., (399) 63
Schmidt, H., (382) 53
Schmidt-Bäse, D., (381) 299
Schneider, B., (389) 29
Schneider, D., (384) C33
Schneider, J., (391) 195
Schneider, J.J., (376) 419
Schneider, U., (384) C53
Schnering, H.G. von, (381) 173
Schoemaker, G.C., (390) C1
Schottenberger, H., (381) 127; (396) 355
Schrepfermann, M., (394) 113; (398) 259
Schröder, J., (378) 57, 185
Schröder, W., (389) 399
Schubert, U., (385) 221; (388) 327
Schuch, W., (379) 235
Schulz, M., (394) 469
Schulze, J., (385) 255
Schumann, H., (377) C5; (379) 51; (384) C49; (390) 45, 301
Schwager, H., (382) 191
Schwarz, W., (378) 347
Schwarzhans, K.E., (381) 127; (396) 355
Scott, F., (384) C17; (387) 113; (393) C40
Scrivanti, A., (385) 439; (397) 119, 375
Scutaru, B., (378) 99
Scutaru, D., (378) 99
Seco, M., (377) 291; (381) 183; (398) 285
Segmüller, B.E., (386) 95
Seidl, S., (384) 263
Seifert, J., (382) 345
Sekiguchi, A., (390) C27
Sekino, M., (377) 327
Sellmann, D., (391) 327
Semmelhack, M.F., (391) C23; (393) 237
Semra, A., (377) C9
Sen, A., (378) 485
Senechal, D., (385) C35
Senechal-Tocquer, M.-C., (385) C35
Serramedan, D., (398) 79
Serrano, J.L., (387) 103
Serrano, R., (391) 47
Servaas, P.C., (390) 61
Severinsen, M.J., (388) 379
Sexsmith, S.R., (382) 273
Shafieezad, S., (381) 15
Shapkin, N.P., (389) 169
Shapley, J.R., (397) 359
Shaposhnikova, A.D., (378) 67
Sharma, U., (382) 375
Sharpe, N.W., (384) 139; (388) 301; (390) 227
Shaw, B.L., (391) 123; (394) 699
Sheeran, D.J., (383) 201
She Fan Min, (379) 195; (381) 281
Sheldrick, G.M., (386) 1
Sheldrick, W.S., (377) 357; (386) 375
Sheludyakov, V.D., (385) 185
Shen, O., (376) 61
Shen, Q., (377) 51; (391) 307, 321; (399) 235
Shen, Y.-J., (381) 45
Sherry, L.J.S., (376) C31
Sherwood, P., (383) 463
Shestakov, A.F., (384) 279
Shibasaki, M., (395) 255; (399) 93
Shibata, M., (377) 347
Shibley, J.L., (378) 421
Shim, S.-C., (382) 419; (389) 205
Shiro, M., (385) 399
Shiu, K.-B., (395) C47
Shklover, V.E., (378) 235
Shore, S.G., (383) 421; (394) C27
Shriver, D.F., (383) 279; (394) 121
Shur, V.B., (391) 119
Shvo, Y., (387) 95
Shyu, R.-S., (386) 79
Sieber, W.J., (394) 433
Siebert, W., (394) 329
Šik, V., (378) 473; (383) 253; (394) 455
Simionescu, Cr., (378) 99
Simon, R., (391) 7
Simpson, J., (387) 337; (398) 165
Simpson, S.J., (396) 83; (399) 307
Singh, H.B., (397) 153, 161
Singh, N.K., (382) 375
Singleton, E., (386) 111
Sinha, U.C., (397) 161
Sinnema, J.C.M., (390) 237; (397) 261
Siriwardane, U., (390) 203
Sironi, A., (399) 291
Sivik, M.R., (397) 177
Sizov, A.I., (388) 11; (390) 35, 153
Skelton, B.W., (377) 211, 221; (384) C1; (389) 277; (393) 299; (396) 105
Sladky, F., (396) C1
Slawin, A.M., (393) 227
Slee, T., (394) 679
Śliwińska, E., (385) 319
Sluis, P. van der, (393) 315
Smallridge, A.J., (386) 195; (395) C39; (397) C13
Smeets, W.J.J., (376) 223; (389) 47; (393) 315
Smit, D.N., (381) 429
Smith, G., (396) C39
Smith, J.D., (385) 13; (394) 69
Smith, R.S., (382) 333
Smythe, A.C., (376) C11
Snow, M.R., (397) 187
Sobota, P., (377) 69; (393) 349
Sohár, P., (390) 217
Sohn, Y.S., (397) 17; (399) 235
Sokolov, V.I., (378) 227
Sokolova, T. Yu., (388) 11
Sola, E., (387) 103
Solans, X., (377) 291; (379) 177;

(381) 183; (388) 169; (389) 219; (391) 431; (395) 305
Solc, M., (386) 157
Soloveichik, G.L., (388) 11; (390) 35, 153
Son, H.-E., (391) 27
Song, L., (388) 215; (391) 387; (395) 219
Sonnek, G., (386) 29; (389) 289
Sordo, J., (384) 19; (385) 329; (390) 293
Sosna, F., (394) 99
Soufiaoui, M., (397) 1
Spek, A.L., (376) 223; (389) 47; (390) C21; (393) 315; (396) 25
Spencer, J.L., (379) 337; (394) C35
Spencer, J.N., (385) 33; (389) 295
Spencer, M.D., (386) 299
Spink, W.C., (383) 227
Sporzyński, A., (397) 147
Spyroudis, S., (382) 191
Srivastava, D.K., (385) 49
Stadnichenko, R.A., (378) 67
Stahl, S., (394) 469
Stalke, D., (381) C38; (386) 1
Stam, C.H., (394) 659
Stang, P.J., (388) 215; (395) 219
Starowieyski, K.B., (376) 7
Statler, J., (378) 293
Steel, P.J., (382) 455; (395) 359, 375
Steen, F.H. van der, (390) C21
Steer, L.M., (381) 429
Steggerda, J.J., (388) 233
Stegmair, C.M., (376) 45; (378) C19; (397) C6
Stein, U., (398) 65
Stein, Z., (387) 95
Steinmetz, M.G., (378) 1
Stelzer, O., (399) C4
Stephan, C., (395) C42
Stephan, E., (388) C5
Stephenson, G.R., (395) C5
Steudel, R., (388) 89
Steynberg, E.C., (397) 239
Stoeckli-Evans, H., (377) 339; (379) 139, 151; (388) 351; (391) 109, 395; (397) 347
Stone, F.G.A., (378) 81; (382) 225; (383) 463; (384) 315; (399) 189
Storhoff, B.N., (393) 143
Strähle, J., (383) 45
Straka, J., (389) 29
Strelenko, Yu.A., (385) 173; (386) 139
Stringer, G., (394) 777
Strube, A., (399) 255, 267, 281
Struchkov, Yu.T., (378) 67, 235, 363; (382) 423; (384) 279, 295; (385) 277, 307; (386) 225; (389) 251, 409; (390) 113
Stufkens, D.J., (390) 61, C1
Stumpf, B., (379) 211
Sturge, K.C., (389) 333
Su, M.-D., (384) 71
Suárez Gimeno, M.I., (384) 19; (390) 293
Sudha, N., (397) 153
Suga, S., (382) 19
Sullivan, A.C., (381) 293, C43
Sumadi, M.L., (377) 373
Sundermeyer, J., (386) C1; (395) C9
Sünkel, K., (391) 247
Sunley, G.J., (394) 583
Süss-Fink, G., (377) 339; (379) 139, 151, 165, 311; (388) 351; (389) 351; (391) 109, 395; (397) 347
Süssmilch, F., (388) 95
Sutherland, R.G., (387) 295; (395) 293
Sutton, D., (385) 73; (397) 69
Suzuki, H., (377) C77
Suzuki, T., (391) 19; (396) 299
Swamy, S.J., (379) 51
Swanson, S., (395) C5
Sweigart, D.A., (377) 133
Sypkens, H.A.J., (396) 25
Szalontai, G., (385) 147; (393) 153
Szameitat, J., (399) 189
Szczeciński, P., (393) 111
Szymaszek, A., (376) 133

Tabard, A., (389) 315
Tacke, R., (379) 211; (388) 47, 57
Tafel, A., (388) 47
Tagliavini, G., (376) 269; (390) 127; (391) 295
Tahiri, A., (381) C47
Taillefer, M., (384) 193
Tainturier, G., (376) 321
Takada, N., (381) 53
Takada, T., (385) C17
Takahashi, Y., (399) 47
Takayama, T., (385) C17
Takeuchi, R., (393) 1
Takuma, Y., (379) 27
Talarmin, J., (390) C39
Tamás, J., (387) 147
Tamm, M., (398) C19
Tanaka, K., (397) 101
Tanaka, M., (385) C17
Tanase, T., (386) 365
Taniguchi, H., (385) 297
Tapley, C.L., (393) 143
Taraban, M.B., (391) C1
Tataru, L., (378) 99
Tatsumi, K., (384) 199
Taube, R., (395) 341; (399) 327
Taylor, A.D., (398) 59
Taylor, B.F., (394) 349
Taylor, G.E., (389) 375
Taylor, N.J., (394) 777
Teixeira, G., (388) 143
Teleshev, A.T., (397) 245
Thaler, E.G., (376) 343
Theiler, H.G., (395) 69
Therien, M.J., (383) 271
Thewalt, U., (379) 59; (385) 345; (386) 267; (393) 83; (399) 83
Thiele, K.-H., (382) 109
Thomas, M.J., (394) C31
Thomas, M.J.K., (388) 301
Thomson, C., (387) 381
Thornton-Pett, M., (394) 699
Tiekink, E.R.T., (387) 163; (388) 273; (391) 81; (393) 195; (396) 9; (397) 187
Tilley, T.D., (393) C6
Timofeeva, G.I., (397) 245
Tiripicchio, A., (376) C23; (378) 109; (379) 311; (385) C50; (387) 357
Tisch, T.L., (377) 265
Tite, E.L., (376) C11
Tocher, D.A., (384) 181; (391) 239
Togni, A., (381) C21
Tokiwa, H., (391) 147
Tolstikov, G.A., (377) 1; (387) 11
Toma, Š., (393) 115
Tomb, P.J., (378) 245
Tombe, F.J.A. des, (396) 25
tom Dieck, H., (384) 243; (385) 101; (390) 237; (395) C42; (397) 261
Toniolo, L., (398) 187
Topping, R.J., (385) 131
Tornieporth-Oetting, I., (379) 251
Törnroos, K.W., (391) 165
Torrens, H., (398) 177
Torres C., L., (381) 69
Torres, M.R., (384) C61; (385) 379
Toscano, R.A., (386) 51
Tóth, I., (396) 363; (397) 109

Touchard, D., (386) 95
Toupet, L., (381) C47
Toyota, K., (389) C12
Tozaki, E., (399) 205
Trace, R.L., (376) 103
Traill, P.R., (390) 399
Traldi, P., (379) C13
Trehearne, T.E., (393) 143
Treier, K., (384) 305; (399) 153
Tremmel, J., (395) 69
Trentmann, B., (378) 171
Trigo Passos, B.F., (390) C89
Trogler, W.C., (383) 271
Troitskaya, L.L., (378) 227
Troupel, M., (393) 137
Trouvé-Bellan, G., (376) 321
Troyanov, S.I., (389) 41
Trzeciak, A.M., (390) 105
Tsay, S.-C., (399) C13
Tucker, W.D., (398) C6
Turecek, F., (379) C5
Turkina, G., (389) 1
Turner, J.J., (383) 497
Tzschach, A., (378) C1; (381) C53; (388) 259

Udayakumar, B.S., (378) 1
Uemura, M., (376) C3
Uguagliati, P., (381) C17
Uhlig, E., (382) 77
Uhlig, W., (378) C1
Ullrich, N., (378) C19; (397) C9
Umakoshi, K., (395) 47
Ungváry, F., (396) 95
Uozumi, Y., (395) 255; (399) 93
Urbaniak, W., (385) 319
Uribe, G., (381) 1
Urove, G.A., (384) 105
Urriolabeitia, E.P., (390) 257
Utko, J., (393) 349

Vahrenkamp, H., (381) 261; (383) 357; (400) 107
Vaissermann, J., (377) 89; (381) 191; (386) 51
Van, D. Le, (385) 255; (386) 321; (389) C29; (399) 189
Van Beek, J.A.M., (394) 659
Van Bolhuis, F., (389) 47
Van den Berg, E., (388) 233
Van der Does, T., (390) C1
Van der Helm, D., (385) 39; (390) 19
Van der Schaaf, P.A., (396) 25
Van der Sluis, P., (393) 315
Van der Steen, F.H., (390) C21
Van der Woerd, M.J., (385) 49
Van Eldik, R., (397) 279
Van Gastel, F., (385) C50
Van Koten, G., (376) 223; (378) 115; (390) C21; (394) 659; (396) 25; (400) 283
Van Oort, A.B., (396) 33
Vanzan, N., (376) 269
Vargas, M.D., (386) 275; (391) C28
Varshney, A., (385) 49; (391) 259, 415
Vasopollo, G., (378) 239, 493
Vastag, S., (397) 231
Vas'utinskaya, E.A., (386) 225
Vatsa, C., (396) 9
Vefghi, R., (396) C47
Venzo, A., (379) 67
Vergopoulos, V., (393) 97
Verkruijsse, H.D., (393) 307
Verlhac, J.-B., (391) 283
Verma, S.P., (393) 195
Verpeaux, J.-N., (379) 201; (387) 365
Vetter, W.M., (378) 485
Vicente, C., (393) C53
Vicente, J., (381) 285; (394) 77
Vignali, C., (378) 109
Vigner, J., (379) 259; (388) 279
Villafañe, F., (382) 407
Villieras, J., (384) 1
Villiers, C., (379) 259; (393) 339
Viñas, J.M., (394) 385
Viney, M.M., (386) 111
Vinogradov, M.G., (385) 173; (386) 139
Vitagliano, A., (388) 243
Vitkovskii, V., (389) 1
Vittadini, A., (396) 73
Vivanco, M., (398) 275
Vogler, A., (378) C15
Vogler, C., (398) 293
Vollhardt, K.P.C., (382) 191
Volnina, E.A., (391) 275
Vol'pin, M.E., (382) 185; (391) 119
Vondung, J., (376) C35
Von Schnering, H.G., (381) 173
Voronkov, M.G., (376) 31, 249; (389) 1, 169
Vosejpka, P.C., (394) 339
Voskoboinikov, A.Z., (385) 289
Voss, E., (396) C8
Voyle, M., (388) 117
Vrieze, K., (396) 73
Vymenits, A.B., (382) 185

Wachter, J., (381) C7; (388) 203; (393) 119
Wadepohl, H., (376) 115
Wagner, B., (394) 601
Wagner, I., (395) C23
Waida-Hermanowicz, K., (384) 381
Wakasa, M., (399) 53
Wakatsuki, Y., (399) 103
Walters, S.J., (394) 349
Wang, H.-E., (376) 333
Wang, H.-G., (381) 45; (391) 387
Wang, H.-K., (376) 123; (381) 45
Wang, J., (395) 113
Wang, J.-T., (391) 387
Wang, R.-J., (376) 123; (381) 45; (391) 387; (393) 201
Wang, S.-L., (377) C59; (378) 45; (390) 179, 333
Wang, S.Y., (388) 151
Wang, Y., (386) 79; (390) 179; (393) 431
Wang, Y.-P., (385) 61; (386) 79; (390) 179; (399) 141
Ward, D.L., (390) 73
Wardell, J.L., (390) 127; (391) 295
Ware, D.C., (398) 133
Warnock, G.F., (383) 521
Watanabe, M., (399) 301
Waters, J.M., (389) 375; (390) 379
Watkins, W.C., (377) C52
Watson, A.A., (385) 429; (390) 399
Weber, M., (394) 385
Weber, W.P., (391) 7
Wedler, M., (388) 21; (395) C26
Weerasuria, A.M.A., (394) 481
Wegner, P., (398) 325
Wei, C., (379) 247
Weidenbruch, M., (379) 217; (381) 173; (385) C47
Weidlein, J., (376) C27; (378) 347; (388) 75
Weiß, R., (391) 327
Weiss, E., (399) 163
Weissensteiner, W., (377) C69
Welch, A.J., (394) 1, 643
Welker, M.E., (384) 105
Wells, R.L., (381) 15
Welzel, J., (386) 321
Wen, Y.-S., (388) 151; (391) 377; (397) 29; (399) 361
Went, M.J., (394) 167
Wenz, M., (387) 175; (394) 195
Werner, H., (382) 255, 445; (384) C33; (394) 469

Werner, S., (377) C55; (390) 323
Wesemann, L., (394) C1
West, R., (394) 45
West, S.D., (393) 143
Westcott, S.A., (394) 777
Westphal, U., (388) 89
Weuter, W., (378) 125; (385) 161; (396) 253
White, A.H., (377) 211, 221; (384) C1; (389) 277; (390) 29; (393) 299; (396) 105
White, C., (387) 305
White, P.S., (389) 333
Whiteley, M.W., (394) 329
Whitmire, K.H., (376) 297
Whitton, A.J., (385) 91; (389) 129
Wiederhold, M., (384) 49
Wiehl, J., (384) 223
Wijkens, P., (376) 223
Wijnhoven, J., (388) 233
Wilczewski, T., (376) 385; (382) 431
Wildschek, M., (396) 355
Wiles, M.R., (399) 215
Will, N., (378) 73
William, D.J., (393) 227
Williams, G.K., (394) 385
Williamson, B.K., (384) 325; (394) 313
Wilson, F.I.C., (387) 277; (396) 55
Wilson, M.J., (394) C21
Winter, M.J., (394) 349
Winzenburg, M.L., (383) 521
Wishart, N., (399) C21
Wissing, E., (394) 659
Wittmann, G., (384) 385
Woerd, M.J. van der, (385) 49
Woitha, C., (393) 97
Wojcicki, A., (383) C1; (390) 351; (396) 95
Wojnowski, W., (378) 317; (386) 305; (393) 187
Wolf, J., (382) 445
Wolf, W.H. de, (390) 171
Wolfender, J.-L., (389) 351
Wolfgruber, M., (376) 45
Wolmershäuser, G., (376) C35; (387) C21
Wong, M.L.Y., (377) 43
Wong, W.K., (377) C65
Wong, W.T, (397) C28
Woo, H.-G., (393) C6
Woodgate, P.D., (381) C26; (384) C6; (398) 117, C22
Woollam, S.F., (386) C1; (395) C9
Worth, G.H., (387) 337
Wrackmeyer, B., (379) 289; (399) 1, 125, 313
Wright, L.J., (387) C5, C9; (389) 375
Wright, M.E., (376) 353; (387) 373
Wu, F.-J., (383) 295
Wu, R.F., (393) 431
Wuttke, F., (388) 47

Xi, Z., (376) 123
Xie, Z., (398) 251
Xu, Y., (382) 69

Yakovlev, V.N., (377) 1
Yamamoto, A., (382) 303; (383) 587; (399) 341
Yamamoto, T., (385) C17
Yamamoto, Y., (386) 365
Yamanaka, T., (381) C57
Yamazaki, H., (383) 367; (399) 103
Yan, P., (391) 313
Yáñez, R., (388) 169; (389) 197, 219; (395) 305
Yang, Y.Y., (395) 279
Yanlong, Q., (381) 29
Yanovsky, A.I., (378) 67; (382) 423; (384) 279, 295; (385) 277, 307; (386) 225; (389) 251, 409; (390) 113
Yao, X.-K., (376) 123
Yarosh, O., (389) 1
Yatabe, T., (390) C27
Yefsah, R., (381) 191
Yeh, S.K., (388) 151
Yevdakov, K.V., (386) 139
Yieh, C.-H., (387) 83
Yip, W.-H., (393) 201
Yoder, C.H., (385) 33; (389) 295
Yoneda, I., (399) 53
Yoshida, S., (384) 199
Yoshifuji, M., (389) C12
Yoshiwara, T., (385) 247
Young, G.H., (390) 351
Young, J.C., (395) 1
Youngdahl, K.A., (383) 191; (394) 733
Yu, Z., (399) 11
Yünlü, K., (387) C13

Zafar, A.I., (385) 33; (389) 295
Zahn, I., (394) 601
Zakharkin, L.I., (385) 307
Zakharov, L.N., (378) 363
Zakrzewski, J., (385) C23; (388) 175; (390) C77
Zamaev, I.A., (378) 235
Zambonin, P.G., (378) 239
Zang, V., (397) 279
Zanobini, F., (390) C16
Zanotti, V., (389) 341
Zanotto, L., (394) 69
Zavgorodny, V.S., (390) 139; (393) 11
Zaworotko, M.J., (389) 333
Zeh, H., (386) C13
Zerbib, P., (389) 259
Zeuner, S., (377) 105
Zhang, C.H., (387) 295; (395) 293
Zhang, G., (387) 131
Zhang, H., (381) 53
Zhang, S., (397) 279
Zhang, Y., (382) 69; (396) 307
Zhang, Z.-Z., (376) 123; (381) 45
Zhao, D., (396) 385
Zheng, D., (391) 307, 321
Zhorov, E.Y., (397) 245
Zhou, W., (387) 131
Zhou, Y., (381) 135
Zhu, F., (378) 147
Zhu, L., (376) 115
Zhuang, J.-M., (397) 69
Zicmane, I., (389) 23
Ziegler, J., (397) C25
Ziegler, M.L., (377) 255; (381) C7; (386) 209; (388) 203; (393) 119; (396) 315; (398) 259
Ziemkowska, W., (389) 389; (397) 269
Ziessel, R., (382) 157
Zilch, H., (379) 211
Ziller, J.W., (394) 87
Zimmer, R., (379) 235
Zimmermann, K.H., (384) C21
Zinner, G., (379) 277
Zordan, M., (390) 127; (391) 295
Zoutberg, M.C., (394) 659
Zrineh, A., (389) 315
Zsolnai, L., (377) 25; (381) 79, 97; (386) 349; (389) 325; (390) C50; (393) 213; (395) C30; (399) 255, 267, 281
Zuckerman, J.J., (385) 39
Zwettler, R., (394) 99

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 376 (1989)–400 (1990)

SUBJECT INDEX

Actinides

Lanthanides and actinides, annual survey 1982 (R.D. Ernst), (392) 51

Lanthanides and actinides, annual survey 1983 (R.D. Rogers, L.M. Rogers), (380) 51

Aluminium

Alkyl exchange reactions between boron and aluminium, NMR study of; effect of such exchange reactions on the polymerisability of alkenyldialkylboranes by the Ziegler–Natta process (S. Ramakrishnan, T.C. Chung), (388) 1

Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139

1-Aminoalkanephosphonic acids, addition of diethyl phosphite to *N*-diisobutylaluminio-aldimines (Z.H. Kudzin, M.W. Majchrzak), (376) 245

$\{[(\eta^5\text{-}C_5H_4Bu^t)_2Sm(\mu_3\text{-}H)][(\mu_2\text{-}H)_2AlH\cdot OC_4H_8]\}_2$ 20-electron alumohydride complex of bis(t-butylcyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153

$(C_2H_5O)_2AlC_2H_5$, mechanism of the reaction with XeF_2 by ^1H and ^{19}F CIDNP of (R.A. Sadykov, V.N. Yakovlev, R.G. Bulgakov, V.P. Kazakov, G.A. Tolstikov) (377) 1

Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[MR_2]^\cdot$ (R = 2-C(SiMe$_3$)C$_5$H$_4$N)], formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1

Dinitrosylmolybdenum alkylidene complex, synthesis, spectroscopic characterization and metathesis activity of (A. Keller), (385) 285

Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143

$(\eta^6$-Durene)Ti$[(\mu\text{-}X)_2(AlX_2)]_2$ (X = Cl, I), mixed chloro-iodo-titanium(II) complex, molecular structure of; distribution of halogen atoms in bridge and outer positions (S.I. Troyanov, K. Mach), (389) 41

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Hydroxylamido(-*O*,*N*)nitrosyl molybdenum complexes, reactions with $EtAlCl_2$; olefin metathesis activity of these systems (A. Keller), (393) 389

Molecular hydrogen and aluminum hydride transfers mediated by nickel(0) complexes; intermediacy of nickel hydrides in the Ziegler nickel effect (J.J. Eisch, S.R. Sexsmith, K.C. Fichter), (382) 273

Pentamethylcyclopentadiene, reaction with the titanium Ziegler–Natta catalyst of (K. Mach, H. Antropiusová, J. Poláček), (385) 335

$[Ph_P(O)_2\cdot AlCl_2]_2$ and $[Ph_2P\cdot Al(i\text{-}Bu)_2]_2$, synthesis and molecular structure of (S.A. Sangokoya, W.T. Pennington, G.H. Robinson, D.C. Hrncir), (385) 23

Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49

Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of $[(\eta^5\text{-}C_5H_5)Ti(\mu_2\text{-}H)_2Al(H)(\mu_2\text{-}OC_2H_5)]_2$ and $[(\eta^5\text{-}C_5H_5)_2Ti(\mu_2\text{-}H)_2Al(H)\{\mu_2\text{-}N(C_2H_5)_2\}]_2$ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11

Trialkylsilyl α- or ω-chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127

Trimethylaluminium complexes with a multidentate carbosiloxane-type ligand (S. Pasynkiewicz, W. Ziemkowska), (397) 269

Trimethylaluminium monomer–dimer equilibrium, ^{27}Al NMR study of (Z. Černý, J. Fusek, O. Kříž, S. Heřmánek, M. Šolc, B. Čásenský), (386) 157

Trimethylaluminium; trapping of the dimethylaluminium radical in laser-powdered homogeneous pyrolysis of (G.A. Atiya, A.S. Grady, S.A. Jackson, N. Parker, D.K. Russell), (378) 307

Antimony

Antimony, annual survey 1988 (L.D. Freedman, G.O. Doak), (380) 1

Antimony-iron mixed carbonyl clusters: $[R_4N][SbFe_4(CO)_{16}]$ (R = Me, Et) and $[Et_4N]_2[Sb_2Fe_6(CO)_{20}]$, synthesis and structures of (S. Luo, K.H. Whitmire), (376) 297

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-}AsCo_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2(HONCMe_2)_2$ and of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2[S(CH_2Ph)_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

$[\eta^5\text{-}C_5H_5Mo(CO)_2]_2(\mu,\eta^2\text{-}Sb_2)$, synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36

η^3,η^2,η^2-Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327

$[HOs_3(CO)_{11}]^-$, reactions with main group halide species, a route to terminal and bridged mixed metal clusters; crystal structure of $[(\mu\text{-H})Os_3(CO)_{10}(\mu\text{-}SbPh_2)]$ (B.F.G. Johnson, J. Lewis, A.J. Whitton, S.G. Bott), (389) 129

$(Me_3Ge)_2Sb\text{–}Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

$[Ni_6(CO)_{12}]^{2-}$ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of $[Ni_{10}(SbPh)_2(CO)_{18}]^{2-}$ and $Ni_2(CO)_4(\mu_2\text{-}Ph_2SbOSbPh_2)_2$ (R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason), (383) 543

$(Ph_2Sb)_2O$, $(Ph_2Sb)_2$, $Ph_2Sb(^nBu)$, and Ph_3Sb, electroreduction of (Y. Mourad, Y. Mugnier, H.J. Breunig, M. Ateş), (398) 85

Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263

Tertiary stibines, reduction of some organic compounds by (Y.-Z. Huang, C. Chen, F. Zhu, Y. Liao), (378) 147

Tetraphenyldistibane, redox properties of (Y. Mourad, Y. Mugnier, H.J. Breunig, M. Ateş), (388) C9

Trigonal bipyramidal methylidine clusters, $EFe_3(CO)_9CH$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

Arsenic

Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3-CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-}AsCo_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

3-Arsolenes (W.A. Schenk, E. Voss), (396) C8

Bidentate P,P or P,As ligands (L–L) in $HRu_3(C{\equiv}CBu^t)(CO)_7(L\text{–}L)$, chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109

Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2(HONCMe_2)_2$ and of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2[S(CH_2Ph)_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

$[(C_5H_5)_2Lu(\mu\text{-}O(CH_2)_4P(C_6H_5)_2)]_2$ and $[(C_5H_5)_2Lu(OC_4H_8)]_2(\mu\text{-O})$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49

Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227

Gallium-arsenic four-membered ring compounds containing a bridging $As(SiMe_3)_2$ group, synthesis and characterization of; crystal structure of $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Cl$ and $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Br$ (W.K. Holley, R.L. Wells, S. Shafieezad, A.T. McPhail, C.G. Pitt), (381) 15

$[HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107
Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
Phenylarsane and its pentacarbonylchromium derivatives, dehydration of; trapping reactions for diphenyldiarsene, PhAs=AsPh (I. Jibril, L.-R. Frank, L. Zsolnai, K. Evertz, G. Huttner), (393) 213
Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317
η^3-Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmair, F.R. Kreissl), (376) 45
Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263
Tetraarsacyclobutadiene as a complex ligand (O.J. Scherer, J. Vondung, G. Wolmershäuser), (376) C35
(Thioketene)$Fe_2(CO)_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
Trigonal bipyramidal methylidine clusters, $EFe_3(CO)_9CH$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251
Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Beryllium

Cyclopentadienylberyllium compounds, synthesis and characterisation of (S.J. Pratten, M.K. Cooper, M.J. Aroney), (381) 147

Bismuth

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21
Bismuth, annual survey 1988 (G.O. Doak, L.D. Freedman), (380) 35
$C_5H_5BiCl_2$, preparation from NaC_5H_5 and $BiCl_3$ at low temperature, properties and crystal structure of (W. Frank), (386) 177
Multiple bonds and materials chemistry (A.H. Cowley), (400) 71
$[Ni_6(CO)_{12}]^{2-}$ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of $[Ni_{10}(SbPh)_2(CO)_{18}]^{2-}$ and $Ni_2(CO)_4(\mu_2\text{-}Ph_2SbOSbPh_2)_2$ (R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason), (383) 543
Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263
Trigonal bipyramidal methylidine clusters, $EFe_3(CO)_9CH$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

Boron

Alkyl exchange reactions between boron and aluminium, NMR study of; effect of such exchange reactions on the polymerisability of alkenyldialkylboranes by the Ziegler–Natta process (S. Ramakrishnan, T.C. Chung), (388) 1
Bicyclic borates containing chiral boron and nitrogen atoms, NMR and X-ray diffraction studies of (N. Farfán, T. Mancilla, D. Castillo, G. Uribe, L. Carillo, P. Joseph-Nathan, R. Contreras), (381) 1
Boranes in organic synthesis, annual survey 1987 (G.W. Kabalka, L.H.M. Guindi), (392) 1
Cesium monomercaptoundecahydro *closo*-dodecaborate(2−), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139
closo-3-(η^6-C_6H_6)-3,1,2-$FeC_2B_9H_{11}$, synthesis and molecular structure of (S.S. Lee, C.B. Knobler, M.F. Hawthorne), (394) 29
(3-Chloro-2-methylenecycloalkyl)palladium chloride dimers, reactivity of; coupling with phenyl nucleophiles (W.A. Donaldson, J. Wang), (395) 113

[{(η^6-C_6Me_6)$_2Ru_2H_4$}$RuB_{10}H_8(OEt)_2$], products of the reaction with carbon monoxide; NMR studies and crystal structure of [{(η^6-C_6Me_6)$_2Ru_2H_2(CO)_2$}$RuB_{10}H_8(OEt)_2$] (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379

[3,3,3-$(CO)_3$-4-SMe_2-3,1,2-$MnC_2B_9H_{10}$], synthesis and molecular and electronic structure of; order-of-magnitude improved structure of (η-C_5H_5)$Mn(CO)_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1

Cyanotrihydroboranatotris(η^5-cyclopentadienyl)acetonitrileuranium(IV), preparation and X-ray diffraction study of (M. Adam, K. Yünlü, R.D. Fischer), (387) C13

Dialkylaminobis(trifluoromethyl)boranes, [2+4] cycloaddition reactions with 1,3-dienes, β-unsaturated carbonyl compounds and methyl methacrylate; crystal structures of $(CF_3)_2BNR_2CH_2C(Me)C(Me)$-$CH_2$, R = Me and Et, and $(CF_3)_2BNEt_2CH_2CHC(Me)O$ (A. Ansorge, D.J. Brauer, H. Bürger, F. Dörrenbach, T. Hagen, G. Pawelke, W. Weuter), (396) 253

3,4-Diborafulvene as bridging ligand in a novel slipped tripledecker complex (G.E. Herberich, C. Ganter, L. Wesemann, R. Boese), (394) C1

Diborane {$(Me_3Si)_3C$}$HB(\mu$-H)$_2$BH{$C(SiMe_3)_3$} and bis(aminoboryl)amine {$(Me_3Si)_3CB(NH_2)$}$_2$NH, crystal structures of (S.S. Al-juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, M.E. Molla, J.D. Smith), (385) 13

Diethyl- and diisopropylamino-trifluoromethylboranes, synthesis reactions with HF, HCl, HBr and H_2O of; crystal structure of $(CF_3)_2BN(i\text{-}Pr)_2$ revealing a very short B–N bond (D.J. Brauer, H. Bürger, F. Dörrenbach, G. Pawelke, W. Weuter), (378) 125

2,5-Dihydroboroles and 1,3-dihydro-1,3-diborete, formation from 1,3-dienes and alkynes by rearrangement with dichloro(diisopropylamino)borane and alkali metals (D. Bromm, D. Stalke, A. Heine, A. Meller, G.M. Sheldrick), (386) 1

9-(*trans*-2,3-Dimethylcyclopropylmethyl)-9-borabicyclo[3.3.1]nonane, effect of solvent polarity on the rate of rearrangement of (E.A. Hill, C.A. Foley), (396) 247

[Diphenylboratobis(η^5-cyclopentadienyl,η^6-phenylruthenium(II)]$^+$ cation, formation mechanism of (T. Wilczewski), (376) 385

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

[$Fe(CO)_4CHO^-$], infrared evidence for competitive [Li^+] and Et_3B coordination to; thermodynamic evaluation of the ion pair equilibrium (S.W. Lee, W.D. Tucker, M.G. Richmond), (398) C6

(μ_2-Te_2)$Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 (L = PPh_3, M = Pt, Pd, Ni; L = C_5H_5, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Hydro(trisyl)boranes, $(Me_3Si)_3CBHX$, and borates, $M[H_3BC(SiMe_3)_3]_x$, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1

Isopinocampheyldibromoboranes, selective catalysts for asymmetric Diels–Alder reactions (G. Bir, D. Kaufmann), (390) 1

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Metalladiborane anions, [$M(CO)_4$(η^2-B_2H_5)]$^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

Metal-rich metallaborane clusters, synthesis of; mechanism involving fragment condensation (X. Meng, A.K. Bandyopadhyay, T.P. Fehlner, F.-W. Grevels), (394) 15

3-Methoxy-3-oxopropyltin(IV), tris(pyrazolyl)borate complexes of; crystal structure and properties of $CH_3OOCCH_2CH_2Sn((pz)_3BH)X_2$ (X = Cl, NCS) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235

Molybdenum pyrazolylborato stereochemically nonrigid complexes containing a *dihapto*-thiocarboxamido ligand, synthesis, structure and properties of (T. Desmond, F.J. Lalor, B. O'Sullivan, G. Ferguson), (381) C33

9-Monofluoro-, 9,12-difuoro-1,8,9,12-trifluoro-, and 8,9,10,12-tetrafluoro-*o*-carboranes and 9-monofluoro- and 9,10-difluoro-*m*-carboranes, synthesis of; molecular structure of 8,9,10,12-tetrafluoro-*o*-carborane (V.N. Lebedev, E.V. Balagurova, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov, L.I. Zakharkin), (385) 307

Niobium metallaboranes, analogues of pentaborana(11) (P.D. Grebenik, J.B. Leach, J.M. Pounds, M.L.H. Green, P. Mountford), (382) C1

Optically active vinylborates (I. Mikhail, D. Kaufmann), (398) 53

2-Oxygen derivatives of 1,2-oxaborolane, preparation from 2-allyloxy-1,2-oxaborolane (Z. Weike, L. Weiming, Z. Gaoyi, D. Hongxun, L. Shaofang), (387) 131

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1
Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49
$Ru_3(CO)_9B_2H_6$, metal-rich ruthenaborane analogue of pentaborane(9) and model for triruthenium supported unsaturated hydrocarbon (A.K. Chipperfield, C.E. Housecroft, D.M. Matthews), (384) C38
Ruthenium and rhodium bis(benzotriazol-1-yl)borato complexes (J. Cartwright, A. Harman, A.F. Hill), (396) C31
Triethylboroxin–tetraethyldiboroxane binary system, vapour–liquid equilibrium in (A. Sporzyński, J. Gregorwicz), (397) 147
Triferrocenylborane and its amine adducts (T. López, A. Campero), (378) 91
Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251
Tris(trifluoromethyl)borane stabilization in complexes with primary, secondary and tertiary amines; crystal and molecular structure of $(CF_3)_3 \cdot NHEt_2$ and $(CF_3)_3B \cdot NH_2Et$ (D.J. Brauer, H. Bürger, F. Dörrenbach, B. Krumm, G. Pawelke, W. Weuter), (385) 161
2,4,6-Tri-t-butylphenyl-substituted iminoboranes, preparation, structures and reactions of (G. Elter, M. Neuhaus, A. Meller, D. Schmidt-Bäse), (381) 299

Cadmium

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1
Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of $[N(PPh_3)_2]_2[(OC)_4Fe–Hg–Fe(CO)_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Calcium

Calcium and strontium, and zinc (phenazine)$^{-\cdot}$ species (G.E. Jacobsen, C.L. Raston), (395) C1
Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1
$M(C_5H_4CH_3)_2 \cdot CH_3OCH_2CH_2OCH_3$ (M = Ca, Yb), investigations of (A. Hammel, W. Schwarz, J. Weidlein), (378) 347

Chromium

Alkene aminocarbene bidentate chromium complexes, alkyne insertion reactions of; formation and crystal structure of dihydroazepinetricarbonylchromium (A. Parlier, R. Yefsah, M. Rudler, H. Rudler, J.C. Daran, J. Vaissermann), (381) 191
Aminocarbene chromium complex as starting compound in the synthesis of β-tripyranes and β-trispyrroles (R. Aumann, H. Heinen), (391) C7
Aminocarbenechromium *N*-disubstituted complexes, nitrogen to carbon migration of the benzyl and allyl groups following alkyne insertions in (B. Denise, R. Goumont, A. Parlier, H. Rudler, J.-C. Daran, J. Vaissermann), (377) 89
(η^6-Arene)$M(CO)_3$ complexes (M = Cr, Mo or W), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371
Arenetricarbonylchromium complexes, aromatic nucleophilic substitution at CH_3O in (F. Rose-Munch, E. Rose, A. Semra), (377) C9
η^6-Arenetricarbonylchromium complexes, improved synthesis of (M. Hudeček, Š. Toma), (393) 115
Arenetricarbonylchromium complexes in the synthesis of 6,7-benzomorphanes (V.N. Kalinin, S.K. Moiseev, V.I. Bakhmutov, I.A. Cherepanov), (383) 85
(η^6-Arene)tricarbonylchromium(0) complexes of diterpenoids, regioselective hydroxylation of (R.C. Cambie, P.I. Higgs, P.S. Rutledge, P.D. Woodgate), (384) C6
3-Arsolenes (W.A. Schenk, E. Voss), (396) C8
(Benzyl crotyl ether)chromium complexes, [2,3]-Wittig rearrangement of (M. Uemura, H. Nishimura, Y. Hayashi), (376) C3

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

Bis(η^6-bimesityl)chromium, magnetic shielding and conformational mobility (Ch. Elsenbroich, J. Schneider, H. Burdorf), (391) 195

1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125

Carbon monoxide substitution reactions of the seventeen-electron complex $\{(\eta^5\text{-}C_5H_5)Cr(CO)_3\}$, mechanism of (W.C. Watkins, D.H. Macartney, M.C. Baird), (377) C52

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

$(\eta^3\text{-}C_3H_5)_3Cr$, reaction with P-donor ligands of (F. Iczek, P.W. Jolly, C. Krüger), (382) C11

$(C_5H_5)_2Cr(\mu\text{-}OCMe_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(C_5H_5)_2Cr_2(\mu\text{-}OCMe_3)_2(\mu\text{-}S_4)$ and $(C_5H_5)_2Cr_2(\mu\text{-}OCMe_3)_2(\mu\text{-}Se)$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

$[(C_5H_5)_3Cr_3(\mu_3\text{-}O)(\mu\text{-}OCMe_3)_3]^+[(C_5H_5)Mo(CO)_3]^-$, synthesis, molecular structure and magnetic properties of the salt with a trinuclear cyclopentadienyl-oxo-butoxide cluster cation of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, O.G. Ellert, V.M. Novotortsev, Yu.T. Struchkov, A.I. Yanovsky), (385) 277

Chelate (η^6-fluorobenzyl)diphenylphosphitodicarbonylchromium complexes, scalar ^{13}C, ^{19}F spin–spin couplings between carbonyl carbons and aromatic fluorine in (P. Szczeciński), (393) 111

$(\pi^6\text{-}C_6H_4R_3)(CO)_3Cr$ (R = Me, Et), photo-induced rearrangement with acetylenes of; molecular structure of $(C_6H_3Me_3)(CO)Cr(\mu\text{-}CO)\{\mu\text{-}C_2[C(OEt)_2H]_2\}Cr(CO)_4$ (H.G. Alt, H.E. Engelhardt, R.D. Rogers, S.T. Abu-Orabi), (378) 33

Chromium, μ_2-benzylidene complex of, with unpaired electrons (F.H. Köller, C. Krüger, H. Zeh), (386) C13

Chromium and tungsten aziridinocarbene complexes, synthesis and reactivity with formation of nitrile and acetiminoester complexes of (B. Denise, A. Massoud, A. Parlier, H. Rudler, J.C. Daran, J. Vaissermann, C. Alvarez, R. Patino, R.A. Toscano), (386) 51

Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227

$\{\eta^6\text{-}1,4\text{-}(CH_3SO_3)_2C_6H_4\}Cr(CO)_3$, synthesis, characterization, and reactivity of (M.E. Wright), (376) 353

$(Cl)(NO)_2Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, synthesis of; an unexpected product from the Friedel–Crafts acylation of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ with $(CO)_2(NO)Cr[(\eta^5\text{-}C_5H_4)C(O)Cl]$ (Y.-P. Wang, J.-M. Hwu), (399) 141

$[(C_5Me_5)Cr(CO)_3]_2$ dimer, metal–metal bond dissociation in; equilibrium studies by NMR spectroscopy (L.Y. Goh, S.K. Khoo, Y.Y. Lim), (399) 115

$(CO)_5M{=}C(OMe)Ph$ (M = Cr, W) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stufkens, A. Oskam), (390) 61

$(CO)_5ML$, stabilisation of $RP(OH)_2$, $RPHNEt_2$ and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379

trans-$[(CO)_5M\{Ph_2PX(CH_2)_3N{=}CHC_6H_4\text{-}o\text{-}O\}]_2M'$ (M = Mo; X = NH or M = Cr, W; X = CH_2; M′ = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-$[(CO)_5Mo\{P(OCH_2CMe_2CH_2O)NH(CH_2)_2N{=}CHC_6H_4\text{-}o\text{-}O\}]_2Cu$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta_5\text{-}C_5H_5)$, X-ray structure of $(CO)_2(NO)Cr_2(\eta^5\text{-}C_5H_4)CH_2[\eta^5\text{-}(3\text{-acetyl})C_5H_3]Fe(\eta^5\text{-}C_5H_5)$ (Y.-P. Wang, R-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ Friedel–Crafts acylation of; crystal structure of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

$[CpCr(CO)_3]_2(\mu\text{-}SnCl_2)$ and $CpCrCl_2(THF)$, isolation from the insertion-displacement of Se in $Cp_2Cr_2(CO)_4Se$ with $SnCl_2$; crystal structure of $CpCrCl_2(CH_3CN)$ ($Cp=\eta^5\text{-}C_5H_5$) (L.Y. Goh, T.W. Hambley), (395) 269

$Cr(CO)_5(CNCN)$, a complex in which the coordinated CN group of isocyanogen binds and vibrates like a CO ligand (G.C. Schoemaker, D.J. Stufkens, S.J. Goede, T. van der Does, F. Bickelhaupt), (390) C1

$Cr(CO)_5(H_2)$ and $Cr(CO)_4(H_2)_2$, ab initio investigation of (G. Pacchioni), (377) C13

$[Cr(CO)_5I]$, induced photoredox reaction by ligand to metal charge transfer excitation of (H. Kunkely, A. Vogler), (378) C15

$Cr(CO)_3$ intramolecular migration from a phenyl to a cyclopentadienyl ring through a σ-bond (A. Ceccon, A. Gambaro, F. Gottardi, S. Santi, A. Venzo, V. Lucchini), (379) 67

Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277

Cyclopentadienyl-alkoxide complexes, $(C_5H_5)_2Cr_2(\mu\text{-}OR)_2[OCCo_3(CO)_9]$ and $(C_5H_5)_2Cr_2(OR)_2(\mu\text{-}OR)_2$ ($R = CMe_3$), synthesis, molecular structure, electronic structure and magnetic properties of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279

α-Cynichrodenyl-α-ferrocenylmethylium tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61

(*N*,*N*-Dibenzyl)benzene coordination of sulphenamide to pentacarbonylchromium(0) via the sulphur atom; crystal structure of $(C_6H_5CH_2)_2NS(C_6H_5)Cr(CO)_5$ (M.L. Rodriguez, C. Ruiz-Pérez, I. Brito, C. Diaz, J. Cuevas, G. González, V. Manriquez), (377) 235

Diboradiazaronaphthalenetricarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89

Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes $(CpPPh_2)_nU(NEt_2)_{4-n}M(CO)_4$ ($n = 2, 4$; M = Cr, Mo) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4{}^iPrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

cis-1,3-Disubstituted 1,3-dihydroisobenzofurans, stereoselective synthesis via arenetricarbonylchromium methodology of (S.J. Coote, S.G. Davies, D. Middlemiss, A. Naylor), (379) 81

16-Electron carbene complexes $(CO)_4MC(NR_2)SiR'_3$ (M = Cr, Mo, W), preparation and properties of (W. Hepp, U. Schubert), (385) 221

$F_3CP{=}C(F)NMe_2$ as $(\eta^1\text{-}\mu_2)$ 4e-donor, a new coordination mode for acyclic phosphaalkenes (J. Grobe, D. Le Van, B. Krebs, R. Fröhlich, A. Schiemann), (389) C29

$[Fe(CO)_2(\text{'}S_4\text{'})]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[Fe(CO)_2(\mu\text{-}\text{'}S_4\text{'})\{M(CO)_5\}_n]$ ($n = 1$:M = Cr, Mo, W; $n = 2$: M = W; $\text{'}S_4\text{'}^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Fluoroarenetricarbonylchromium complexes, synthesis of α-substituted aryl imino esters or nitriles via addition of α-imino esters or nitriles to, (F. Rose-Munch, K. Aniss, E. Rose), (385) C1

Group 6 dimetallaheterocycles; CO-substitution by electron transfer catalysis in (P. Holzmeier, H. Kisch, J.K. Kochi), (382) 129

Group 6 metal carbonyl complexes containing 2-diphenylphosphinopyridine and 3,6-bis(diphenylphosphino)pyridazine, synthesis of; molecular structure of $Cr(CO)_5$(3-diphenylphosphino-6-diphenylphospholylpyridazine), (Z.-Z. Zhang, H.-K. Wang, Y.-J. Shen, H.-G. Wang, R.-J. Wang), (381) 45

Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1

Halo/n-alkyl mixed chromium(III) compound, synthesis, structure, and reactivity of $Cr(n\text{-}Bu)_2Cl[(Me_2PCH_2)_3CMe]$ (E.G. Thaler, K. Folting, J.C. Huffman, K.G. Caulton), (376) 343

Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

Hexaphenylbenzene chromium tricarbonyl, fluxional behaviour of; variable-temperature ^{13}C NMR spectroscopic study (B. Mailvaganam, B.G. Sayer, M.J. McGlinchey), (395) 177

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

3-Hydroxypyridines, 1*H*-pyrroles and 2-hydroxypyrroles, preparation from an aminocarbene-chromium complex and alkines (R. Aumann, H. Heinen), (389) C1

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of [InCl(THF)-{$Mo(CO)_3(\eta$-$C_5H_5)$}$_2$] (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Inenylcarbene complexes, preparation from alkinylcarbene complexes and electron-rich alkynes (H. Fischer, T. Meisner, J. Hofmann), (397) 41

Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

$M(CO)_4(\eta^4$-norbornadiene) complexes of group 6 transition metals (M = Cr, Mo, W) in low-temperature matrices, photochemistry of (F.-W. Grevels, J. Jacke, W.E. Klotzbücher, K. Schaffner, R.H. Hooker, A.J. Rest), (382) 201

$M(CO)_6$ (M = Cr, Mo, W), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent)$M(CO)_5$ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

ansa-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ^{1}H- and ^{13}C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21

N-Methyl-1,2,3,4-tetrahydroisoquinoline derivatives, stereocontrolled synthesis via chromium tricarbonyl methodologies (S.G. Davies), (400) 223

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Monomeric arylchromium(II) complexes; crystal structures of [*cis*-$Mes_2Cr(THF)_2$](THF), [*cis*-$Mes_2Cr(bipy)$](THF), [$Mes_4CrLi_2(THF)_2$](THF) and $Ph_4CrLi_2(THF)_4$ (Mes = 2,4,6-mesityl; bipy = 2,2′-bipyridine) (J.J.H. Edema, S. Gambarotta, F. van Bolhuis, W.J.J. Smeets, A.L. Spek, M.Y. Chiang), (389) 47

(μ-η^6,η^6-Naphthalene)dichromium and bis(η^6-naphthalene)chromium compounds, electrochemical properties of (B.F. Bush, J.J. Lagowski), (386) 37

$(OC)_5M(\mu$-dppf)$M(CO)_5 \cdot CH_2Cl_2$ (M = Cr, Mo; dppf = $(Ph_2PC_5H_4)_2Fe$) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29

Octanuclear heterometallic cluster $(MeC_5H_4)_2Cr_2(\mu_3$-$S)_4Co_2[(\mu_3$-$S)_2Fe_2(CO)_6]$, $[(\mu_3$-$S)Fe_2(CO)_6]$ having a "triangular metal ornament" core, chemical assembly and molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, A.S. Aliev, Yu.T. Struchkov, A.I. Yanovsky), (382) 423

Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165

Pentacarbonylchromium complexes of Diels–Alder adducts of bis(trifluoromethyl)disphosphenes (J. Grobe, T. Grosspietsch, D. Le Van, J. Schulze, B. Krebs, M. Dartmann), (385) 255

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

Pentamethylcyclopentadienylchromium tricarbonyl dimer, isolation of; X-ray crystal structure of two polymorphs (L.Y. Goh, T.W. Hambley, D.J. Darensbourg, J. Reibenspies), (381) 349

Phenylarsane and its pentacarbonylchromium derivatives, dehydration of; trapping reactions for diphen yldiarsene, PhAs=AsPh (I. Jibril, L.-R. Frank, L. Zsolnai, K. Evertz, G. Huttner), (393) 213

β-Phenylglucuronides, synthesis using the Mitsunobu reaction; application of phenolic chromium tricarbonyl complexes (G.T. Badman, D.V.S. Green, M. Voyle), (388) 117

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

(P)InM(L) and (P)TlM(L) σ-bonded heteronuclear metalloporphyrin complexes (M(L) = $Mn(CO)_5$, $Co(CO)_4$, $Cr(CO)_3Cp$, $Mo(CO)_3Cp$, or $W(CO)_3Cp$), physicochemical study of (R. Guilard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315

Quinone ketal functionalized carbonyl carbene complexes; synthesis, structure and carbene annulation of (K.H. Dötz, M. Popall, G. Müller, K. Ackermann), (383) 93

Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and η^1/η^2 isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105
Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369
Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57
Thiocarbene-chromium complexes, sulfur to carbon migration of an allyl group upon alkyne insertion in (A. Parlier, H. Rudler, C. Alvarez), (379) 271
Transition metal stabilised As^I and Sb^I chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255
Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73
Tricarbonylchromium-complexed benzyl acetates, stereoselective α-alkylation of carbonyl compounds applied in (M.T. Reetz, M. Sauerwald), (382) 121
Tricarbonyl(η^6-[8]paracyclophane)chromium, solvent dependence of the ^{1}H-NMR coordination chemical shifts of (L.W. Jenneskens, W.H. de Wolf, F. Bickelhaupt), (390) 171
Trifluoromethylisocyanide complexes of chromium, molybdenum and tungsten, synthesis of hexakis(trifluoromethylisocyanide chromium) (D. Lentz), (381) 205
Trigonal bipyramidal methylidine clusters, $EFe_3(CO)_9CH$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209
Tri(methylene)methane, rearrangements to 1,3-diene ligands to chromium and iron complexes of (R. Aumann, B. Trentmann), (378) 171
Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

Cobalt

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21
Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3-CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
Alkyne clusters, cage expansion of; ligand assistance by alkyne substituents (W. Rohde, J. Fischer, A. De Cian), (393) C25
Allylperoxycobalt(III) tetraphenylporphyrin, formation and structure of (W. Mikolaiski, G. Baum, W. Massa, R.W. Hoffmann), (376) 397
Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Darensbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191
Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-}AsCo_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197
Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23
Benzophenone synthesis through carbonylation of aryl iodides catalysed by $Fe(CO)_5$–$Co_2(CO)_8$ systems (J.-J. Brunet, M. Taillefer), (384) 193
Binuclear cobalt carbonyl complex with mixed valence, $Co^0Co^I(\mu\text{-}Ph_2Ppy)_2(\mu\text{-CO})(CO)Cl$ (Ph_2Ppy = diphenylphosphinopyridine), synthesis and molecular structure of (Z.-Z. Zhang, H.-K. Wang, Z. Xi, X.-K. Yao, R.-J. Wang), (376) 123
Biscarbynetricobalt clusters with alkyne funtionality, structure and redox processes of (S.M. Elder, B.H. Robinson, J. Simpson), (398) 165
(η^4-2-Bromo- and -iodo-5-trimethylsilylcyclopentadienone)(η^5-cyclopentadienyl)cobalt and their 3,4-tri-, -tetra-, and -penta-methylene derivatives, synthesis of, (P.C. Auderset, E.R.F. Gesing), (381) 139
Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145
Carbonylcobalt complexes of ethynylhydrogenosilanes, formation and reactions of (R.J.P. Corriu, J.J.E. Moreau, H. Praet), (376) C39
Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289
Carbonyl ligands from alkynes; oxidative decarbonation of acetylide bridged complexes (W. Bernhardt, H. Vahrenkamp), (383) 357

Cationic mixed metal clusters, NMR and EHMO investigation of; X-ray crystal structure of (1,7,7-trimethyl-μ^2-2-propynylnorbornene) bis-(cyclopentadienyl)tetracarbonyldimolybdenum (M.F. D'Agostino, C.S. Frampton, M.J. McGlinchey), (394) 145

$(\eta^5\text{-}C_5H_4CO_2CH_3)Co(CO)I_2$, reactions with polydentate phosphines (C. Moreno, M.J. Macazaga, S. Delgado), (397) 93

$(\eta^5\text{-}C_5H_5)Co(CO)_2$, reaction with dichloroethyne; structures of $(CpCo)(\eta^4\text{-}C_7Cl_6O)$, $[CpCo]_2[\mu\text{-}(\eta^1,\eta^2)_2\text{-}C_5Cl_4O]$ and $[\eta^4\text{-}(CpCo\text{-}CCl{=}CCl\text{-}CCl{=}CCl)](CoCp)$ (K. Sünkel), (391) 247

$(C_5H_5Co)_3(\mu_3\text{-}\eta^2\text{:}\,\eta^2\text{:}\,\eta^2\text{-benzene})$, electronic structure of (H. Wadepohl, L. Zhu), (376) 115

Chloromethylphenylethinylsilane, reaction with octacarbonyldicobalt; reactivity of $[(\eta^2\text{-}C{\equiv}CPh)Co_2(CO)_6](Me)Si(H)(Cl)$ (H. Lang, U. Lay), (388) C1

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

Cluster-substituted cyclopentadienone, formation from $PhC_2CCo_3(CO)_9$; crystal structure of $Ph_2C_4C(O)[CCo_3(CO)_9]_2$ (G.H. Worth, B.H. Robinson, J. Simpson), (387) 337

Cobaltadisiloxane cyclic compounds; crystal structures of a pyridinolithium [bis(cyclosiloxy)cobalt]cobalt chloride and a bis(tetramethylethylenediaminolithium)bis(cyclosiloxy)cobaltate (M.B. Hursthouse, M.A. Mazid, M. Motevalli, M. Sanganee, A.C. Sullivan), (381) C43

Cobalt and rhodium fulvene complexes, synthesis and structure (D. Rau, U. Behrens), (387) 219

1-Cobalta-2-phospha-1,3-diene, isomerisation to tricarbonyl(1-phosphaallyl)cobalt (H. Lang, M. Leise), (393) C17

Cobalt carbonyl catalysed carbonylation of benzal bromides by phase transfer catalysis (S.C. Shim, C.H. Doh, W.H. Park, Y.G. Kwon, H.S. Lee), (382) 419

Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97

Cobalt mediated alkene/diene coupling; documentation of scope, limitations, and regioselectivity (K.S. Feldman, K.C. Grega), (381) 251

Cobalt phosphine carbonyl complex catalyst for the homologation of methanol (N. Isogai, K. Tanaka), (397) 101

Cobalt-platinum carbonyl complexes with carbido ligands; crystal structure of the hexanuclear mixed-metal cluster $[Co_3Pt_3(\mu\text{-}H)(\mu_6\text{-}C)(\mu\text{-}CO)_4(CO)_5(P\text{-}i\text{-}Pr_3)_3]$ (J.C. Jeffery, M.J. Parrott, F.G.A. Stone), (382) 225

Cobalt-propargyl complexes, synthesis and reactions at $Co\text{-}CH_2$ and $C{\equiv}C$ bonds of (F. Ungváry, A. Wojcicki), (396) 95

$Co_2(CO)_8$, $Co_4(CO)_{12}$, and $Cp_2Mo_2(CO)_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(CO)_3Co(\mu\text{-}RC{\equiv}CMe)WCp(CO)_2$ (G.H. Young, A. Wojcicki), (390) 351

$[\{Co(CO)_2(\eta^5\text{-}C_5H_4)\}_2CH_2]$, reaction with iodine and mercuric halides of (M.G. Cox, A.R. Manning, A. McCabe), (384) 217

$Co_4(CO)_{10}(\mu_4\text{-}PPh)_2$, site selectivity and competitive CO attack using methanolic $[Et_4N][OH]$ (J.A. Partin, M.G. Richmond), (396) 339

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

Cyclopentadienyl-alkoxide complexes, $(C_5H_5)_2Cr_2(\mu\text{-}OR)_2[OCCo_3(CO)_9]$ and $(C_5H_5)_2Cr_2(OR)_2(\mu\text{-}OR)_2$ ($R = CMe_3$), synthesis, molecular structure, electronic structure and magnetic properties of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279

Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1

$(\eta^4\text{-Diene})Co(CO)_3BF_4$ substituted complexes, regioselectivity of nucleophilic additions to (R. Pankayatselvan, K.M. Nicholas), (384) 361

Dinuclear (M, M′) complexes with $[CH_2(C_5H_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

1,3-Di-t-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39

Ethynyl-, trimethylsilylethynyl- and ferrocenylethynylcobaltocenium salts, preparation and reactions of (M. Wildschek, C. Rieker, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (396) 355

$Et_4N[trans\text{-}(Cl_3Sn)_2Co(CO)_3]$ and $[Co\{(pz)_3BH\}_2][trans\text{-}\{[(CO)_4Co]Cl_2Sn\}_2Co(CO)_3]$, preparation, structures and bonding in (O.J. Curnow, B.K. Nicholson, M.J. Severinsen), (388) 379

$Fe(CO)_3[Fe(CO)_3{=}CH{-}CPh{=}S]$, addition and substitution reactions of (T. Fässler, G. Huttner), (381) 391

(η^5:η^5-Fulvalene)bimetallic compounds derived from (η^5:η^5-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

Heterotetranuclear anionic clusters, $[MCo_3(CO)_{12-2n}(C_2Ph_2)_n]^-$ (M = Fe, Ru; $n = 0$, 1), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239

^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85

$[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

Iron carbonyls, reactions with triple-decker sandwich complexes (η^5-C_5H_5)Ni(μ,η^5-C_2B_2C)M(η^5-C_5H_5), (M = Co, Ni); replacement of (η^5-C_5H_5)Ni by and insertion of the $Fe(CO)_3$ fragment into the (η^5-C_5H_5)–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)Mo(\mu\text{-}CO)Pd(I)C(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2N(CH_3)_2]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437

Monocyanoacetylene and dicyanoacetylene, reactions with organometallic compounds of cobalt(I) and nickel(II); crystal structure of $[Co(C{\equiv}CCN)_2(\eta^5\text{-}C_5H_5)(P(C_6H_5)_3)]$ (R. Kergoat, L.C. Gomes de Lima, C. Jégat, N. Le Berre, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 71

Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of $PhSCo(CO)_2(PPh_2OMe)_2$ and $MeOCS_2Co(CO)_2(PPh_2{}^iBu)_2$ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765

Nitrile formation in hydrocyanation and cyanation by cyanocobaltate, intermediates in (T. Funabiki, K. Tatsumi, S. Yoshida), (384) 199

Octanuclear heterometallic cluster $(MeC_5H_4)_2Cr_2(\mu_3\text{-}S)_4Co_2[(\mu_3\text{-}S)_2Fe_2(CO)_6]$, $[(\mu_3\text{-}S)Fe_2(CO)_6]$ having a "triangular metal ornament" core, chemical assembly and molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, A.S. Aliev, Yu.T. Struchkov, A.I. Yanovsky), (382) 423

Organocobaloximes, molecular oxygen insertion into; kinetics and decomposition studies of (B.D. Gupta, M. Roy, I. Das), (397) 219

Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165

$[Os_3H(CH{=}CHR)(\supset O)_{10}]$ (R = OEt, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181

Palladium-, cobalt-, and nickel-catalyzed tandem syntheses of polycyclic π-systems containing cyclobutadiene, benzene, and cyclooctatetraene rings (H. Schwager, S. Spyroudis, K.P.C. Vollhardt), (382) 191

Phenylethinyl-substituted phosphenium ion complexes (R)(R′)P=MoCp′$(CO)_2$, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349

η^3-Phosphaallyl-cobalt and -nickel complexes; synthesis of; crystal structure of [η^3-1-(2,4,6-tri-t-butylphenyl)-1-phosphaallyl]tricarbonylcobalt (F. Mercier, C. Hugel–Le Goff, L. Ricard, F. Mathey), (389) 389

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

(P)InM(L) and (P)TIM(L) σ-bonded heteronuclear metalloporphyrin complexes (M(L) = $Mn(CO)_5$, $Co(CO)_4$, $Cr(CO)_3Cp$, $Mo(CO)_3Cp$, or $W(CO)_3Cp$), physicochemical study of (R. Guilard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315

(Propargylium)-$Co_2(CO)_6^+$ and -$(C_5H_5)_2Mo_2(CO)_4^+$, selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chaminant, G. Jaouen, K.M. Nicholas), (399) 317

Pyridine- and polypyridine-Co(I) complexes, photochemical generation by visible light irradiation of $[Co(bpy)_3](BPh_4)_2$ and $[Co(py)_6](BPh_4)_2$ (P. Biagini, T. Funaioli, A. Juris, G. Fachinetti), (390) C61

Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-}C_9R_7)_2M$ (M = Fe, R = H, Me; M = Co, Ni, R = H); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777

Telluride-substituted mixed metal clusters; crystal structures of $[HRuCo_3(CO)_{11}(TeMe_2)]$, $[HRuCo_3(CO)_{10}(TeMe_2)_2]$, and $[HRuCo_3(CO)_{11}(TePh_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81

Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Transition metals, diene complexes of (A. Nakamura), (400) 35

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

Trisodium tricarbonylcobaltate(3−), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

N-phenylalkynylimine-hexacarbonyldicobalt complexes, synthesis and reactions of (Y. Ito, M. Inouye, M. Murakami, M. Shiro), (385) 399

Copper

Allyl cuprates, diastereoselective addition to unsaturated chiral imides (G. Pourcelot, O. Melnyk, Y. Besace, E. Stephan, P. Cresson), (388) C5

$[Au_3AgCu(C_2Ph)_6]^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145

Cationic bridging alkylidyne complexes, reactions with nucleophiles (C.P. Casey, P.C. Vosejpka, M. Crocker), (394) 339

trans-$[(CO)_5M\{Ph_2PX(CH_2)_3N{=}CHC_6H_4\text{-}o\text{-}O\}]_2M'$ (M = Mo; X = NH or M = Cr, W; X = CH_2; M' = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-$[(CO)_5Mo\{P(OCH_2CMe_2CH_2O)NH(CH_2)_2N{=}CHC_6H_4\text{-}o\text{-}O\}]_2Cu$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53

Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal–olefin bonds; possibility of a copper(I)–olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131

$[Cu_3(\mu_3\text{-}\eta^1\text{-}C{\equiv}CPh)(\mu\text{-dppm})_3][BF_4]_2$, synthesis and crystal structure of (M.P. Gamasa, J. Gimeno, E. Lastra, A. Aguirre, S. García-Granda), (378) C11

endo-Dicyclopentadiene and copper(I) chloride tetranuclear π complexes with cubane Cu_4Cl_4-cores, preparation and molecular structures of (M. Håkansson, S. Jagner), (397) 383

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2 \cdot$glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$,

$AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149

Heterobinuclear complexes $[WM(CO)_3(PPh_3)_2(\eta^5\text{-}C_5H_5)]$ (M = Rh, Cu), ^{13}C and ^{31}P NMR studies on geometrical non-rigidity in (W.E. Lindsell, P.J. Tomb), (378) 245

Heteronuclear cluster compounds containing $M(PR_3)$ (M = Cu, Ag or Au; R = alkyl or aryl), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31

Heterotetranuclear $Cu^I_2Fe^{II}_2$ complex bridged by π-accepting 2,2′-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293

α-(Methylene)alkanoic esters, formation by substitution of α-(acetoxymethyl)acrylates using Grignard reagents of (H. Amri, M. Rambaud, J. Villieras), (384) 1

Mixed-metal cluster compound $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$, synthesis and X-ray structure analysis of (P.J. McCarthy, I.D. Salter, K.P. Armstrong, M.M. McPartlin, H.R. Powell), (377) C73

Mixed-metal clusters containing $M\{P(CH_2Ph)_3\}$ (M = Cu or Ag) fragments, influence of $P(CH_2Ph)_3$ ligand on the metal framework structures adopted by; crystal structures of $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{\mu\text{-}P(CH_2Ph)_2(\eta^2\text{-}CH_2Ph)\}]$ and $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711

$[Mo_2Cp_2(\mu\text{-}\sigma\text{-}\pi\text{-}CN^tBu)(PPh_2CH_2PPh_2\text{-}P)(CO)_3]$ ($^tBu = C(CH_3)_3$, $Cp = \eta\text{-}C_5H_5$), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Organocopper compounds and cuprates (G. van Koten), (400) 283

Organometallic reagents derived from $CF_2{=}CFCl$, $CF_2{=}CCl_2$ and $CF_2{=}CH_2$ in the synthesis of selectively fluorinated substrates (J.-F. Normant), (400) 19

Pentanuclear $[Au_3Ag_2(C_2Ph)_6]^-$, $[Ag_5(C_2Ph)_6]^-$, and $[Ag_4Cu(C_2Ph)_6]^-$ clusters, preparation and possible structures of; reactivity of the polymer complexes $[\{AuAg(C_2Ph)_2\}_n]$ and $[\{AuCu(C_2Ph)_2\}_n]$ (O.M. Abu-Salah, A. Razzak, A. Al-Ohaly, Z.F. Mutter), (389) 427

$[Ru_2\{\mu\text{-}1,2\text{-}(NH)_2C_6H_4\}(CO)_4(PPh_3)_2]$, reactions with H^+, NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M (M = Cu, Ag, Au) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

Tetranuclear cluster $[Au_2Ag_2(C_2Ph)_4(PPh_3)_2]$ and mixed-metal gold–silver and gold–copper phenylacetylide polymer complexes $[\{AuM(C_2Ph)_2\}_n]$ (M = Ag, Cu), syntheses and structures of (O.M. Abu-Salah), (387) 123

Thermal decomposition of nickel–carbon and copper–carbon σ-bonds (*review*) (S. Pasynkiewicz), (387) 1

TMSI-activated butylcopper, stereoselective conjugate addition to 1-(*R*)-*endo*-(1-naphtyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

Erbium

{1,1′-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Gadolinium

$\{Na(\mu_2\text{-}THF)[(C_5Me_5)Gd(THF)]_2(\mu_2\text{-}Cl)_3(\mu_3\text{-}Cl)_2\}_2\cdot 6THF$ monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247

{1,1′-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Phenyl lanthanide dichloride complexes, synthesis of; crystal structure of $C_6H_5GdCl_2\cdot 4THF$ (G. Lin, Z. Jin, Y. Zhang, W. Chen), (396) 307

Gallium

Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[MR_2]^*$ (R = 2-$C(SiMe_3)C_5H_4N$)], formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1

Dimethylgallium azide polymer, X-ray crystal structure of; its use as a gallium nitride precursor (D.A. Atwood, R.A. Jones, A.H. Cowley, J.L. Atwood, S.G. Bott), (394) C6

$[Ga(CH_3)_3]_4[(CH_3)_4[14]aneN_4]$ and $[Ga(CH_3)_3]_2[14]aneN_4[Ga(CH_3)_3]_2$, synthesis and molecular structure of (B. Lee, W.T. Pennington, G.H. Robinson, R.D. Rogers), (396) 269

Gallium-arsenic four-membered ring compounds containing a bridging $As(SiMe_3)_2$ group, synthesis and characterization of; crystal structure of $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Cl$ and $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Br$ (W.K. Holley, R.L. Wells, S. Shafieezad, A.T. McPhail, C.G. Pitt), (381) 15

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

Germanium

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-}AsCo_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Aryl-substituted trigermanes, photochemistry of; generation and mechanism of formation of germylenes (K. Mochida, I. Yoneda, M. Wakasa), (399) 53

Bis(dimethylgermyl)alkaneruthenium tetracarbonyls, synthesis and cleavage reactions of (J. Barrau, N. Ben Hamida, J. Satgé), (395) 27

Bis(triphenylgermane)tetrakis(tetradrofuran)ytterbium, synthesis and structure of (M.N. Bochkarev, I.M. Penyagine, L.N. Zakharov, Yu.F. Rad'kov, E.A. Fedorova, S.Ya. Khorshev, Yu.T. Struchkov), (378) 363

Dimesityl(fluorenylidene)germene, starting compound for preparation of (M. Lazraq, J. Escudié, C. Couret, J. Satgé, M. Soufiaoui), (397) 1

Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

Ethynylstannanes, isotope $^{13/12}C$ effects on ^{119}Sn nucleus shielding in (E. Liepiņš, I. Birģele, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (390) 139

Germa-γ-lactones, synthesis and properties of (N. Kakimoto, T. Yoshiwara, M. Akiba, Y. Ishido), (385) 247

Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

Germyllithiums, mechanism of, reactions with di-t-butyl-3,5-orthoquinone of (P. Rivière, A. Castel, Y.H. Ko, D. Desor), (386) 147

Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121

1-Heteroaryl-silatranes and -germatranes, chemical ionization and fast atom bombardment mass spectra of (S. Rozite, I. Mažeika, A. Gaukhman, N.P. Erchak, L.M. Ignatovich, E. Lukevics), (384) 257

Heteryl-silanes and -germanes, reaction with metal hydrides (V. Gevorgyan, L. Borisova, E. Lukevics), (393) 57

Isomeric $Ph_3E\text{–}E'Me_3$, ($E = Ge$, $E' = Si$ and $E = Si$, $E' = Ge$), structures of (K.H. Pannell, R.N. Kapoor, R. Raptis, L. Párkányi, V. Fülöp), (384) 41

Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

$(Me_3Ge)_2Sb\text{–}Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

N-Mesityldimesitylgermaimine, formation of (M. Rivière-Baudet, J. Satgé, A. Morère), (386) C7

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

1,1,2,2,9,9,10,10-Octamethyl-1,2,9,10-tetragerma[2.2]paracyclophane: the first [2.2]paracyclophane bridged by two Ge–Ge bonds (A. Sekiguchi, T. Yatabe, C. Kabuto and H. Sakurai), (390) C27

Optically active germane carrying γ-butyrolactones, synthesis of (Y. Takahashi, N. Kakimoto), (399) 47

Organogermanium species with the metal in low coordination state (J. Satgé), (400) 121

3-Organyl-silyl and -germyl propynals and their carbon analogues, aldol-type condensation of methyl diazoacetate with (O.I. Margorskaya, A.S. Medvedeva, M.M. Demina, I.D. Kalikhman, M.G. Voronkov), (376) 31

Palladium-catalysed reduction of acyl chlorides with tributylgermanium hydride (L. Geng, X. Lu), (376) 41

Palladium-catalyzed addition of the tin–germanium bond to allenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53

Perchloroorganic silicon and germanium compounds, cyclization reaction of; synthesis and crystal structure of perchloro(2,2′-biphenylene)diphenyl-silane and -germane (L. Fajarí, L. Juliá, J. Riera, E. Molins, C. Miravitlles), (381) 321

Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49

7-Sila- and 7-germa-norbornadienes, CIDNP ^{1}H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1

2-Thienyl-, 2-furyl- and 2-(4,5-dihydrofuryl)germanes, ^{73}Ge NMR spectra of (E. Liepiņš, I. Zicmane, L.M. Ignatovich, E. Lukevics), (389) 23

Trimesitylgermyllithium, synthesis and reactivity of (A. Castel, P. Rivière, J. Satgé, Y.H. Ko, D. Desor), (397) 7

Trisodium tricarbonylcobaltate(3−), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521

Gold

$[Au_3AgCu(C_2Ph)_6]^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267

^{195}Au and ^{14}C-labeled antineoplastic gold(I) phosphine complexes, synthesis of (K.T. Garnes, J.R. Heys, S.W. Landvatter, J. Statler), (378) 293

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Bis(diphenylphosphino)-methanide or -amide and its derivatives as ligands in gold chemistry (A. Laguna, M. Laguna), (394) 743

Cationic trimetallic clusters with Au–W bonds, synthesis of; crystal structure of $[AuW_2(\mu\text{-}CR)_2(CO)_4(bipy)_2Cl_2]\cdot PF_6$ (R = C_6H_4Me-4) (G.A. Carriedo, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

[2-{(Dimethylamino)methyl}phenyl](2-nitrophenyl)gold(III) complexes, synthesis of (J. Vicente, M.-D. Bermúdez, M.-T. Chicote, M.-J. Sánchez-Santano), (381) 285

Gold and ruthenium compounds (M.I. Bruce), (400) 321

Gold(I) and gold(III), 2,4,6-trifluorophenyl complexes of (A. Laguna, M. Laguna, J. Jiménez, A.J. Fumanal), (396) 121

Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $[\{(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_3(PPh_2)CH(Me)N(Me)CH_2CH_2NMe_2)Fe\}_2(AuCl)_3]\cdot Et_2O$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21

Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2\cdot$glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$, $AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149

Heteronuclear cluster compounds containing $M(PR_3)$ (M = Cu, Ag or Au; R = alkyl or aryl), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31

$Ir_4(CO)_8(\mu\text{-}CO)_3(PPh_2AuPPh_3)$, synthesis and structural characterization of; conversion into $Ir_4(CO)_9(\mu\text{-}CO)(\mu\text{-}PPh_2)(\mu\text{-}AuPPh_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanters, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233

Mono- and di-carbido-gold cluster compounds, molecular orbital analysis of (D.M.P. Mingos, R.P.F. Kanters), (384) 405

Palladium, platinum and gold, organometallic derivatives of (F. Calderazzo), (400) 303

Pentanuclear $[Au_3Ag_2(C_2Ph)_6]^-$, $[Ag_5(C_2Ph)_6]^-$, and $[Ag_4Cu(C_2Ph)_6]^-$ clusters, preparation and possible structures of; reactivity of the polymer complexes $[\{AuAg(C_2Ph)_2\}_n]$ and $[\{AuCu(C_2Ph)_2\}_n]$ (O.M. Abu-Salah, A. Razzak, A. Al-Ohaly, Z.F. Mutter), (389) 427

$(Ph_3PAu)_2Fe(CO)_3P(OEt)_3$ triangular Au_2Fe cluster, synthesis and molecular structure of (L.W. Arndt, C.E. Ash, M.Y. Darensbourg, Y.M. Hsiao, C.M. Kim, J. Reibenspies, K.A. Youngdahl), (394) 733

$\{Ru_3(CO)_{11}\}_2(\mu$-dppa) (dppa = $C_2(PPh_2)_2$), thermal behaviour of; crystal structures of $Ru_4(\mu_4$-$PPh)(\mu_4$-$PhC_2PPh_2)(\mu$-$CO)_2(CO)_8\cdot MeOH$, $Ru_5(\mu_4$-$PPh)\{\mu_3$-$CCPh(PPh_2)\}(CO)_{12}$, $Ru_5(\mu_3$-$H)(\mu_4$-$PPh)\{\mu_4$-$CCPh(C_6H_4)\}(\mu_3$-$PPh)(CO)_{10}$ and $Ru_5(\mu_4$-$PPh)\{\mu_4$-$CCPh(C_6H_4)\}\{\mu$-$PPh(OMe)\}(CO)_{11}\cdot 2MeOH\cdot H_2O$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekink), (391) 81

$[Ru_2\{\mu$-1,2-$(NH)_2C_6H_4\}(CO)_4(PPh_3)_2]$, reactions with H^+, NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M (M = Cu, Ag, Au) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

Tetranuclear cluster $[Au_2Ag_2(C_2Ph)_4(PPh_3)_2]$ and mixed-metal gold–silver and gold–copper phenylacetylide polymer complexes $[\{AuM(C_2Ph)_2\}_n]$ (M = Ag, Cu), syntheses and structures of (O.M. Abu-Salah), (387) 123

Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Hafnium

Benzenyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77

(η^4-Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163

1-Camphenyl-titanium, -zirconium and -hafnium compounds, synthesis of (D. Schenke, K.-H. Thiele), (382) 109

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

Dichlorobis(cyclopentadienyl)hafnium(IV), *N*-(aryl)-2-mercaptoacetamide derivatives of (A.K. Narula, P. Lukose), (393) 365

Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

Indium

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of $[InCl(THF)\{Mo(CO)_3(\eta$-$C_5H_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

$^iPr_2InBr$, $^iPr_2InI$ and $^iPrInI_2$, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1

Iridium

Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

Alkyneiridium(I), stepwise rearrangement to alkynyl(hydrido)iridium(III) and vinylideneiridium(I) complexes of (A. Höhn, H. Werner), (382) 255

C-Allylglycine-rhodium and -iridium complexes; preparation, structure and reactions of (I. Zahn, B. Wagner, K. Polborn, W. Beck), (394) 601

2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

Bis(η^4-cyclohexa-1,3-diene)iridium-2-furyl, -2-thienyl and -2-*N*-methylpyrrolyl compounds, formation and characterisation of (J. Müller, C. Friedrich), (377) C27

Carbon dioxide in the presence of $RhCl(CO)(PPh_3)_2$ and $IrCl(CO)(PPh_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1

Dinuclear (M, M′) complexes with $[CH_2(C_5H_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33

(η^5:η^5-Fulvalene)bimetallic compounds derived from (η^5:η^5-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of $[H(CO)(PPh_3)_2Ru(\mu\text{-}Cl)(\mu\text{-}pz)Ir(TFB)]$ (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365

$Ir_4(CO)_{12}$, method for high-yield synthesis of (F.P. Pruchnik, K. Wajda-Hermanowicz, M. Koralewicz), (384) 381

$Ir_4(CO)_8(\mu\text{-}CO)_3(PPh_2AuPPh_3)$, synthesis and structural characterization of; conversion into $Ir_4(CO)_9(\mu\text{-}CO)(\mu\text{-}PPh_2)(\mu\text{-}AuPPh_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

Iridium carbonyl cluster complexes, chemistry of; synthesis, chemical characterization and X-ray crystal structures of $[PPh_4][Ir_6(CO)_{15}Cl]$ and $[PPh_4][Ir_6(CO)_{14}Cl]$ (R. Della Pergola, L. Garlaschelli, S. Martinengo, F. Demartin, M. Manassero, N. Masciocchi, R. Bau, D. Zhao), (396) 385

Iridium(I) complexes in the selective hydrogenation of the carbonyl group of α,β-unsaturated aldehydes to alcohols (C.S. Chin, B. Lee, S.C. Park), (393) 131

Iridium polyhydride complexes, reactivity patterns and catalytic chemistry of (A.S. Goldman, J. Halpern), (382) 237

Iridium trifluoromethyl, difluorocarbene and tetrafluoroethylene complexes; crystal structures of $IrI(CH_3)(CF_3)(CO)(PPh_3)_2$, $Ir(CF_3)(C_2F_4)(CO)(PPh_3)_2$ and $Ir(CF_3)(=CF_2)(CO)(PPh_3)_2$ (P.J. Brothers, A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper), (394) 615

$[M(COD)(\mu\text{-}L)]_2$ (M = Rh, Ir; L = substituted hydroxypyridinate), variable temperature ^1H NMR studies of (G.S. Rodman, K.R. Mann), (378) 255

Metal carbonyl complexes, dinitrogen monoxide induced carbon–hydrogen activation by (C. Barrientos, C.K. Ghosh, W.A.G. Graham, M.J. Thomas), (394) C31

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Organometallic C–H oxidative addition reactions (R.G. Bergman), (400) 273

Phenylacetylide iridium(I) and rhodium(I) complexes, synthesis and reactions of (M.J. Fernández, M.A. Esteruelas, M. Covarrubias, L.A. Oro), (381) 275

Rhodium(I) and iridium(I) complexes of the dianions of 2,3-pyrazinedicarboxylic and 2,5-pyrazinedicarboxylic acid, synthesis and reactivity of (J.C. Bayón, G. Net, J. Real, P.G. Rasmussen), (385) 409

Rhodium(III), iridium(III), and ruthenium(II) optically active pseudoctahedral complexes with α-amino acidato ligands; crystal structures of $R_{Ir}S_CS_N$- and $S_{Ir}S_CS_N[(C_5Me_5)Ir(pro)Cl]\cdot\frac{1}{2}H_2O$ (Hpro = L-proline) (D. Carmona, A. Mendoza, F.J. Lahoz, L.A. Oro, M.P. Lamata, E. San Jose), (396) C17

Ruthenium and iridium polyhydride complexes, synthesis under conditions of phase transfer catalysis of (V.V. Grushin, A.B. Vymenits, M.E. Vol'pin), (382) 185

Square-planar $MCl(CX)[P(i\text{-}Pr)_3]_2$ complexes of rhodium and iridium (X = O and CH_2), bonding in and UV photoelectron spectroscopy and DV-Xα calculations of (C. Cauletti, F. Grandinetti, G. Granozzi, M. Casarin, H. Werner, J. Wolf, A. Höhn, F.J. Garcia Alonso), (382) 445

Tosyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195

Transition metal-assisted retro Diels–Alder reaction used in the synthesis of transition metal S_2O complexes (G.A. Urove, M.E. Welker, B.E. Eaton), (384) 105

Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Iron

Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

Alkene- and alkyne-pentamethylcyclopentadienyldicarbonyliron complexes synthesis via the aquo derivative $[Fe(\eta\text{-}C_5Me_5)(CO)_2(OH_2)]^+ BF_4^-$ of; crystal structure of the ruthenium analogue (A. Tahiri, V. Guerchais, L. Toupet, C. Lapinte), (381) C47

Alkyne clusters, cage expansion of; ligand assistance by alkyne substituents (W. Rohde, J. Fischer, A. De Cian), (393) C25

Anionic acetylide clusters, nucleophilic attack of (M.P. Jensen, M. Sabat, D.H. Johnston, L.M. Jones, D.F. Shriver), (383) 279

Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285

Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Darensbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191

Antimony-iron mixed carbonyl clusters: $[R_4N][SbFe_4(CO)_{16}]$ (R = Me, Et) and $[Et_4N]_2[Sb_2Fe_6(CO)_{20}]$, synthesis and structures of (S. Luo, K.H. Whitmire), (376) 297

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-}As)]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-}AsCo_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23

Azaferrocene, photochemical synthesis of (J. Zakrzewski, C. Giannotti), (388) 175

Benzophenone synthesis through carbonylation of aryl iodides catalysed by $Fe(CO)_5$–$Co_2(CO)_8$ systems (J.-J. Brunet, M. Taillefer), (384) 193

Bis(cyclopentadienyldicarbonyliron)sodium tetrahydrofuran and (cyclopentadienyldicarbonyliron)sodium tetramethylethylenediamine complexes, crystal structure of (N. Hu, G. Nie, Z. Jin, W. Chen), (377) 137

Bis(diphenylphospino)methanideiron complexes, $(C_5H_5)(L)Fe(Ph_2PCHPPh_2)$ (L = CO, Me_3P), formation and reactions of (F. Scherhag, H. Käb, T.A. Bright, W. Malisch) (385) C27

Bridged double butterfly-shaped Fe–S cluster complexes $[(\mu\text{-}RS)Fe_2(CO)_6]_2(\mu\text{-}SCH_2C_6H_4CH_2S\text{-}\mu)$, synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387

Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145

Carbon disulphide and carbon dioxide adducts $(\eta\text{-}C_5H_5)(CO)_2Fe\text{–}CX_2^-$, reactions with organoiron electrophiles of (M.E. Giuseppetti-Dery, B.E. Landrum, J.L. Shibley, A.R. Cutler), (378) 421

Carbonyl ligands from alkynes; oxidative decarbonation of acetylide bridged complexes (W. Bernhardt, H. Vahrenkamp), (383) 357

μ_3-Carbynylcarbonyltriiron clusters, reactivity of and addition of alkynes under formation of η^6-ferracyclopentadienone ligands, (D. Buchholz, G. Huttner, W. Imhof, L. Zsolnai, D. Günauer), (381) 79

Cationic bridging alkylidyne complexes, reactions with nucleophiles (C.P. Casey, P.C. Vosejpka, M. Crocker), (394) 339

Cationic isocyanide iron(II) derivatives, reactivity towards nucleophilic agents of (V. Riera, J. Ruiz), (384) 339

closo-3-$(\eta^6\text{-}C_6H_6)$-3,1,2-$FeC_2B_9H_{11}$, synthesis and molecular structure of (S.S. Lee, C.B. Knobler, M.F. Hawthorne), (394) 29

Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217

$[(\eta\text{-}C_5H_5)(CO)\overline{FeC(S)SC(Fp)S}]$ (Fp = $(\eta\text{-}C_5H_5)Fe(CO)_2$), reactions with Group IB and IIB metals; X-ray molecular structure of $[(\eta\text{-}C_5H_5)(CO)\overline{FeC(SHgBr_2)SC(Fp)S}]_2$ (L. Busetto, S. Bordoni, V. Zanotti, V.G. Albano, D. Braga, M. Monari), (389) 341

$(C_5H_5)_2Cr(\mu\text{-}OCMe_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(C_5H_5)_2Cr_2(\mu\text{-}OCMe_3)_2(\mu\text{-}S_4)$ and $(C_5H_5)_2Cr_2(\mu\text{-}OCMe_3)_2(\mu\text{-}Se)$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

$[(C_5H_5)Fe(\eta^6\text{-}C_8H_8)]PF_6$, synthesis and crystal structure of (J. Heck, W. Massa), (376) C15

Chiral substituted ferrocenes, stereo- and enantio-selectivity in catalytic hydrogenolysis to give cyclopentanes of (V.I. Sokolov, L.L. Troitskaya, N.S. Khrushcheva, O.A. Reutov), (378) 227

Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

$(Cl)(NO)_2Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, synthesis of; an unexpected product from the Friedel–Crafts acylation of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ with $(CO)_2(NO)Cr[(\eta^5\text{-}C_5H_4)C(O)Cl]$ (Y.-P. Wang, J.-M. Hwu), (399) 141

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta_5\text{-}C_5H_5)$, X-ray structure of $(CO)_2(NO)Cr_2(\eta^5\text{-}C_5H_4)CH_2[\eta^5\text{-}(3\text{-acetyl})C_5H_3]Fe(\eta^5\text{-}C_5H_5)$ (Y.-P. Wang, R-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ Friedel–Crafts acylation of; crystal structure of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

η^4-Coordinated (*s-cis*)-1-molybda-2-phospha-1,3-dienes, stepwise formation of (H. Lang, M. Leise, L. Zsolnai, M. Fritz), (395) C30

$[CpFe(\mu\text{-}PR_2)CO]_2$ and $[Cp_2Fe_2(\mu\text{-}H)(\mu\text{-}PR_2)(CO)_2]$ optically active phosphido-bridged iron complexes, photochemically induced *cis–trans* isomerisation of (H. Brunner, H. Peter), (393) 411

$CpM(SnPh_3)(CO)_2$ (M = Fe, Ru), carbene formation from; crystal structures of CpFeI(CO){=C(OEt)Ph}, CpRuI(CO){=C(OEt)Ph} and CpRuI(CO){=C(NHMe)Ph} (H. Adams, N.A. Bailey, C. Ridgway, B.F. Taylor, S.J. Walters, M.J. Winter), (394) 349

Cryptates from cryptands containing a ferrocene unit (C.D. Hall, I.P. Danks, M.C. Lubienski, N.W. Sharpe), (384) 139

Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoicheiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

2–6-η^5-Cyclohexadienone-η^5-cyclopentadienyliron and some related systems (A. Piórko, C.H. Zhang, R.S. Reid, C.C. Lee, R.G. Sutherland), (395) 293

$[(\eta^5\text{-Cyclohexadienyl})Fe(CO)_3]^+ BF_4^-$, reaction with 2-methyl-2-nitrosopropane; an oscillating reaction (L. Li, D.R. Eaton, M.J. McGlinchey), (396) 65

Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1

Cyclopentadienylthiocarbonyl complexes of iron, $[Cp^*Fe(CO)_2CS]^+$, $Cp^*_2Fe_2(CO)_2(CS)_2$, $Cp_2Fe_2(CO)_3(CS)$, and $Cp_2Fe_2(CO)_2(CS)_2$ ($Cp = C_5H_5$, $Cp^* = C_5Me_5$), formation and structures of (M.-G. Choi, L.M. Daniels, R.J. Angelici), (383) 321

α-Cynichrodenyl-α-ferrocenylmethylium tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61

Di-iron doubly bridged compound, electron-transfer catalysed stepwise replacement of two carbon monoxide ligands in (A. Darchen, E.K. Lhadi, H. Patin, D. Grandjean, A. Mousser), (385) C4

Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

2,3-Dimethylindole, π-coordination into cyclopentadienyliron complexes of (N. Kuhn, E.-M. Lampe), (385) C9

Dinuclear alkenyl-bridged iron–nickel and diiron complexes, synthesis of; crystal structure of $[Fe_2(CO)_4(C_5H_5)(\mu\text{-}CO)(\mu\text{-}CPh{=}CPhH)]$ (I. Moldes, J. Ros, R. Yáñez, R. Mathieu, X. Solans, M. Font-Bardía), (395) 305

Diorganozincs, enantioselective addition to aldehydes catalyzed by β-amino alcohols of (B. Noyori, S. Suga, K. Kawai, S. Okada, M. Kitamura, N. Oguni, M. Hayashi, T. Kaneko, Y. Matsuda), (382) 19

Diphenylphosphinomethaneiron(II) complexes, $[FeCp(dppm)(L)]^+ PF_6^-$ (L = CO and CH_3CN), synthesis, redox properties, and crystal structures of (J. Ruiz, M.-T. Garland, E. Román, D. Astruc), (377) 309

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4{}^iPrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

1,3-Di-t-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

Dithioformate $Fe(\eta^2\text{-}HC(SR)S)$ complexes, cleavage of the coordinate C–S bond by alkynes in; route to $FeCH(SR)COC(CO_2Me){=}C(CO_2Me)S(CO)(PR_3)_2$ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, R.D. Adams, B.E. Segmüller), (386) 95

Dodecacarbonyltriiron, multi-substituted isonitrile and mixed ligand derivatives of; the crystal structure of $Fe_3(CO)_{10}(CNBu^t)_2$ (J.B. Murray, B.K. Nicholson, A.J. Whitton), (385) 91

Epoxides, ring opening reactions with cyclopentadienyliron complexed aminoarenes (C.H. Zhang, A. Piórko, C.C. Lee, R.G. Sutherland), (387) 295

Ethynyl-, trimethylsilylethynyl- and ferrocenylethynylcobaltocenium salts, preparation and reactions of (M. Wildschek, C. Rieker, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (396) 355

$[Fe_5C(CO)_{15}]$, phosphine substituted derivatives of; crystal structure of $[Fe_5C(CO)_{12}(PMe_2Ph)_3]$ (A. Gourdon, Y. Jeannin), (388) 195

$Fe_2(CO)_9$, Fe–Fe bond in qualitative MO study of (C. Mealli, D.M. Proserpio), (386) 203

$Fe_2(CO)_9$, reductive dehalogenation of bidentate halogen phosphines $RXP–CH_2–PXR$ by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4

$Fe(CO)_4$ and $Fe(CO)_3P(OMe)_3$, reactions with stabilized phosphoranes of (D. Senechal, M.-C. Senechal-Tocquer, J-Y. Le Bihan, D. Gentric, B. Caro), (385) C35

$[Fe(CO)_4CHO^-]$, infrared evidence for competitive $[Li^+]$ and Et_3B coordination to; thermodynamic evaluation of the ion pair equilibrium (S.W. Lee, W.D. Tucker, M.G. Richmond), (398) C6

$[Fe_2(CO)_4(\eta\text{-}C_5H_5)_2]$ and related complexes, addition of halogenocarbons to alkenes in the presence of (R. Davis, J.L.A. Durrant, N.M.S. Khazal, T.E. Bitterwolf), (386) 229

$Fe(CO)_4(\eta^1\text{-dppf})$ (dppf = $(Ph_2PC_5H_4)_2Fe$), synthesis and conversion into $Fe_2(CO)_8(\mu\text{-dppf})$ and $(CO)_4Fe(\mu\text{-dppf})Mo(CO)_5$ of, (T.S.A. Hor, L.-T. Phang), (381) 121

$Fe(CO)_4(\eta^1\text{-dppf})$ [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

$Fe_2(CO)_6(\mu\text{-CRCR'COEtH})$ complexes (R = R' = Ph; R = Ph, R' = Me), synthesis of; products resulting from the action of $[Et_3O][BF_4]$ on a mixture of di- and tri-nuclear anionic iron complexes containing a bridging ethene or alkyne ligand (R. Yanez, J. Ros, X. Solans, M. Font-Bardia, R. Mathieu), (388) 169

$Fe_2(CO)_6(\mu\text{-PhNC(O)}C_6H_4NH)$ binuclear complex, synthesis from $Fe(CO)_5$ and azobenzene of, molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, E.A. Vas'utinskaya, Yu. T. Struchkov, A.I. Yanovsky), (386) 225

$Fe_3(CO)_{10}(\mu_3\text{-PR})$, rearrangement of carbonyl groups to carbene, carbyne and alkyne groups in (D. Buchholz, G. Huttner, L. Zsolnai) (381) 97

$Fe_3(CO)_{10}(\mu_3\text{-RP})$, addition reactions with XCN^- (X = S, Se, Te) and R'XXR' (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25

$Fe_4(CO)_{12}(\mu_4\text{-RP})$: a tripledecker derivative of the 2π-ligand $RPFe_2(CO)_6$ (D. Buchholz, G. Huttner, W. Imhof, O. Orama), (388) 321

$Fe_3(CO)_{10}(\mu_3\text{-RP})$ clusters, introduction of $\mu_3\text{-}\eta^2$-RPO- and $\mu_3\text{-}\eta^2$-RPOEt ligands; OCN^- as oxygen transfer agent (D. Buchholz, G. Huttner, W. Imhof), (388) 307

$Fe_2(CO)_6(\mu_2\text{-}Te_2)$, insertion of a methylene group into the Te–Te bond of (P. Mathur, V.D. Reddy), (387) 193

$[Fe(CO)_3NO]^-$, use for carbonylation of primary, secondary and allylic halides of (S.G. Davies, A.J. Smallridge, A. Ibbotson), (386) 195

$[Fe(CO)_2(\text{'}S_4\text{'})]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[Fe(CO)_2(\mu\text{-'}S_4\text{'})\{M(CO)_5\}_n]$ (n = 1:M = Cr, Mo, W; n = 2: M = W; $\text{'}S_4\text{'}^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

$Fe(CO)_3[\overbrace{Fe(CO)_3{=}CH{=}CPh{=}S}]$, addition and substitution reactions of (T. Fässler, G. Huttner), (381) 391

Ferrocene, annual survey 1988 (G. Marr, B.W. Rockett), (392) 93

Ferrocene-chalcogenols $Fe(C_5H_5)(C_5H_4EH)$ and $Fe(C_5H_4EH)_2$ (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281

Ferrocene-containing cryptands and their metal complexes, Mössbauer studies on (C.D. Hall, I.P. Danks, P.J. Hammond, N.W. Sharpe, M.J.K. Thomas), (388) 301

Ferrocenes as potential antitumor drugs, synthesis and activity of (N. Motohashi, R. Meyer, S.R. Gollapudi, K.R. Bhattiprolu), (398) 205

Ferrocenes derived from isodicyclopentadiene and tricyclo[5.2.1.$0^{2,6}$]deca-2,5,8-triene (V. Bhide, P. Rinaldi, M.F. Farone), (376) 91

Ferrocene with a pentaarsacyclopentadienyl ligand (O.J. Scherer, C. Blath, G. Wolmershäuser), (387) C21
Ferrocenylalkenes, alkoxymethylation of (A. Ketter, R. Herrmann), (386) 241
Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253
Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6
Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73
Ferrocenyl carbinols, ethers, and ureas, synthesis of (S. Kovac, V. Rapić), (384) 147
Ferrocenyl derivatives of anthracene, synthesis of (R.M.G. Roberts), (388) 181
S-(1-Ferrocenylethyl)thioglycolic acid, kinetics of the synthesis of (D. Scutaru, L. Tătaru, I. Mazilu, B. Scutaru, T. Lixandru, C. Simionescu), (378) 99
$(\mu_2\text{-Te}_2)\text{Fe}_2(\text{CO})_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 (L = PPh_3, M = Pt, Pd, Ni; L = C_5H_5, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363
Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $[\{(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_3(PPh_2)CH(Me)N(Me)CH_2CH_2NMe_2)Fe\}_2(AuCl)_3]\cdot Et_2O$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21
Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1′-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165
ω-Halogenoalkyl complexes $[(\eta\text{-}C_5R_5)(CO)_2Fe(CH_2)_nX]$ (R = H, n = 3–10, X = Br, I; R = CH_3, n = 3–5, X = Br, I), (H.B. Friedrich, P.A. Makhesha, J.R. Moss, B.K. Williamson), (384) 325
Heterotetranuclear anionic clusters, $[MCo_3(CO)_{12-2n}(C_2Ph_2)_n]^-$ (M = Fe, Ru; n = 0, 1), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239
Heterotetranuclear $Cu^I_2Fe^{II}_2$ complex bridged by π-accepting 2,2′-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293
$[HFe(CO)_4]^-$ as a reagent for the synthesis of tin/iron clusters, partial crystal structure of $(NEt_4)_2[SnCl_2\{Fe(CO)_4\}_2]\cdot SnCl_4$ (M. Ferrer, O. Rossell, M. Seco, X. Solans, M. Gómez), (381) 183
^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85
Homoleptic trifluoromethylisocyanide-iron complexes, $Fe(CNCF_3)_5$ and $Fe_2(CNCF_3)_9$ (D. Lentz), (377) 305
$HW_2(CO)_9(NO)$, substitution of phosphine for CO ligand in; structures of $HW_2(CO)_8(NO)(\eta^2\text{-}(\eta^5\text{-}C_5H_4PPh_2)_2Fe$, $HW_2(CO)_7(NO)(Ph_2PH)_2$, $HW_2(CO)_7(NO)\text{-}(\eta^2\text{-}Ph_2PCH_2PPh_2)$, and $[HW_2(CO)_8(NO)]_2\text{-}(\mu\text{-}Ph_2PCH_2CH_2PPh_2)$, (J.T. Lin, S.Y. Wang, P.S. Huang, Y.M. Hsiao, Y.S. Wen, S.K. Yeh), (388) 151
Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327
$(\eta^3\text{-Indenyl})(\eta^5\text{-indenyl})V(CO)_2$ 17-electron complex, electrochemistry of an oxidatively induced ring slippage in (G.A. Miller, M.J. Therien, W.C. Trogler), (383) 271
Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24
Iron azadiene and diene complexes, new method for synthesis of; reaction of $(\eta^2\text{-RCHCHCOR}')Fe(CO)_4$ with aniline and ylide (M.F. Semmelhack, C.H. Cheng), (393) 237
Iron carbonyl, insertion into a C–S bond of tetrathiofulvane (H.G. Raubenheimer, L. Linford, H.M. Roos), (393) C49
Iron carbonyls, reactions with triple-decker sandwich complexes $(\eta^5\text{-}C_5H_5)Ni(\mu,\eta^5\text{-}C_2B_2C)M(\eta^5\text{-}C_5H_5)$, (M = Co, Ni); replacement of $(\eta^5\text{-}C_5H_5)Ni$ by and insertion of the $Fe(CO)_3$ fragment into the $(\eta^5\text{-}C_5H_5)$–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329
Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313
Iron mediated diene activation; crystal structure of $[(\eta^5\text{-}C_5Me_5)Fe(\text{methylhexa-2,4-dienoate})CO][BF_4]$ (P. McArdle, D. MacHale, M. Mahon, D. Cunningham), (381) C13
Iron pentaphenylcyclopentadienyl cationic complexes, a sonochemically promoted route to (P. Brégaint, J.-R. Hamon, C. Lapinte), (398) C25
Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

Lipophilic macrocyclic host molecules containing multiple ferrocenyl redox-active centres (P.D. Beer, A.C. Smythe, E.L. Tite, A. Ibbotson), (376) C11

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^{V} polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Metal carbonyl complexes containing phosphorus-bridging carbonyl groups, formation and chemical reactivity of (R.B. King, F.-J. Wu, E.M. Holt), (383) 295

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metalladiborane anions, $[M(CO)_4(\eta^2\text{-}B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

Metallaheterocyclobutadiene complexes, $Fe(CO)_3[\overline{Fe(CO)_3{=}CH{=}CpH{=}S}]$, reductive activation of (T. Fässler, G. Huttner, D. Günauer, S. Fiedler, B. Eber), (381) 409

ansa-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ^{1}H- and ^{13}C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21

Metal-rich metallaborane clusters, synthesis of; mechanism involving fragment condensation (X. Meng, A.K. Bandyopadhyay, T.P. Fehlner, F.-W. Grevels), (394) 15

Mixed disubstituted $[Fe(CO)_3LL']$ complexes, preparation and characterization by ^{31}P-NMR spectroscopy of (G. Bellachioma, G. Cardaci, A. Macchioni, G. Reichenbach), (391) 367

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

$[Mo_2Cp_2(\mu\text{-}\sigma\text{-}\pi\text{-}CN^tBu)(PPh_2CH_2PPh_2\text{-}P)(CO)_3]$ ($^tBu = C(CH_3)_3$, $Cp = \eta\text{-}C_5H_5$), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407

Molybdenum–iron bonds, alkyne assisted formation of; synthesis and crystal structure of $[MoFe(\mu\text{-}C_4Ph_4)(CO)_4(S_2CNEt_2)_2]$ (H.-B. Kraatz, M.J. Went, J.C. Jeffery), (394) 167

Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Nido-cluster $[(CO)_3FeS]_2$, photochemically induced [2+2]-cycloaddition of alkenes and dienes to the S–S bond of (A. Kramer, I.-P. Lorenz), (388) 187

Nitrosylcarbonyliron complexes, catalytic alkylations of allylic carbonates under argon in the presence of (J.-L. Roustan, M. Abedini, H.H. Baer), (376) C20

$(OC)_5M(\mu\text{-dppf})M(CO)_5 \cdot CH_2Cl_2$ (M = Cr, Mo; dppf = $(Ph_2PC_5H_4)_2Fe$) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29

Octanuclear heterometallic cluster $(MeC_5H_4)_2Cr_2(\mu_3\text{-}S)_4Co_2[(\mu_3\text{-}S)_2Fe_2(CO)_6]$, $[(\mu_3\text{-}S)Fe_2(CO)_6]$ having a "triangular metal ornament" core, chemical assembly and molecular structure of (A.S. Katugin, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, A.S. Aliev, Yu.T. Struchkov, A.I. Yanovsky), (382) 423

Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165

Organoiron chemistry, annual survey 1988 (R.C. Kerber), (380) 77

Organoiron complexes of podocarpic acid derivatives (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (398) 117

$[Os_3H(CH{=}CHR)(CO)_{10}]$ (R = OEt, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181

$Pd(BF_4)_2$ and $Pt(BF_4)_2$ complexes of 1,1′-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327

α-Phenyl- and α-ferrocenyl-carbinols, reactions with nonacarbonyldiiron of (D. Bankston), (379) 129

Phenyl-substituted cyclobutane and cyclopropane derivatives, photolysis and thermolysis of (R.L. Trace, W.M. Jones), (376) 103

Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

Phosphorus-bridging carbonyl derivative containing three phosphorus atoms; crystal and molecular structure of $(^iPr_2NP)(^tBu_2PP)COFe_2(CO)_6$ (R.B. King, N.K. Bhattacharyya, E.M. Holt), (394) 305

$(Ph_3PAu)_2Fe(CO)_3P(OEt)_3$ triangular Au_2Fe cluster, synthesis and molecular structure of (L.W. Arndt, C.E. Ash, M.Y. Darensbourg, Y.M. Hsiao, C.M. Kim, J. Reibenspies, K.A. Youngdahl), (394) 733

Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of $CpFe(CO)(COMe)PPh_2ORh(COD)$ (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555

Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-}C_9R_7)_2M$ (M = Fe, R = H, Me; M = Co, Ni, R = H); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777

Solid state polymerization of diacetylenes; crystal and molecular structure of 1,4-bis(1′-ethylferrocenyl)buta-1,3-diyne (V.E. Shklover, Yu.E. Ovchinnikov, I.A. Zamaev, Yu.T. Struchkov, V.V. Dement'ev, T.M. Frunze, B.A. Antipova), (378) 235

Sulphur-bridged trinuclear carbonylalkynyliron clusters, preparation, properties and structure of (Th. Fassler, G. Huttner), (376) 367

Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41

Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369

$(Thioketene)Fe_2(CO)_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49

Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163

Transition metals, diene complexes of (A. Nakamura), (400) 35

Tricarbonyl(cyclohexadiene)iron sterically hindered complexes, preparation, isomer formation and isomerization reactions of (C.W. Ong, W.T. Liou, W.S. Hwang), (384) 133

Tricarbonyl(η^5-cyclohexadienyl)iron(1+)complexes, phenyl directing groups in the demethoxylation route to (D.A. Owen, G.R. Stephenson, H. Finch, S. Swanson), (395) C5

(Tricarbonyl)(η^5-2-methylpentadienyl)iron(+1) cation, synthesis and reactivity of (W.A. Donaldson), (395) 187

Tricarbonylrhenium halide complexes, *fac*-$[ReX(CO)_3\{(C_5H_4ECH_3)_2Fe\}]$ (X = Cl. Br, I; E = S, Se); crystal structure of chloro-1,1′-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (383) 253

Tricarbonyl(3-trimethylstannylcycloheptadienyl)iron hexafluorophosphate and tricarbonyl(3-trimethylsilylcycloheptadienyl)iron hexafluorophosphate, preparation and reactions of (A.J. Pearson, M.S. Holden), (383) 307

Triferrocenylborane and its amine adducts (T. López, A. Campero), (378) 91

Trigonal bipyramidal methylidine clusters, $EFe_3(CO)_9CH$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of $[N(PPh_3)_2]_2[(OC)_4Fe\text{–}Hg\text{–}Fe(CO)_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Tri(methylene)methane, rearrangements to 1,3-diene ligands to chromium and iron complexes of (R. Aumann, B. Trentmann), (378) 171

(η^5-1,3,5-Trimethyl-6-phenylcyclohexadienyl)(η^5-cyclopentadienyl)iron, a mixed full sandwich iron(II) complex, crystal and molecular structure of (M.J. Zaworotko, K.C. Sturge, P.S. White), (389) 333

Trimethylplatinum(IV) halide complexes, $[PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

Trinuclear metal carbonyl clusters of iron, ruthenium and osmium, quantitative mechanistic studies of photoreactions of (P.C. Ford), (383) 339

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

1,2,3-Trisubstituted chiral ferrocenes, stereoselective synthesis, conformation and complexing behaviour of (N. Deus, G. Hübener, R. Herrmann), (384) 155

Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

Lanthanides

Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-}C_5H_3Bu^t_2)_2Sm\cdot OC_4H_8$ and homoleptic ate complex $[NaSm(\eta^5:\eta^2\text{-}C_5H_4Bu^t)_3\cdot OC_4H_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

Lanthanides and actinides, annual survey 1982 (R.D. Ernst), (392) 51

Lanthanides and actinides, annual survey 1983 (R.D. Rogers, L.M. Rogers), (380) 51

Lanthanium

η^6-Benzenelanthanoidtris(aluminum tetrachlorides) (Ln = La, Nd, Sm), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

Lead

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63

Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Ions and radicals derived from tetramethyllead, hexamethyldilead, dimethyllead, and tetramethyldilead; SCF–MO study of the molecular and electronic structures of (C. Glidewell), (398) 241

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

Se-organolead selenocarboxylates, isolation and characterisation of (S. Kato, H. Ishihara, K. Ibi, H. Kageyama, T. Murai), (386) 313

Trisodium tricarbonylcobaltate(3−), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521

Lithium

Alkyllithium and potassium alkoxide complex bases, utilitization in the dimetallation of phenol, thiophenol, *o*-, *m*- and *p*-cresol (H. Andringa, H.D. Verkruijsse, L. Brandsma, L. Lochmann), (393) 307

Complex bases from organolithium compounds and various sodium alkoxides, properties of (L. Lochmann), (376) 1

Dinuclear (M, M′) complexes with $[CH_2(C_5H_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33

Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253

Fluoroallyl alcohols, preparation of (T. Dubuffet, C. Bidon, P. Martinet, R. Sauvêtre, J.-F. Normant), (393) 161

$(\eta^5:\eta^5$-Fulvalene)bimetallic compounds derived from $(\eta^5:\eta^5$-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

Germyllithiums, mechanism of, reactions with di-t-butyl-3,5-orthoquinone of (P. Rivière, A. Castel, Y.H. Ko, D. Desor), (386) 147

$(\mu_2\text{-}Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 (L = PPh_3, M = Pt, Pd, Ni; L = C_5H_5, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Heterobimetallic bridged alkynide complex, $(C_5Me_5)Y(\mu\text{-}C{\equiv}CCMe_3)_2Li(THF)$, synthesis and X-ray structure of (W.J. Evans, D.K. Drummond, T.P. Hanusa, J.M. Olofson), (376) 311

$[Li(THF)_4][(C_5H_5)_2Lu(NPh_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375

Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27

Lithium dimeric derivative of tetraphenyldisiloxanediolate dianion, synthesis and structure of (M.B. Hursthouse, M.A. Hossain, M. Motevalli, M. Sanganee, A.C. Sullivan), (381) 293

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Monomeric arylchromium(II) complexes; crystal structures of [*cis*-$Mes_2Cr(THF)_2$](THF), [*cis*-$Mes_2Cr(bipy)$](THF), $[Mes_4CrLi_2(THF)_2]$(THF) and $Ph_4CrLi_2(THF)_4$ (Mes = 2,4,6-mesityl; bipy = 2,2′-bipyridine) (J.J.H. Edema, S. Gambarotta, F. van Bolhuis, W.J.J. Smeets, A.L. Spek, M.Y. Chiang), (389) 47

Mono- or *gem*-di-halogenoalkenes, convenient preparation from α-sulfonyl carbanions and halogenolithiocarbenoïds of (P. Charreau, M. Julia, J.-N. Verpeaux), (379) 201

Organolithio-pyridinic derivative, intermolecular reaction of (M. Mallet, G. Branger, F. Marsais, G. Queguiner), (382) 319

Organolithium compounds, degree of association in liquid ammonia of (R. den Besten, S. Harder, L. Brandsma), (385) 153

Organometallic reagents derived from $CF_2{=}CFCl$, $CF_2{=}CCl_2$ and $CF_2{=}CH_2$ in the synthesis of selectively fluorinated substrates (J.-F. Normant), (400) 19

Organopotassium compounds, activation of n-butyllithium by; preparation of strongly basic systems (F. Scott, A.M. Hamese, H.G. Raubenheimer), (393) C40

Phenyllithium complexes, ^{13}C CP/MAS NMR spectroscopy of (D. Johnels, U. Edlund), (393) C35

2-Propenyl-1,3-dithiane anion, regioselective addition of aldimines to (J.-M. Fang, S.-T. Chen, I.-H. Chen), (398) 219

Trimesitylgermyllithium, synthesis and reactivity of (A. Castel, P. Rivière, J. Satgé, Y.H. Ko, D. Desor), (397) 7

α-Trimethylsilyl substituted α-picolines, negative hyperconjugation control of acidities in; isolation of $[Li\{NC_5H_4\text{-}2\text{-}C(H)(SiMe_3)_2\}\{NC_5H_4\text{-}2\text{-}C(H)(SiMe_3)\}]_2$ (C. Jones, C.H.L. Kennard, C.L. Raston, G. Smith), (396) C39

Lutetium

Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

$[(C_5H_5)_2Lu(\mu\text{-}O(CH_2)_4P(C_6H_5)_2)]_2$ and $[(C_5H_5)_2Lu(OC_4H_8)]_2(\mu\text{-}O)$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49

Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Marktscheffel, F. Ekkehardt Hahn), (390) 301

Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich), (377) C5

$[Li(THF)_4][(C_5H_5)_2Lu(NPh_2)_2]$, synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

{1,1′-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Magnesium

Diarylmagnesium species, coordination modes of; some representative X-ray crystal structures (P.R. Markies, G. Schat, O.S. Akkerman, F. Bickelhaupt, W.J.J. Smeets, P. van der Sluis, A.L. Spek), (393) 315

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1′-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165

Magnesium, reaction with benzotrihalides and benzal halides; synthetic and mechanistic studies (E.C. Ashby, D.M. Al-Fekri), (390) 275

Magnesium activation of dichlorodi-η_5-cyclopentadienyltitanium in the catalytic hydrogenation of olefins and acetylenes (F. Scott, H.G. Raubenheimer, G. Pretorius, A.M. Hamese), (384) C17

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

α-(Methylene)alkanoic esters, formation by substitution of α-(acetoxymethyl)acrylates using Grignard reagents of (H. Amri, M. Rambaud, J. Villieras), (384) 1

Titanium–nitrogen complexes, reaction with acid halides and acid anhydrides (M. Mori, Y. Uozumi, M. Shibasaki), (395) 255

Transition metals, diene complexes of (A. Nakamura), (400) 35

Trialkylsilyl α- or ω-chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127

Tris(3,5-dimethylpyrazolyl)hydroboratomagnesium alkyl derivatives, ligand redistribution reactions of; crystal structure of $\{\eta^3\text{-HB(3,5-Me}_2\text{pz)}_3\}_2\text{Mg}$ (R. Han, G. Parkin), (393) C43

Main Metals – General

Chemiluminescence of organometallics in solution (*review*) (R.G. Bulgakov, V.P. Kazakov, G.A. Tolstikov), (387) 11

Manganese

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

Carbonyl complexes of manganese(I) containing monodentate $Ph_2PCH_2PPh_2$ (dppm), synthesis of (G.A. Carriedo, M.C. Crespo, C. Diaz, V. Riera), (397) 309

Carbonyl dimers with mixed bridges $[(CO)_4\overline{M(H)M(L)}(CO)_4]_n$ ($n = 2-, 0$), electronic structure of (B.J. Trzebiatowska, B. Nissen-Sobocińska, L. Natkaniec), (376) 67

Carbonylmanganese complexes, reactions with imidoyl halide of (P.L. Motz, J.J. Alexander, C.J. Campana), (379) 119

$(C_5H_4Me)(CO)_2Mn[CHCH(PEt_3)]$, carbene-like ylid complexes, molecular structure of (R.D. Rogers, H.G. Alt, H.E. Maisel), (381) 233

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

$[3,3,3\text{-(CO)}_3\text{-4-SMe}_2\text{-3,1,2-MnC}_2\text{B}_9\text{H}_{10}]$, synthesis and molecular and electronic structure of; order-of-magnitude improved structure of $(\eta\text{-C}_5\text{H}_5)\text{Mn(CO)}_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1

Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1

Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(CO)_3MC_5H_4]_2E_n$ (M = Mn, Re; E = S, Se, Te; $n = 2, 1$) M. Herberhold, M. Biersack), (381) 379

Dicarbonyl(alkene)(arene)manganese cations, kinetic study of nucleophilic addition to the alkene in (T. Hanna, N.S. Lennhoff, D.A. Sweigart), (377) 133

Dicarbonylcyclopentadienylmanganese fragments, reactions with propiolic aldehyde acetals of (C. Löwe, H.-U. Hund, H. Berke), (378) 211

Dimetallaarsacumulenium ions, preparation of arsinidene complexes from (A. Strube, G. Huttner, L. Zsolnai, W. Imhof), (399) 281

Dinuclear metal carbonyl complexes and alkyl halides, photochemical reactions of; formal oxidative addition across metal–metal single bond proceeding by free radical chain mechanism (M.A. Biddulph, R. Davis, F.I.C. Wilson), (387) 277

Diterpenoids cyclomanganation, functionalization of carbon-14 (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (381) C26

$Fe(CO)_4(\eta^1\text{-dppf})$ [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279

η^2-(2-Formylphenyl)tetracarbonylmanganese(I) complexes, synthesis and reactions of; cyclopentaannulation of a diterpenoid (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (398) C22

(η^5 : η^5-Fulvalene)bimetallic compounds derived from (η^5 : η^5-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85

Hydrocarbon-bridged metal complexes, $(OC)_5M(CH_2)_nM(CO)_5$, (M = Mn, $n = 2$; M = Re; $n = 2$; $n = 3$), synthesis from dimethyl ether of the bistriflates $Y(CH_2)_nY$ ($Y = F_3CSO_2O$) and carbonyl metalates $[M(CO)_5]^-$ of (E. Lindner, M. Pabel, K. Eichele), (386) 187

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

$[L_nM{=}X{=}ML_n]$ complexes (X = Ge, Sn, Pb; $L_nM = Cp'(CO)_2Mn$), reactions with chelating ligands; synthesis and characterisation of $[\{L_nM\}_2XDipy]$ derivatives (F. Ettel, G. Huttner, W. Imhof), (397) 299

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

Manganese carbonyl and organometallic compounds; analysis and classification of crystallographic and structural data (C.E. Holloway, M. Melnik), (396) 129

Manganese(I) octahedral cationic carbonyl complexes containing nitrogen donor chelate ligands, isocyanide migration from axial to equatorial position in the synthesis of (F.J.García Alonso, V. Riera, M. Vivanco), (398) 275

Manganese; stereospecific synthesis of mono- and bi-nuclear (ligand-bridged) carbonyl complexes of (G.A. Carriedo, V. Riera), (394) 275

cis-$M(CO)_4(PPh_3)CH_2I$ (M = Mn, Re), synthesis and rearrangement of (S.K. Mandal, D.M. Ho, M. Orchin), (397) 313

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

$[Mn(CH_3\text{-}\eta^5\text{-}C_5H_4)(CO)_2PPh_3]$, reaction with iodine; crystal structure of diiodobis(triphenylphosphine oxide)manganese(II) (T. Avilés, M.A.A.F. de C.T. Carrondo, M.F.M. Piedade, G. Teixeira), (388) 143

$[Mn(CO)_5Br]$ and $Re[CO]_5Br]$, Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401

$[Mn_2(CO)_8(PBu_3)_2]$, thermal reactions with alkyl halides; evidence for an outer-sphere electron transfer process (R. Davis, F.I.C. Wilson), (396) 55

$[Mo_2Cp_2(\mu\text{-}\sigma\text{-}\pi\text{-}CN^tBu)(PPh_2CH_2PPh_2\text{-}P)(CO)_3]$ ($^tBu = C(CH_3)_3$, $Cp = \eta\text{-}C_5H_5$), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407

Organomanganese reagents, reactions with a conjugated enone; influence of Lewis acids and iron or nickel salts (G. Cahiez, M. Alami), (397) 291

Pentacarbonylbenzylmanganese(I) systems, substituent effects on the alkyl migration reaction in (J.D. Cotton, R.D. Markwell), (388) 123

Phosphametallacycloalkanes, conformation and ^{31}P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eichele, K. Pohmer), (386) 63

Phosphidomanganates applied in synthesis of phosphamanganacyclopropanes with carbene and phosphido units (E. Lindner, E. Ossig, M. Darmuth), (379) 107

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

(P)InM(L) and (P)TlM(L) σ-bonded heteronuclear metalloporphyrin complexes ($M(L) = Mn(CO)_5$, $Co(CO)_4$, $Cr(CO)_3Cp$, $Mo(CO)_3Cp$, or $W(CO)_3Cp$), physicochemical study of (R. Guilard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315

Polymetallic compounds of extended polyaromatic ligands; rhenium and manganese carbonyl derivatives of truxene (T.L. Tisch, T.J. Lynch, R. Dominquez), (377) 265

$RMn(CO)_5$ and $RC(O)Mn(CO)_5$, protonolysis reactions in (P.L. Motz, D.J. Sheeran, M. Orchin), (383) 201

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Transition metal-assisted retro Diels–Alder reaction used in the synthesis of transition metal S_2O complexes (G.A. Urove, M.E. Welker, B.E. Eaton), (384) 105

Transition metal stabilised As^I and Sb^I chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255

Trigonal bipyramidal methylidine clusters, $EFe_3(CO)_9CH$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Vinylidene and allenylidene cymantrene derivatives, reactions with isonitriles of (V.N. Kalinin, V.V. Derunov, M.A. Lusenkova, P.V. Petrovsky, N.E. Kolobova), (379) 303

Mercury

Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285

Aryltin(IV) complexes, synthesis using arylmercury compounds; synthesis of mixed triaryltin(IV) complexes; crystal and molecular structure of $[\overline{Sn(2\text{-}C_6H_4N{=}N}Ph)Ph_2Cl]$ (J. Vicente, M.T. Chicote, M.C. Ramirez-de-Arellano, P.G. Jones), (394) 77

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Dibenzylmercury radical cations, ESR study of (C.J. Rhodes, H.A. Agirbas), (378) 303

Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7

4-Halomercury crotonates, synthesis of (E. Boudjana, N.H. Dinh), (377) 171

^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85

Hydroperoxymercuriation using 30% hydrogen peroxide (A.J. Bloodworth, M.D. Spencer), (386) 229

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Methylmercury tetrafluoroborate, dimethylsulfoxide coordination to (H. Schmidbauer, H.-J. Öller, S. Gamper, G. Müller), (394) 757

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-*S*-methylthiouracil; crystal structure of methylmercury(II)-2-*S*-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Organomercury–platinum complexes, synthesis by reaction of platinum hydrides with organomercurials (A. Handler, P. Peringer, E.P. Müller), (389) C23

2-(2-Pyridyl)phenyl(*p*-ethoxyphenyl)tellurium(II), reaction with mercury(II) chloride of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana), (384) 115

Sydnone complexes with C–Pd and C–Pt σ-bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsydnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195

Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of $[N(PPh_3)_2]_2[(OC)_4Fe\text{–}Hg\text{–}Fe(CO)_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Metallocenes

Azaferrocene, axial coordination to a cobalt(II) porphyrin and alkylcobaloximes of (J. Zakrzewski, C. Giannotti), (385) C23

Azaferrocene, photochemical synthesis of (J. Zakrzewski, C. Giannotti), (388) 175

Benzenyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77

Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1

Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301

Bis(η-cyclopentadienyl)titanium(IV) bis(substituted benzoato) complexes; synthesis and spectra of (Y. Dang, H.J. Geise, R. Dommisse, E. Esmans, H.O. Desseyn), (381) 333

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

Bis(pentamethylcyclopentadienyl)zinc and bis(tetramethylphenylcyclopentadienyl)zinc, solid state structures of (B. Fischer, P. Wijkens, J. Boersma, G. van Koten, W.J.J. Smeets, A.L. Spek, P.H.M. Budzelaar), (376) 223

Bis(silylated cyclopentadienyl)niobium complexes, reactions with organic halides of (A. Antiñolo, M. Fajardo, A. Otero, M.C. Puerta, Y. Mugnier), (382) 389

Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91

(η^4-2-Bromo- and -iodo-5-trimethylsilylcyclopentadienone)(η^5-cyclopentadienyl)cobalt and their 3,4-tri-, -tetra-, and -penta-methylene derivatives, synthesis of, (P.C. Auderset, E.R.F. Gesing), (381) 139

(η^4-Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163

Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125

Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

Chalcone-analogous ferrocenes *ortho*-substituted in the aromatic ring, spectroscopic investigation of (A.G. Nagy, P. Sohár), (390) 217

(η^5-C_5H_5)$Co(CO)_2$, reaction with dichloroethyne; structures of (CpCo)(η^4-C_7Cl_6O), $[CpCo]_2[\mu$-(η^1,η^2)$_2$-$C_5Cl_4O]$ and [η^4-(CpCo–CCl=CCl–CCl=CCl)](CoCp) (K. Sünkel), (391) 247

$[(C_5H_5)Fe(\eta^6\text{-}C_8H_8)]PF_6$, synthesis and crystal structure of (J. Heck, W. Massa), (376) C15

Chiral substituted ferrocenes, stereo- and enantio-selectivity in catalytic hydrogenolysis to give cyclopentanes of (V.I. Sokolov, L.L. Troitskaya, N.S. Khrushcheva, O.A. Reutov), (378) 227

Chloro-, bromo- and methyl-ferrocenes, mass spectrometric investigation by electron and photon impact ionisation (S. Barfuss, K.-H. Emrich, W. Hirschwald, P.A. Dowben, N.M. Boag), (391) 209

Chromium, μ_2-benzylidene complex of, with unpaired electrons (F.H. Köller, C. Krüger, H. Zeh), (386) C13

$(C_5H_5)_2Ti^{IV}$ and $(C_5H_5)_2Zr^{IV}$ complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. Güthner), (379) 59

$(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2Ti(Sb_2F_{11})_2$; synthesis and characterization of; structure of $(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2V(SbF_6)_2$ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345

(Cl)$(NO)_2Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$, synthesis of; an unexpected product from the Friedel–Crafts acylation of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ with $(CO)_2(NO)Cr[(\eta^5\text{-}C_5H_4)C(O)Cl]$ (Y.-P. Wang, J.-M. Hwu), (399) 141

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta_5\text{-}C_5H_5)$, X-ray structure of $(CO)_2(NO)Cr_2(\eta^5\text{-}C_5H_4)CH_2[\eta^5\text{-}(3\text{-acetyl})C_5H_3]Fe(\eta^5\text{-}C_5H_5)$ (Y.-P. Wang, R-S. Shyu, J.-M. Hwu, Y. Wang, M.-C. Cheng), (386) 79

$(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_5)$ Friedel–Crafts acylation of; crystal structure of $(CO)_2(NO)Cr(\eta^5\text{-}C_5H_4)CH_2(\eta^5\text{-}C_5H_4)Fe(\eta^5\text{-}C_5H_4)C(O)(\eta^5\text{-}C_5H_4)Cr(CO)_2(NO)$ (Y.-P. Wang, J.-M. Hwu, S.-L. Wang), (390) 179

$Cp_2Ti(BiF_6)_2$, synthesis and characterization of (P. Gowik, T. Klapötke), (387) C27

Cryptates from cryptands containing a ferrocene unit (C.D. Hall, I.P. Danks, M.C. Lubienski, N.W. Sharpe), (384) 139

Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoicheiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

(η^4-1,5-Cyclooctadiene)(η^6-1,2,3,4,-tetramethylfulvene)ruthenium, formation of, ligand arrangement in and molecular structure of (U. Kölle, B.-S. Kang, U. Thewalt), (386) 267

Cyclopentadienyl-alkoxide complexes, $(C_5H_5)_2Cr_2(\mu\text{-}OR)_2[OCCo_3(CO)_9]$ and $(C_5H_5)_2Cr_2(OR)_2(\mu\text{-}OR)_2$ ($R = CMe_3$), synthesis, molecular structure, electronic structure and magnetic properties of

(S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.F. Shestakov, A.I. Yanovsky, Yu.T. Struchkov), (384) 279

Cyclopentadienylcyclooctadienylhydridoruthenium, rearrangements in (U. Kölle, B.-S. Kang, G. Raabe, C. Krüger), (386) 261

α-Cynichrodenyl-α-ferrocenylmethylium tetrafluoroborate, synthesis and 2D NMR spectra of (Yu.-P. Wang, J.-M. Hwu), (385) 61

1,3-Dichalcogena-2-vanada-[3]ferrocenophanes (M. Herberhold, M. Schrepfermann, A.L. Rheingold), (394) 113

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate $(\eta^5\text{-}C_5H_3Bu^t_2)_2Sm\cdot OC_4H_8$ and homoleptic ate complex $[NaSm(\eta^5:\eta^2\text{-}C_5H_4Bu^t)_3\cdot OC_4H_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

2,3-Dimethylindole, π-coordination into cyclopentadienyliron complexes of (N. Kuhn, E.-M. Lampe), (385) C9

Diorganozincs, enantioselective addition to aldehydes catalyzed by β-amino alcohols of (B. Noyori, S. Suga, K. Kawai, S. Okada, M. Kitamura, N. Oguni, M. Hayashi, T. Kaneko, Y. Matsuda), (382) 19

Diphosphazirconocene dichloride, $(\eta^5\text{-}C_4Me_4P)_2ZrCl_2$, reactivity of; crystal and molecular structure of $(CO)_3Fe(\mu\text{-}\eta^5,\eta^1\text{-}C_4Me_4P)_2ZrCl_2$ (F. Nief, F. Mathey, L. Ricard), (384) 271

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of $Ag_3M_3(CO)_{12}(Me_2PCH_2CH_2PMe_2)_3$, M = Nb, Ta (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45

Ethynyl-, trimethylsilylethynyl- and ferrocenylethynylcobaltocenium salts, preparation and reactions of (M. Wildschek, C. Rieker, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (396) 355

$Fe(CO)_4(\eta^1\text{-dppf})$ [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

Ferrocene, annual survey 1988 (G. Marr, B.W. Rockett), (392) 93

Ferrocene-chalcogenols $Fe(C_5H_5)(C_5H_4EH)$ and $Fe(C_5H_4EH)_2$ (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281

Ferrocene-containing cryptands and their metal complexes, Mössbauer studies on (C.D. Hall, I.P. Danks, P.J. Hammond, N.W. Sharpe, M.J.K. Thomas), (388) 301

Ferrocenes as potential antitumor drugs, synthesis and activity of (N. Motohashi, R. Meyer, S.R. Gollapudi, K.R. Bhattiprolu), (398) 205

Ferrocenes derived from isodicyclopentadiene and tricyclo[5.2.1.$0^{2,6}$]deca-2,5,8-triene (V. Bhide, P. Rinaldi, M.F. Farone), (376) 91

Ferrocene with a pentaarsacyclopentadienyl ligand (O.J. Scherer, C. Blath, G. Wolmershäuser), (387) C21

Ferrocenylalkenes, alkoxymethylation of (A. Ketter, R. Herrmann), (386) 241

Ferrocenylalkylamines, influence of steric hindrance on lithiation of (N. Deus, D. Robles, R. Herrmann), (386) 253

Ferrocenylalkyl substituted imines, nucleophilic addition to; asymmetric synthesis of chiral amines (D.M. David, L.A.P. Kane-Maguire, S.G. Pyne), (390) C6

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

Ferrocenyl carbinols, ethers, and ureas, synthesis of (S. Kovac, V. Rapić), (384) 147

Ferrocenyl derivatives of anthracene, synthesis of (R.M.G. Roberts), (388) 181

$(\eta^2$-Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C. Krüger), (390) 323

Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $[\{(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_3(PPh_2)CH(Me)N(Me)CH_2CH_2NMe_2)Fe\}_2(AuCl)_3]\cdot Et_2O$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21

Grignard addition and reduction reactions of spiro[5]ferrocenophane-3,1′-cyclohexane-1,5-dione (S. Rachwal, B. Kawalek, T. Gorecki, P. Milart), (384) 165

Heterotetranuclear anionic clusters, $[MCo_3(CO)_{12-2n}(C_2Ph_2)_n]^-$ (M = Fe, Ru; $n = 0, 1$), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239

$(\eta^3$-Indenyl)$(\eta^5$-indenyl)$V(CO)_2$ 17-electron complex, electrochemistry of an oxidatively induced ring slippage in (G.A. Miller, M.J. Therien, W.C. Trogler), (383) 271

Iron carbonyls, reactions with triple-decker sandwich complexes (η^5-C_5H_5)Ni(μ,η^5-C_2B_2C)M(η^5-C_5H_5), (M = Co, Ni); replacement of (η^5-C_5H_5)Ni by and insertion of the $Fe(CO)_3$ fragment into the (η^5-C_5H_5)–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329

Isopropyltetramethylcyclopentadienyltitanium derivatives, synthesis, X-ray structures and polymerization of (D.T. Mallin, M.D. Rausch, E.A. Mintz, A.L. Rheingold), (381) 35

Lipophilic macrocyclic host molecules containing multiple ferrocenyl redox-active centres (P.D. Beer, A.C. Smythe, E.L. Tite, A. Ibbotson), (376) C11

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375

ansa-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ^{1}H- and ^{13}C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21

Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

Mono- and bis-metallocene calix[4]arene hydrophobic receptor molecules, synthesis, structure and electrochemical properties of (P.D. Beer, A.D. Keefe, M.G.B. Drew), (378) 437

Monocyclooctatetraenyluranium(IV) borohydrides; crystal structure of (η-C_8H_8)U(BH_4)$_2$($OPPh_3$) (D. Baudry, E. Bulot, M. Ephritikhine, M. Nierlich, M. Lance, J. Vigner), (388) 279

(μ-η^6,η^6-Naphthalene)dichromium and bis(η^6-naphthalene)chromium compounds, electrochemical properties of (B.F. Bush, J.J. Lagowski), (386) 37

Niobium metallaboranes, analogues of pentaborana(11) (P.D. Grebenik, J.B. Leach, J.M. Pounds, M.L.H. Green, P. Mountford), (382) C1

[Os_3H(CH=CHR)$(CO)_{10}$] (R = OEt, ferrocenyl), molecular structures of and substitution effects at bridging vinyl ligands in (A.J. Deeming, M.S.B. Felix, D. Nuel, N.I. Powell, D.A. Tocher, K.I. Hardcastle), (384) 181

$Pd(BF_4)_2$ and $Pt(BF_4)_2$ complexes of 1,1′-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327

α-Phenyl- and α-ferrocenyl-carbinols, reactions with nonacarbonyldiiron of (D. Bankston), (379) 129

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

Solid state polymerization of diacetylenes; crystal and molecular structure of 1,4-bis(1′-ethylferrocenyl)buta-1,3-diyne (V.E. Shklover, Yu.E. Ovchinnikov, I.A. Zamaev, Yu.T. Struchkov, V.V. Dement'ev, T.M. Frunze, B.A. Antipova), (378) 235

Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35

Tetrakis(pentafluorophenyl)porphinatocobalt(II) and azaferrocene, formation of hexa-coordinated bis-amine adducts from (J. Zakrzewski, C. Giannotti), (390) C77

Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369

Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69

Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159

Titanocene, alkenyl and ethyl complexes of; crystal structure of [Cp_2Ti(CMe=CHMe)]$_2\mu$-O (G.S. Herrmann, H.G. Alt, U. Thewalt), (393) 83

Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of [(η^5-C_5H_5)Ti(μ_2-H)$_2$Al(H)(μ_2-OC_2H_5)]$_2$ and [(η^5-C_5H_5)$_2$Ti(μ_2-H)$_2$Al(H){μ_2-N(C_2H_5)$_2$}]$_2$ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11

Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of [η^5-η^5-(C_5H_4)$_2$Si(CH_3)$_2$]Ti[CH_2Si(CH_3)$_3$]$_2$ (R. Gómez, T. Cuenca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103

Titanocene chiral derivatives accessible from substituted dihydropentalene and azulene precursors (P. Burger, H.-U. Hund, K. Evertz, H.-H. Brintzinger), (378) 153

Titanocene complexes containing the chelating ligands $C_2S_4^{4-}$,$C_2S_5^{2-}$, and $C_2S_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89

Titanocene-trifluoroacetato complexes; molecular structures of $[Cp_2Ti(OCOCF_3)]_2\mu$-O and $Cp_2Ti(OCOCF_3)_2$ (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83

Tricarbonylrhenium halide complexes, *fac*-$[ReX(CO)_3\{(C_5H_4ECH_3)_2Fe\}]$ (X = Cl. Br, I; E = S, Se); crystal structure of chloro-1,1′-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (383) 253

Triferrocenylborane and its amine adducts (T. López, A. Campero), (378) 91

(η^5-1,3,5-Trimethyl-6-phenylcyclohexadienyl)(η^5-cyclopentadienyl)iron, a mixed full sandwich iron(II) complex, crystal and molecular structure of (M.J. Zaworotko, K.C. Sturge, P.S. White), (389) 333

Trimethylplatinum(IV) halide complexes, $[PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

1,2,3-Trisubstituted chiral ferrocenes, stereoselective synthesis, conformation and complexing behaviour of (N. Deus, G. Hübener, R. Herrmann), (384) 155

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Zirconoxycarbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexacarbonyltungsten and a ketone; crystal structure of $Cp_2\overline{ZrOC[=W(CO)_5]CH_2CHC(CH_3)CH_2}$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Molybdenum

$AgNO_3$ as nitrosylation reagent (K.-B. Shiu, C.-J. Chang), (395) C47

Alkyl and aryl dimetalla-bismuthine complexes (W. Clegg, N.A. Compton, R.J. Errington, G.A. Fisher, N.C. Norman, N. Wishart), (399) C21

Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3-CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261

Aminomethyldiphenylphosphine-molybdenum complexes, synthesis and reactivity of; crystal structure of *cis*-$Mo(CO)_4(Ph_2PCH_2NHC_6H_4Me\text{-}p)_2]$ (D.L. Davies, F.I. Healey, J. Howarth, D.R. Russell, L.J.S. Sherry), (376) C31

Anionic and neutral spiked triangle clusters of mercury; comparative study of the metal ligand redistribution process (R. Reina, O. Rossell, M. Seco), (398) 285

Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Darensbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191

(η^6-Arene)$M(CO)_3$ complexes (M = Cr, Mo or W), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371

Arsenic-molybdenum-rhodium cluster, formation by reaction of $As(C_5H_5)_3Mo_3(CO)_6$ with $C_5H_5Rh(CO)_2$ (H.-P. Neumann, M.L. Ziegler), (377) 255

1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leissring), (382) 53

cis-1,3-Bis(diphenylphosphino)dicyclopentadiene tetracarbonylmolybdenum, synthesis and crystal structure of (W.K. Wong, F.L. Chow, H. Chen, T.C.W. Mak), (377) C65

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125

Carbonyl dimers with mixed bridges $[(CO)_4\overline{M(H)M(L)}(CO)_4]_n$ ($n = 2-, 0$), electronic structure of (B.J. Trzebiatowska, B. Nissen-Sobocińska, L. Natkaniec), (376) 67

Carbonyl insertion reaction into metal–carbon bonds, solvent and nucleophile effects on (J.D. Cotton, M.M. Kroes, R.D. Markwell, E.Z. Miles), (388) 133

Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands

(X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79

Cationic mixed metal clusters, NMR and EHMO investigation of; X-ray crystal structure of (1,7,7-trimethyl-μ^2-2-propynylnorbornene) bis-(cyclopentadienyl)tetracarbonyldimolybdenum (M.F. D'Agostino, C.S. Frampton, M.J. McGlinchey), (394) 145

Charge relocation in cationic diene complexes: formation of an iminium-substituted allyl complex and its deprotonation to an enamine (S.A. Benyunes, M. Green), (390) C32

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

$[(C_5H_5)_3Cr_3(\mu_3\text{-}O)(\mu\text{-}OCMe_3)_3]^+[(C_5H_5)Mo(CO)_3]^-$, synthesis, molecular structure and magnetic properties of the salt with a trinuclear cyclopentadienyl-oxo-butoxide cluster cation of (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, O.G. Ellert, V.M. Novotortsev, Yu.T. Struchkov, A.I. Yanovsky), (385) 277

$[\eta^5\text{-}C_5H_5Mo(CO)_2]_2(\mu,\eta^2\text{-}Sb_2)$, synthesis and molecular structure of; formation of an Sb=Sb double bond from metallic antimony (J.R. Harper, A.L. Rheingold), (390) C36

$Co_2(CO)_8$, $Co_4(CO)_{12}$, and $Cp_2Mo_2(CO)_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(CO)_3Co(\mu\text{-}RC{\equiv}CMe)WCp(CO)_2$ (G.H. Young, A. Wojcicki), (390) 351

$(CO)_5ML$, stabilisation of $RP(OH)_2$, $RPHNEt_2$ and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379

$(CO)_5Mo[C(Aryl)H]$, synthesis and reactions of (H. Fischer, D. Reindl), (385) 351

trans-$[(CO)_5M\{Ph_2PX(CH_2)_3N{=}CHC_6H_4\text{-}o\text{-}O\}]_2M'$ (M = Mo; X = NH or M = Cr, W; X = CH_2; M' = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-$[(CO)_5Mo\{P(OCH_2CMe_2CH_2O)NH(CH_2)_2N{=}CHC_6H_4\text{-}o\text{-}O\}]_2Cu$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53

η^4-Coordinated (*s-cis*)-1-molybda-2-phospha-1,3-dienes, stepwise formation of (H. Lang, M Leise, L. Zsolnai, M. Fritz), (395) C30

$Cp_2Mo_2Ru_3(CO)_{10}(C{\equiv}CPh)_2$ pentanuclear heterometallic acetylide complex, synthesis and crystal structure of (D.-K. Hwang, Y. Chi, S.-M. Peng, G.-H. Lee), (389) C7

(η-Cyclopentadienyl)bis(arenediazo)(triphenylphosphine)molybdenum(0) cations, synthesis, structural characterisation and chemical behaviour of; synthesis of complexes containing $[Mo(N_2C_6H_4R^1)(N_2\text{-}C_6H_4R^2)]^{2+}$ (G. Ferguson, B.L. Ruhl, M. Parvez, F.J. Lalor, M.E. Deane), (381) 357

Cyclopentadienyl(dicarbonyl)[η^2-(methylthio)phenylcarben]molybdenum tetrafluoroborate, addition of diphenylchlorophosphine to the metal–carbon double bond in (C.M. Stegmair, F.R. Kreißl), (397) C6

Diboradiazaronaphthalenetricarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89

Dicarbonyl(η^5-indenyl)(η^3-pentadienyl)molybdenum and its phosphine derivatives, synthesis, characterization and structure of (G.-H. Lee, S.-M. Peng, F.-C. Liu, R.-S. Liu), (377) 123

Dicarbonyltriphenylphosphine(η^6-1,3,5-triethyl-2,4,6-tris(trimethylsilylmethyl)benzene)molybdenum(0), crystal structure of (J.A. Chudek, G. Hunter, R.L. MacKay, G. Färber, W. Weissensteiner), (377) C69

Dicyclopentadienylmolybdenum, amidinato complexes of; synthesis and redox properties of (A.R. Dias, M.A. Queirós), (390) 193

Dicyclopentadienyl-molybdenum and -tungsten *p*-substituted benzonitrile complexes, syntheses and reactivity of; oxidative electrochemistry; crystal structure of $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)(p\text{-}(CH_3)_2NC_6\text{-}H_4CN)][PF_6]$ (M.A.A.F. de C.T. Carrondo, A.R. Dias, M.H. Garcia, P.M. Matias, M.P. Robalo, M.L.H. Green, J. Higgins, Y.Y. Yang), (395) 279

(*N*,*N*-Diethyldithiocarbamato)-tungsten(II) and -molybdenum(IV) complexes, reactions with a "C_4" hydrocarbon cut containing a mixture of alkynes and olefins; crystal structure of $[W(S_2CN(C_2H_5)_2)_2\text{-}(CO)(\eta^2\text{-}CH{\equiv}C\text{-}CH{=}CH_2)]$ (N. Le Berre, R. Kergoat, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 61

$d^3\text{-}d^3$ Dimolybdenum and ditungsten, organometallic chemistry of (M.H. Chisholm), (400) 235

Dimolybdenum centre, interconversion of oxo and imido ligands at; X-ray crystal structure of $[Mo(\eta\text{-}C_5H_4Me)(NPh)(\mu\text{-}NPh)]_2$ (M.L.H. Green, G. Hogarth, P.C. Konidaris, P. Mountford), (394) C9

Dinitrosylmolybdenum alkylidene complex, synthesis, spectroscopic characterization and metathesis activity of (A. Keller), (385) 285

Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes $(CpPPh_2)_nU\text{-}(NEt_2)_{4-n}M(CO)_4$ (n = 2, 4; M = Cr, Mo) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and $[W(CO)_4{}^iPrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

16-Electron carbene complexes $(CO)_4MC(NR_2)SiR'_3$ (M = Cr, Mo, W), preparation and properties of (W. Hepp, U. Schubert), (385) 221

Ethylisocyanidomolybdenum(0) complex, formation by *N*-alkylation of cyclopentadienyl-substituted diethylaminocarbynylmolybdenum complex of (A.C. Filippou, E.O. Fischer, W. Grünleitner), (386) 333

$Fe(CO)_4(\eta^1$-dppf) (dppf = $(Ph_2PC_5H_4)_2Fe$), synthesis and conversion into $Fe_2(CO)_8(\mu$-dppf) and $(CO)_4Fe(\mu$-dppf)$Mo(CO)_5$ of, (T.S.A. Hor, L.-T. Phang), (381) 121

$[Fe(CO)_2(`S_4')]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[Fe(CO)_2(\mu$-$`S_4')\{M(CO)_5\}_n]$ (n = 1: M = Cr, Mo, W; n = 2: M = W; $`S_4'^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361

Group 6 dimetallaheterocycles; CO-substitution by electron transfer catalysis in (P. Holzmeier, H. Kisch, J.K. Kochi), (382) 129

Group 6 metal carbonyl complexes containing 2-diphenylphosphinopyridine and 3,6-bis(diphenylphosphino)pyridazine, synthesis of; molecular structure of $Cr(CO)_5$(3-diphenylphosphino-6-diphenylphospholylpyridazine), (Z.-Z. Zhang, H.-K. Wang, Y.-J. Shen, H.-G. Wang, R.-J. Wang), (381) 45

Heterocyclic complexes of the type *cis*-$Mo(CO)_4\{R_2PO)_2Si(Me)R'\}$ (R_2 = $OCH_2CMe_2CH_2O$; R' = Me, Bu^t or R_2 = Ph_2; R' = Bu^t) (G.M. Gray, F.P. Fish, D.K. Srivastava, A. Varshney, M.J. van der Woerd, S.E. Ealick), (385) 49

^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Hydroxylamido(-*O*,*N*)nitrosyl molybdenum complexes, reactions with $EtAlCl_2$; olefin metathesis activity of these systems (A. Keller), (393) 389

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of $[InCl(THF)\{Mo(CO)_3(\eta$-$C_5H_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

$[MCl_2(CNBu^t)_3(PMe_3)_2]$ (M = Mo or W) synthesis and reactivity of, preparation of $[MCl(CNBu^t)_4(PMe_3)_2]Cl$ and $[M(SnCl_3)(CNBu^t)_3(PMe_3)_3](SnCl_3)$ derivatives; crystal structure of $[MoCl(CNBu^t)_4(PMe_3)_2]Cl\cdot 2Me_2CO$ (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241

$M(CO)_3(\eta^2$-bpy)(η^1-dppm) (M = Mo, W), thermal behaviour of (M. Cano, J.A. Campo, P. Ovejero, J.V. Heras), (396) 49

$M(CO)_4(\eta^4$-norbornadiene) complexes of group 6 transition metals (M = Cr, Mo, W) in low-temperature matrices, photochemistry of (F.-W. Grevels, J. Jacke, W.E. Klotzbücher, K. Schaffner, R.H. Hooker, A.J. Rest), (382) 201

$M(CO)_6$ (M = Cr, Mo, W), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent)$M(CO)_5$ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279

Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

$[Mo_2(CO)_4(\eta$-$C_5R_5)_2]$ (R = H, Me), $[Mo_2(CO)_6(\eta$-$C_5H_5)_2]$ and $[\{Mo(CO)_3(\eta$-$C_5H_4)\}_2CH_2]$ as cata-

lysts in the addition of halogenocarbons to alkenes (R. Davis, N.M.S. Khazal, T.E. Bitterwolf), (397) 51

$[Mo_2Cp_2(\mu\text{-}\sigma\text{-}\pi\text{-}CN^tBu)(PPh_2CH_2PPh_2\text{-}P)(CO)_3]$ ($^tBu = C(CH_3)_3$, $Cp = \eta\text{-}C_5H_5$), synthesis, crystal structure and heterometallic derivatives of (V. Riera, M.A. Ruiz, F. Villafañe, C. Bois, Y. Jeannin), (382) 407

$[MoH_3(C{\equiv}CBu^t)(Ph_2PCH_2CH_2PPh_2)_2]$ trihydrido-alkynyl complex, synthesis and crystal structure of (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (398) C15

$Mo(\eta^5\text{-}C_5H_5)_2$ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of $[Mo(\eta^5\text{-}C_5H_5)_2H(PPh_3)]I\cdot\frac{1}{2}H_2O$ and $[Mo(\eta^5\text{-}C_5H_5)_2(CH_3)(PPh_3)]PF_6$ (C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão), (391) 345

Mo(II) and W(II) centres, reductive CC coupling of two isocyanide ligands to; reaction sequence via Mo(0) and W(0) isocyanide and aminocarbyne complexes (A.C. Fillipou, W. Grünleitner), (393) C10

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)\overline{Mo(\mu\text{-}CO)Pd(I)C}(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2N(CH_3)_2]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Molybdenum(0) and tungsten(0) complexes containing *cis*-$[M(NO)(N_2Ar)]^{2+}$ structural unit, synthesis, chemistry and X-ray crystallographic characterisation of (M.E. Deane, F.J. Lalor, G. Ferguson, B.L. Ruhl, M. Parvez), (381) 213

Molybdenum(0) and tungsten(0) homoleptic alkylisocyanide complexes of; precursors for the synthesis of low-valent dialkylaminocarbyne complexes (A.C. Filippou, W. Grünleitner), (398) 99

Molybdenum– and tungsten–sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177

Molybdenum(0) bialkyne complexes; synthesis, structure and properties of (J.S. Lain, C.H. Cheng, C.Y. Cheng, S.L. Wang), (390) 333

Molybdenum d^6-ML_5 fragments of hydrido derivatives, investigation of C–H activation by (L. Dahlenburg, B. Pietsch), (378) 199

Molybdenum-η^3-hexadienyl pseudooctahedral complexes, synthesis and structure of (M.A. Paz-Sandoval, P. Juárez Saavedra, G. Durán Pomposo, P. Joseph-Nathan, P. Powell), (387) 265

Molybdenum(II) and tungsten(II) polyisonitrile substituted half-sandwich complexes (A.C. Filippou, W. Grünleitner), (378) 387

Molybdenum–iron bonds, alkyne assisted formation of; synthesis and crystal structure of $[MoFe(\mu\text{-}C_4Ph_4)(CO)_4(S_2CNEt_2)_2]$ (H.-B. Kraatz, M.J. Went, J.C. Jeffery), (394) 167

Molybdenum–molybdenum double bond electrogeneration from thiolate-bridged dinuclear precursors; carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39

Molybdenum pyrazolylborato stereochemically nonrigid complexes containing a *dihapto*-thiocarboxamido ligand, synthesis, structure and properties of (T. Desmond, F.J. Lalor, B. O'Sullivan, G. Ferguson), (381) C33

Molybdenum(V), imido ligand exchange at (G. Hogarth, P.C. Konidaris), (399) 149

Mono- and bi-nuclear molybdenum complexes of 2,6-bis(diphenylphosphino)-*N*-methylaniline (A.B. van Oort, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (396) 33

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Near-linear Rh_2Mo trinuclear complex $[(\eta^5\text{-}C_5H_5)Rh(\mu\text{-}CO)(\mu\text{-}Ph_2PC_5H_4N)Rh(CO)Mo(CO)_3(\eta^5\text{-}C_5H_5)]$, synthesis and crystal structure of (S. Lo Schiavo, F. Faraone, M. Lanfranchi, A. Tiripicchio), (387) 357

Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765

$(OC)_5M(\mu\text{-dppf})M(CO)_5\cdot CH_2Cl_2$ (M = Cr, Mo; dppf = $(Ph_2PC_5H_4)_2Fe$) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

(6-Pentafulvenyl-η^5-cyclopentadienyl)tricarbonylmolybdate(0), synthesis and structure of (P. Härter, P. Kiprof), (397) C1

Pentamethylcyclopentadienyltetrachloromolybdenum(V), reactivity of; synthesis, structure and electrochemical properties of $[(\eta^5\text{-}C_5Me_5)MoOCl]_2O$ (K. Omakoshi, K. Isobe), (395) 47

Peroxo-molybdenum and -tungsten anionic complexes, fast atom bombardment mass spectra of (O. Bortolini, P. Traldi), (379) C13

Phenylethinyl-substituted phosphenium ion complexes (R)(R′)P=MoCp′(CO)$_2$, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349

Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp*) ligands: synthesis and Cp* transfer (P. Jutzi, R. Kroos), (390) 317

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

(P)InM(L) and (P)TlM(L) σ-bonded heteronuclear metalloporphyrin complexes (M(L) = Mn(CO)$_5$, Co(CO)$_4$, Cr(CO)$_3$Cp, Mo(CO)$_3$Cp, or W(CO)$_3$Cp), physicochemical study of (R. Guilard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315

(Propargylium)-Co$_2$(CO)$_6^+$ and -(C$_5$H$_5$)$_2$Mo$_2$(CO)$_4^+$, selective propargylation of polyfunctional amines by (M. Gruselle, V. Philomin, F. Chaminant, G. Jaouen, K.M. Nicholas), (399) 317

Regiochemistry of nucleophilic attack on unsymmetrical allyl complexes (J.W. Faller, C. Lambert, M.R. Mazzieri), (383) 161

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of HRh{[P(OMe)$_2$O]$_2$H}$_2$(PPh$_2$Me) (A. Varshney, G.M. Gray), (391) 415

Synthesis of phenylethynyl- and styryl-substituted (R)(R′)P=Mo(η^5-C$_5$Me$_5$)(CO)$_2$ compounds; crystal structure of [2,6-^{t}Bu$_2$-4-MeC$_6$H$_2$O)(PhC≡C)]P=Mo(η^5-C$_5$Me$_5$)(CO)$_2$ (H. Lang, M. Leise, L. Zsolnai), (389) 325

Transformation of phenylacetylene into *ortho*-metallated phenylvinylidene cluster having a Re$_2$Mo$_2$ core; molecular structure of (C$_5$H$_5$)$_2$Mo$_2$Re$_2$(μ_4-C=C(H)C$_6$H$_4$)(μ-H)(μ-CO)(CO)$_7$ (A.D. Shaposhnikova, G.L. Kamalov, R.A. Stadnichenko, A.A. Pasynskii, I.L. Eremenko, Yu.T. Struchkov, A.I. Yanovsky, P.V., Petrovskii), (378) 67

Transition metal alkyne complexes, ^{13}C{^{1}H} NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Transition metal sulfide clusters containing Cp*Mo (Cp* = C$_5$Me$_5$), CuCl and Fe(NO) groups, synthesis and characterisation of (H. Brunner, R. Graßl, J. Wachter, B. Nuber, M.L. Ziegler), (393) 119

Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73

Tricarbonyl-$\eta^{5:1}$-(2-cyclopentadiendiyl)ethyl-molybdenum and -tungsten, photochemical reactions with cyclic dienes (C.G. Kreiter, M. Wenz, P. Bell), (394) 195

Tricarbonylmolybdenum complexes containing unidentate diphosphine, NMR of *fac-mer* isomers and crystal structure of *fac*-Mo(CO)$_3$(η^2-phen)(η^1-dppm) (M. Cano, J.A. Campo, V. Pérez-García, E. Gutiérrez-Puebla, C. Alvarez-Ibarra), (382) 397

Trifluoromethylisocyanide complexes of chromium, molybdenum and tungsten, synthesis of hexakis(trifluoromethylisocyanide chromium) (D. Lentz), (381) 205

Trigonal bipyramidal methylidine clusters, EFe$_3$(CO)$_9$CH (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of [N(PPh$_3$)$_2$]$_2$[(OC)$_4$Fe–Hg–Fe(CO)$_4$] (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Trinuclear metal clusters, formation by reaction of dimolybdenum μ-acetylide anions with electrophilic metal species of; crystal structure of [Mo$_3$(μ_3-C$_2$Ph)(CO)$_5$(η-C$_5$H$_5$)$_3$] (A.W. Al-Saadoon, M. Green, R.J. Mercer, A.G. Orpen), (384) C12

Neodymium

η^6-Benzenelanthanoidtris(aluminum tetrachlorides) (Ln = La, Nd, Sm), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

Organolanthanoid(II) complexes, non-classical; preparation and reactivity of the first organoneodymium(II) compound (M. Wedler, A. Recknagel, F.T. Edelmann), (395) C26

{1,1′-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Nickel

Action of carbon monoxide on nickel (L. Mond, C. Langer, F. Quincke) (*Facsimile*), (383) 1

Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3-CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261

Bromomalonaldehyde complexes of iron, cobalt, nickel and copper, preparation and reactivity with isocyanide of (G. Albertin, D. Baldan, E. Bordignon), (377) 145

Butadiene nickel(0) complexes, diazadiene stabilized; synthesis, characterisation and reaction with acetylene and carbon monoxide; crystal structures of (dad)Ni-$\mu[\sigma^{1,4};\eta^{1-4}$-$C_4H_4]$Ni(dad) and (dad)Ni-$\mu[\sigma^{1,4};\eta^{1-4}$-$C_4H_4]Ni(CO)_2$ (J.C.M. Sinnema, G.H.B. Fendesak, H. tom Dieck), (390) 237

Cationic η^3,η^2-octa-2-(*E*),7-dien-1-yl(ligand)nickel(II) complexes, $[Ni(C_8H_{13})L]X$ ($X = PF_6$, BF_4; L = P^{III}-ligand), as catalysts for the stereospecific polymerisation of butadiene (R. Taube, J.-P. Gehrke, P. Böhme, J. Köttnitz), (395) 341

$CNBu^t$ mutiple insertion reactions into nickel–alkyl bonds (E. Carmona, J.M. Marín, P. Palma, M.L. Poveda), (377) 157

trans-$[(CO)_5M\{Ph_2PX(CH_2)_3N{=}CHC_6H_4$-*o*-$O\}]_2M'$ (M = Mo; X = NH or M = Cr, W; X = CH_2; M′ = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-$[(CO)_5Mo\{P(OCH_2CMe_2CH_2O)NH(CH_2)_2N{=}CHC_6H_4$-*o*-$O\}]_2Cu$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

Cyclopentadienylphosphine(α-benzenesulfonylalkyl)nickel complexes, reactions of; formation of aldehydes and alkenes from sulfones (M. Julia, H. Lauron, J.-N. Verpaux), (387) 365

(1,4-Diazabutadiene)bis(alkene)nickel(0) complexes, reaction with ethyne (W. Bonrath, S. Michaelis, K.R. Pörschke, B. Gabor, R. Mynott, C. Krüger), (397) 255

2,3-η^2-(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), $(Cy_3P)_2Ni(MeOCH_2C{\equiv}CCH_2$-OMe), crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113

2,3-η^2-(1,4-Dimethoxybut-2-yne) bis(triphenylphosphane)nickel(0), $(Ph_3P)_2Ni(MeOCH_2C{\equiv}CCH_2OMe)$, crystal and molecular structure of; influence of acetylene substituents on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (389) 409

Dinuclear 2,2′-biallyl nickel complexes containing square-planar nickel(I); crystal structure of $\mu(\eta^{3;3}$-$(CH_2)_2CC(CH_2)_2)$-*trans*-$[Ni(dad)]_2$ (dad = biacetylbis(2,6-dimethylphenylimine)) (J. Sinnema, H. tom Dieck, G. Fendesak), (397) 261

Dinuclear alkenyl-bridged iron–nickel and diiron complexes, synthesis of; crystal structure of $[Fe_2(CO)_4(C_5H_5)(\mu$-$CO)(\mu$-$CPh{=}CPhH)]$ (I. Moldes, J. Ros, R. Yáñez, R. Mathieu, X. Solans, M. Font-Bardía), (395) 305

η^3,η^2,η^2-Dodeca-2(*E*),6(*E*),10(*Z*)-trien-1-ylnickel(II) hexafluorophosphate and hexafluoroantimonate as highly active catalysts for the 1,4-*cis*-polymerisation of butadiene (R. Taube, P. Böhme, J.-P. Gehrke), (399) 327

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

$(\mu_2$-$Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 (L = PPh_3, M = Pt, Pd, Ni; L = C_5H_5, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne $[HB(pz)_3](CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Iron carbonyls, reactions with triple-decker sandwich complexes $(\eta^5$-$C_5H_5)Ni(\mu,\eta^5$-$C_2B_2C)M(\eta^5$-$C_5H_5)$, (M = Co, Ni); replacement of $(\eta^5$-$C_5H_5)$Ni by and insertion of the $Fe(CO)_3$ fragment into the $(\eta^5$-$C_5H_5)$–Ni bond (J. Edwin, M.W. Whiteley, W. Herter, W. Siebert), (394) 329

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

(Lig)Ni^0 systems, reactions with 1,7-octadiene and phenyl isocyanate of (H. Hoberg, D. Guhl), (384) C43
Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
Mild, regiospecific hydrocarboxylation of alkynes catalyzed by nickel cyanide under phase transfer conditions (I. Amer, H. Alper), (383) 573
Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121
Molecular hydrogen and aluminum hydride transfers mediated by nickel(0) complexes; intermediacy of nickel hydrides in the Ziegler nickel effect (J.J. Eisch, S.R. Sexsmith, K.C. Fichter), (382) 273
Monocyanoacetylene and dicyanoacetylene, reactions with organometallic compounds of cobalt(I) and nickel(II); crystal structure of $[Co(C{\equiv}CCN)_2(\eta^5\text{-}C_5H_5)(P(C_6H_5)_3)]$ (R. Kergoat, L.C. Gomes de Lima, C. Jégat, N. Le Berre, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 71
Naphthalene nickel(0) complexes, preparation of; crystal structure of $[Ni(C_{10}H_8)(i\text{-}C_3H_7)_2\text{-}PCH_2CH_2P(i\text{-}C_3H_7)_2]$ (F. Scott, C. Krüger, P. Betz), (387) 113
Ni^0-catalysed preparation of δ-lactames from isoprene and phenyl isocyanate (H. Hoberg, D. Bärhausen), (397) C20
(tmeda)$Ni(C_2F_4)$, synthesis, structure and reactivity of (W. Kaschube, W. Schröder, K.R. Pörschke, K. Angermund, C. Krüger), (389) 399
Nickel 2,2′-bipyridine complexes as catalysts in the synthesis of asymmetrical biaryls by the electroreduction of aryl halides (G. Meyer, M. Troupel, J. Périchon), (393) 137
Nickel(0) catalysed electrogenerated carbon dioxide, incorporation into α,ω-diynes of (S. Dérien, E. Duñach, J. Périchon), (385) C43
Nickel(0) catalysed formation of 3-cyclopentene carboxylic amide from cyclopentenes and phenyl isocyanides (H. Hoberg, M. Nohlen), (382) C6
Nickel complexes of cinnamic acid salts, hydrogenation over MRNi catalyst of (M. Bartók, G. Wittmann, G.B. Bartók, G. Göndös), (384) 385
Nickel(0) complex with mono- and di-bormo derivatives of cyclopropane, interaction with formation of η^3-allylnickel complexes of (T.A. Peganova, L.S. Isaeva, P.V. Petrovskii, D.N. Kravtsov), (384) 397
Nickel(II) complexes, catalytic application in the Kumada cross-coupling reaction (M.E. Wright, M.-J. Jin), (387) 373
Nickel(0) induced and catalysed CC bond formation between phenylisocyanate and vinyl-substituted heterocycles (H. Hoberg, D. Guhl, P. Betz), (387) 233
Nickel(0) induced CC coupling of CO_2 with 1,3-butadiene to linear C_{13} acids (H. Hoberg, D. Bärhausen), (379) C7
Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765
Nickel(O) induced CC coupling of fluoro-substituted alkenes with phenyl isocyanate (H. Hoberg, D. Guhl), (378) 279
Nickel(0) olefin complexes of methylenecyclopropane and cyclopropene, preparation and structural characterisation of (L.S. Isaeva, T.A. Peganova, P.V. Petrovskii, D.N. Kravtsov), (376) 141
Nickel σ-sydnonyl complexes, stabilized by tertiary phosphines (L.N. Morozova, L.S. Isaeva, P.V. Petrovskii, D.N. Kravtsov, She Fan Min, V.N. Kalinin), (381) 281
$[Ni_6(CO)_{12}]^{2-}$ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of $[Ni_{10}(SbPh)_2(CO)_{18}]^{2-}$ and $Ni_2(CO)_4(\mu_2\text{-}Ph_2SbOSbPh_2)_2$ (R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason), (383) 543
Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165
Palladium-, cobalt-, and nickel-catalyzed tandem syntheses of polycyclic π-systems containing cyclobutadiene, benzene, and cyclooctatetraene rings (H. Schwager, S. Spyroudis, K.P.C. Vollhardt), (382) 191
Pentaphenylcyclopentadienylnickel complexes, reactions with thiurames and dithiocarbamate; nickel in oxidation states I, II and III (M. Huhn, W. Kläui, L. Ramacher, R. Herbst-Irmer, E. Egert), (398) 339
2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205
η^3-Phosphaallyl-cobalt and -nickel complexes; synthesis of; crystal structure of [η^3-1-(2,4,6-tri-t-butylphenyl)-1-phosphaallyl]tricarbonylcobalt (F. Mercier, C. Hugel–Le Goff, L. Ricard, F. Mathey), (389) 389
Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and

twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

Sandwich complexes of transition metals, flexible coordination of indenyl ligands in; molecular structures of $(\eta\text{-}C_9R_7)_2M$ (M = Fe, R = H, Me; M = Co, Ni, R = H); direct measurement of the degree of slip-fold distortion as a function of *d*-electron count (S.A. Westcott, A.K. Kakkar, G. Stringer, N.J. Taylor, T.B. Marder), (394) 777

Silyl-nickel complexes prepared by η^6-arene substitution in (η^6-toluene)bis(trihalosilyl)nickel; preparation of $L_3Ni(SiX_3)_2$ and $L_2Ni(SiX_3)_2$ (X = Cl, F; L = phosphine, phosphites, and pyridines); X-ray structure of *cis*-$(collidine)_2Ni(SiCl_3)_2$ (S.-B. Choe, J.J. Schneider, K.J. Klabunde, L.J. Radonovich, T.A. Ballantine), (376) 419

The history of my process of nickel extraction (L. Mond) (*Facsimile*), (383) 7

Thermal decomposition of nickel–carbon and copper–carbon σ-bonds (*review*) (S. Pasynkiewicz), (387) 1

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Transition metals, diene complexes of (A. Nakamura), (400) 35

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Niobium

Bis(silylated cyclopentadienyl)niobium complexes, reactions with organic halides of (A. Antiñolo, M. Fajardo, A. Otero, M.C. Puerta, Y. Mugnier), (382) 389

Bis(silylated cyclopentadienyl)niobium(IV) paramagnetic cationic complexes (L. Roullier, D. Lucas, Y. Mugnier, A. Antiñolo, M. Fajardo, A. Otero), (396) C12

$[(\eta\text{-}C_5H_5)_2Nb(CO)(CR^1{=}CHR^2)]$, reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61

Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of $Ag_3M_3(CO)_{12}(Me_2PCH_2CH_2PMe_2)_3$, M = Nb, Ta (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45

Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Niobium metallaboranes, analogues of pentaborana(11) (P.D. Grebenik, J.B. Leach, J.M. Pounds, M.L.H. Green, P. Mountford), (382) C1

Tetraarsacyclobutadiene as a complex ligand (O.J. Scherer, J. Vondung, G. Wolmershäuser), (376) C35

Transition metal polysulphide complexes, chemistry of; synthesis and crystal structures of $Cp'_3Nb_3S_{12}$ and $Cp'_3Nb_3S_{10}O$ (Cp' = t-BuC_5H_4) (H. Brunner, W. Meier, J. Wachter, B. Nuber, M.L. Ziegler), (381) C7

Transition metals, diene complexes of (A. Nakamura), (400) 35

Osmium

Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

Arene-bis(ethylene)-ruthenium and -osmium complexes, protonation of (M.A. Bennett, I.J. McMahon, S. Pelling), (382) 175

2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

Carbonyl-η-hexamethylbenzene complexes of osmium, C–H activation by $(\eta\text{-}C_6Me_6)Os(CO)(H)_2$ (W.A. Kiel, R.G. Ball, W.A.G. Graham), (383) 481

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

Coordinated acetylide and disubstituted alkynes, regiospecific coupling of; X-ray structures of $C_5H_5WOs_2(CO)_7[C(Tol)C(Tol)CC^nBu]$ and $C_5H_5WOs_2(CO)_7[C(CF_3)C(CF_3)CCPh]$ (Y. Chi, G. Huttner, W. Imhof), (384) 93

Cyclopentadienylruthenium complex molecules, cation formation, by $CpRu^+$ cation during reflux in alcohols or glycols of (T. Wilczewski), (382) 431

Dihydrido triosmium carbonyl clusters, attack at coordinated carbon monoxide in (G.R. Frauenhoff, J.R. Shapley), (397) 359

Dinuclear, hydrido-bridged osmium complexes with double and triple Os–Os bonds; synthesis, structure and reactivity of (M. Schulz, S. Stahl, H. Werner), (394) 469

[Diphenylboratobis(η^5-cyclopentadienyl,η^6-phenylruthenium(II)]$^+$ cation, formation mechanism of (T. Wilczewski), (376) 385

$[HOs_3(CO)_{11}]^-$, reactions with main group halide species, a route to terminal and bridged mixed metal clusters; crystal structure of $[(\mu\text{-H})Os_3(CO)_{10}(\mu\text{-}SbPh_2)]$ (B.F.G. Johnson, J. Lewis, A.J. Whitton, S.G. Bott), (389) 129

$HOs_3(CO)_9(C{\equiv}CSiMe_3)$, synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, M. Monari, D. Braga, F. Grepioni), (377) C1

$(\mu\text{-H})_2Os_3(CO)_9(\mu_3\text{-}\eta^1\text{-CCO})$, crystal structure of; presence of both ordered and disordered molecular sites in the crystal resulting in internally inconsistent Os–Os bond lengths (M.R. Churchill, C. Bueno), (396) 327

$[HOs_3(\eta^2\text{-CH=CH}_2)(CO)_{10}]$ and $[CpFe(CO)_2(\eta^2\text{-}CH_2{=}CH_2)]PF_6$, kinetics and mechanism of the addition of methoxide ion to the π-hydrocarbon ligands in (T. Ghazy, L.A.P. Kane-Maguire, K. Do), (390) 91

Indene in a novel bonding mode in a carbonyl cluster; isolation, characterisation, and crystal and molecular structure of $[HOs_4(CO)_9(C_9H_6)(C_9H_7)]$ (H. Chen, M. Fajardo, B.F.G. Johnson, J. Lewis, P.R. Raithby), (389) C16

(η-Mesitylene)osmium complexes containing tertiary phosphines, intermolecular and intramolecular C–H activation reactions of (M.A. Bennett, A.M.M. Weerasuria), (394) 481

Metalladiborane anions, $[M(CO)_4(\eta^2\text{-}B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

$Os_3(CO)_9L(R_2C_2)$ (L = CO, MeCN, $P(OMe)_3$ or PPh_3), synthesis and solution studies of; crystal and molecular structure of $Os_3(CO)_9P(OMe)_3(Ph_2C_2)$ (M.A. Gallop, B.F.G. Johnson, R. Khattar, J. Lewis, P.R. Raithby), (386) 121

$Os_3(CO)_9(\mu_3\text{-}C_6H_3CH_3)(\mu_3\text{-}AsC_6H_4CH_3)$ and $Os_3(CO)_8(\mu_3\text{-}C_6H_3CH_3)(\mu_3\text{-}AsC_6H_4CH_3)As(p\text{-tol})_3$, synthesis and X-ray crystal structures of; ^{13}C and ^1H NMR spectroscopic studies (P.A. Jackson, B.F.G. Johnson, J. Lewis, A.D. Massey, D. Braga, C. Gradella, F. Grepioni), (391) 225

$[Os_3(CO)_{10}(MeCN)_2]$, oxygen–hydrogen versus nitrogen–oxygen bond cleavage in the oxidative addition of oximes to; crystal structures of the isomers $[Os_3H(Me_2C{=}NO)(CO)_{10}]$ and $[Os_3(OH)(Me_2C{=}N)(CO)_{10}]$ (A.J. Deeming, D.W. Owen, N.I. Powell), (398) 299

$Os_3(CO)_{12-n}(CH_3CN)_n$ ($n = 0, 1, 2$), HPLC studies of (H.G. Ang, W.L. Kwik, W.K. Leong), (379) 325

$[Os(\eta^6\text{-}C_6H_6)(\eta^6\text{-}[2_2](1,4)C_{16}H_{16})][BF_4]_2$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex $[(\eta^6\text{-}C_6H_6)Os(\eta^6,\eta^6\text{-}[2_2](1,4)C_{16}H_{16})Ru(\eta^6,\eta^6\text{-}[2_2](1,4)C_{16}H_{16})Os((\eta^6\text{-}C_6H_6)][BF_4]_6$ (M.R.J. Elsegood, D.A. Tocher), (391) 239

$Os_3H_2(CO)_9(C_6H_4)$, reaction with diphenylacetylene of; formation and structural characterisation of $Os_3(CO)_7(C_6H_4)[PhCC(H)Ph]_2$ (H. Chen, B.F.G. Johnson, J. Lewis, P.R. Raithby), (376) C7

$Os_4H(CO)_{11}(C_4H_5)$ and $Os_3H(CO)_9(C_4H_5)$ allyl complexes, isolation and structural characterisation of (H. Chen, B.F.G. Johnson, J. Lewis, D. Braga, F. Grepioni), (398) 159

$Os_3(\mu\text{-H})_2(CO)_9(L)$ clusters, L = PMe_2Ph, PMe_3, P^iPr_3, P(*o*-tolyl)$_3$ and PPh(1-naphthyl)$_2$, fluxional behaviour of; crystal structure of $Os_3(\mu\text{-H})_2(CO)_9(P^iPr_3)$ (L.J. Farrugia), (394) 515

Osmium and iridium series $[MLCl(PPh_3)_2(OSA)]$ (ML = OsNO, IrCO; A = O, CH_2, S, NR; R = *o*-tolyl, *p*-tolyl and *p*-tosyl), (M. Herberhold, A.F. Hill) (387) 323

Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133

Osmium carbonyl dinuclear complexes; photochemistry of; characterisation of $Os_2(CO)_8$ using matrix isolation (A. Haynes, M. Poliakoff, J.J. Turner, B.R. Bender, J.R. Norton), (383) 497

Osmium *ortho*-metallated ketazine complex, $OsH(CO)_2$-[$(C_6H_3$-*p*-Me)(*p*-tolyl)CNNC(*p*-tolyl)$_2$](PPh_3), synthesis and structure of (M.A. Gallop, C.E.F. Rickard, W.R. Roper), (395) 333

Osmium phosphido (PH_2) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243

Pentaosmium carbonyl clusters; substitution chemistry of; crystal structure of $H_2Os_5(CO)_{13}P(OMe)_3PEt_3$ (B.F.G. Johnson, R. Khattar, J. Lewis, P.R. Raithby, M.J. Rosales), (385) 387

Phosphido-bridged triosmium carbonyl cluster, $[Os_3(\mu\text{-H})(CO)_{10}(\mu\text{-}P(C_6F_5)H]$, synthesis and X-ray

structural characterisation of; cleavage of a P–C bond of a secondary phosphine (H.G. Ang, W.L. Kwik, W.K. Leong, B.F.G. Johnson, J. Lewis, P.R. Raithby), (396) C43

Planar hexanuclear osmium clusters, substitution reactions of (A. Bott, J.G. Jeffrey, B.F.G. Johnson, J. Lewis), (394) 533

Rhodium-osmium clusters derived from the reaction of $(\mu\text{-H})_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)Rh(CO)_2$, syntheses and structures of (A. Colombie, D.A. McCarthy, J. Krause, L.-Y. Hsu, W.-L. Hsu, D.-Y. Jan, S.G. Shore), (383) 421

$[Ru_3(CO)_{12}]$ and $[Os_3(CO)_{12}]$, halogenation behaviour of bidentate ligand-bridged derivatives of (J.S. Field, R.J. Haines, J.A. Jay), (395) C16

Ruthenium(II) and osmium(II), coordinatively unsaturated σ-aryl complexes of (C.E.F. Rickard, W.R. Roper, G.E. Taylor, J.M. Waters, L.J. Wright), (389) 375

Ruthenium or osmium edge double-bridged-trinuclear cluster complexes, synthesis and reactions of (H.D. Kaesz), (383) 413

Tetranuclear carbonyls of osmium, formation and structures of (R.K. Pomeroy), (383) 387

Tetranuclear mixed-metal hydride complexes, $LWM_3(CO)_{11}(\mu\text{-H})_3$, ($L = C_5H_5$, C_5Me_5 and M = Ru, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45

Tolyliminooxosulphurane, coordinative activation towards electrophiles (M. Herberhold, A.F. Hill), (395) 207

Tosyliminooxosulphurane, coupling with ethylene, allene, and alkynes coordinated to osmium (M. Herberhold, A.F. Hill), (395) 315

Tosyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195

Tosyliminooxosulphurane, insertion reactions with coordinatively unsaturated ruthenium and osmium aryl complexes (M. Herberhold, A.F. Hill), (395) 327

Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Trimetallic clusters, linkage through the bridging ligands C_3HO_2 and C_3O_2; crystal structures of three clusters containing the components $Os_3CHCCO_2Os_3$, $Ru_3CHCCO_2Os_3$, and $Os_3CCCO_2Os_3$ (K.I. Hardcastle, T. McPhillips, A.J. Arce, Y. De Sanctis, A.J. Deeming, N.I. Powell), (389) 361

Trinuclear metal carbonyl clusters of iron, ruthenium and osmium, quantitative mechanistic studies of photoreactions of (P.C. Ford), (383) 339

Triosmium clusters linked by the bis(diphenylphosphino)acetylene ligand, synthesis and characterisation of (B.F.G. Johnson, J. Lewis, A.D. Massey, P.R. Raithby, W.T. Wong), (397) C28

Triosmium complexes, $Os_3(CO)_{10}(\mu\text{-Br})(CH{=}CHPh)$ and $Os_3(CO)_9(\mu\text{-H})(\mu\text{-Br})(C{=}CHPh)$, synthesis, structure and reactivity studies of (Y. Chi, B.-F. Chen, S.-L. Wang, R.-K. Chiang, L.-S. Hwang), (377) C59

Triply-bridging C_6H_4 ligand in open triosmium clusters, attachment of; crystal structures and fluxionality of the clusters $[Os_3(PMe)(C_6H_4)(CO)_8L]$ ($L = CO$ or PEt_3) (A.J. Deeming, J.E. Marshall, D. Nuel, G. O'Brien, N.I. Powell), (384) 347

Palladium

π-Allylpalladium chloride complexes, cluster ions in the FD and FAB mass spectra of (C.A. Horiuchi, E. Miki, T. Takada, J.Y. Satoh, M. Tanaka, M. Hayashi, T. Yamamoto, Y. Koike, T. Takayama, S. Nozaki), (385) C17

Allylpalladium(II) cationic complexes, mechanism of phenylation by tetraphenylborate anion of. (B. Crociani, F. Di Bianca, L. Canovese, P. Uguagliati), (381) C17

Benzoyl(carbamoyl-palladium)(II) and -platinum(II) complexes, protonation and alkylation to give cationic benzoyl complexes with *O*-protonated and *O*-alkylated carbamoyl ligands of; characterization of an intermediate in the reaction of *trans*-$[Pd(COPh)(CO)(PMe_3)_2]BF_4$ with pyrrolidine to give *trans*-$Pd(COPh)(CON(CH_2)_3CH_2)(PMe_3)_2$ (L. Huang, F. Ozawa, K. Osakada, A. Yamamoto), (383) 587

(3-Chloro-2-methylenecycloalkyl)palladium chloride dimers, reactivity of; coupling with phenyl nucleophiles (W.A. Donaldson, J. Wang), (395) 113

Cyclopalladated complexes, ^{15}N and ^{13}C NMR studies of; synthetic palladium cyanide chemistry leading to organic nitriles (S. Affolter, P.S. Pregosin), (398) 197

Cyclopalladated *N*-nitrosoanilines, reactions with Sn^{IV} reagents; crystal structure of the bis cyclopalladated complex *cis*-$Pd\{ONN(CH_3)(C_6H_4)\}_2$ (A. Albinati, S. Affolter, P.S. Pregosin), (395) 231

Cyclopalladated 2-t-butyl-4,4-dimethyl-2-oxazoline, preparation and use in the functionalisation of a non-activated carbon–hydrogen bond (G. Balavoine, J.C. Clinet), (390) C84

Cyclopalladation of 5-(1-hexyl)-2{[4′-(1-undecyloxy)phenyl]}pyrimidine; synthesis and characterization of mononuclear complexes (M. Ghedini, D. Pucci), (395) 105

Cyclopalladation of 2-phenylpyrimidines with pendant pyrazole donors (G.B. Caygill, P.J. Steel), (395) 375

Diazadiene palladium(0) catalysed 2 : 2-cycloaddition of alkynes and allenes; preparation of naphthalin-2,3,6,7-tetracarboxylic acid derivatives (C. Munz, C. Stephan, H. tom Dieck), (395) C42

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Diphenylacetylene insertion into cyclopalladated compounds; crystal structure of [Pd{(PhC=CPh)$_2$-$C_6H_4CH_2N$=CH(2,6-$C_6H_3Cl_2$)}Br] (J. Albert, J. Granell, J. Sales, X. Solans), (379) 177

Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143

4,6-Diphenylpyrimidine, cyclopalladation and X-ray structure of, doubly cyclopalladated derivative (G.B. Caygill, R.M. Hartshorn, P.J. Steel), (382) 455

Diterpenoids cyclomanganation, functionalization of carbon-14 (R.C. Cambie, M.R. Metzler, P.S. Rutledge, P.D. Woodgate), (381) C26

Double cyclopalladation of diphenyl pyrazines and related ligands (P.J. Steel, G.B. Caygill), (395) 359

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

(μ_2-Te_2)$Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 (L = PPh_3, M = Pt, Pd, Ni; L = C_5H_5, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1

Heck reaction, chloride ion effect in (C.A. Merlic, M.F. Semmelhack), (391) C23

Homogeneous palladium catalysts applied in telomerization of butadiene with formaldehyde, β-dicarbonyl compounds, nitroalkanes, and enamines (W. Keim, A. Koehnes, T. Roethel, D. Enders), (382) 295

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

$(Me_3P)_2Pd_2(\mu\text{-}\eta^3\text{-}C_3H_5)(\mu\text{-SPh})$, preparation by reaction of Pd(0) complex with allyl phenyl sulfide (K. Osakada, Y. Ozawa, A. Yamamoto), (399) 341

Metal complexes of *C*-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493

Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215

Methylpalladium(II) cationic complexes, synthesis from $[PdMe(SMe_2)(\mu\text{-I})]_2$; crystal structure of $[PdMe(bpy)(\gamma\text{-pic})]BF_4$ (P.K. Byers, A.J. Canty, B.W. Skelton, A.H. White), (393) 299

[$Mn(CO)_5Br$] and Re[$CO]_5Br$], Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)Mo(\mu\text{-}CO)Pd(I)C(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2N(CH_3)_2]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Mono- and diarylacetylenes, synthesis of (M.I. Al-Hassan), (395) 227

Neutral palladium(IV) complexes containing *fac*-$PdMe_2R$ groups, synthesis and decomposition of; reductive elimination by η^1-propenylpalladium(IV) complexes to form η^3-propenylpalladium(II) species (P.K. Byers, A.J. Canty, P.R. Traill, A.A. Watson), (390) 399

Palladacyclopentadienes and platinacyclopentadienes and co-cyclotrimerization of various alkynes (H. tom Dieck, C. Munz, C. Müller), (384) 243

Palladium, platinum and gold, organometallic derivatives of (F. Calderazzo), (400) 303

Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275

Palladium-catalysed reduction of acyl chlorides with tributylgermanium hydride (L. Geng, X. Lu), (376) 41

Palladium-catalysed synthesis of aromatic acids from carbon monoxide and aromatic compounds via aromatic C–H bond activation (T. Jintoku, Y. Fujiwara, I. Kawata, T. Kawauchi, H. Taniguchi), (385) 297

Palladium-catalysed synthesis of aurone from salicyloyl chloride and phenylacetylene (Z.-w. An, M. Catellani, G.P. Chiusoli), (397) 371

Palladium-catalysed synthesis of indoxyl derivatives (Z.-w. An, M. Catellani, G.P. Chiusoli), (397) C31

Palladium-catalyzed addition of the tin–germanium bond to allenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53

Palladium-catalyzed synthesis of unsymmetrical donor–acceptor biaryls and polyaryls (C. Amatore, A. Jutand, S. Negri, J.-F. Fauvarque), (390) 389

Palladium-, cobalt-, and nickel-catalyzed tandem syntheses of polycyclic π-systems containing cyclobutadiene, benzene, and cyclooctatetraene rings (H. Schwager, S. Spyroudis, K.P.C. Vollhardt), (382) 191

Palladium complex catalysed hydrocarbalkoxylation of olefins, mechanism of (G. Cavinato, L. Toniolo), (398) 187

Palladium dichloride, reaction with $C_6H_5C{\equiv}CC_6F_5$; structure of the phenylbis(pentafluorophenyl)benzofulvene (S.J. Blackett, J. Bowen Jones, D.S. Brown, A.G. Massey, M.R. Wiles), (399) 215

Palladium(II), binuclear hydroxo-monopentahalophenyl complexes of (G. López, J. Ruiz, G. García, C. Vicente, J.M. Martí, M.D. Santana), (393) C53

Palladium(II) and platinum(II) complexes with non-cyclic and cyclic ligands $(C_6H_3\{CH_2NR^1R^2\}_2\text{-}2,6)^-$, synthesis and reactivity towards diiodine; end-on diiodine–platinum(II) bonding in macrocyclic $[PtI(C_6H_3\{CH_2NMe(CH_2)_7MeNCH_2\}\text{-}2,6)(\eta^1\text{-}I_2)]$ (J.A.M. van Beek, G. van Koten, G.P.C.M. Dekker, E. Wissing, M.C. Zoutberg, C.H. Stam), (394) 659

Palladium(II) metallacyclic complex, oxidative addition of 3-bromoprop-1-ene to (M. Catellani, B.E. Mann), (390) 251

Palladium(IV) and platinum(IV) complexes of flexible bidentate nitrogen donor ligands, conformational and fluxional effects in (P.K. Byers, A.J. Canty, R.T. Honeyman, A.A. Watson), (385) 429

$Pd(BF_4)_2$ and $Pt(BF_4)_2$ complexes of 1,1′-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327

trans-$[PdCl(C_6H_4\text{-}2\text{-}N_2Ph)(PR_3)_2]$ and related complexes, conformation and ligand exchange reactions of (G.K. Anderson, R.J. Cross, S.A. Leaman, F.J. Robertson, D.S. Rycroft, M. Rocamora), (388) 221

Phosphido and sulphido bridged trinuclear platinum and palladium clusters, fragmentation reactions of; formation of $[M_2(\mu\text{-}PPh_2)(\mu\text{-}dppm)(PPh_3)_2]^+$, a new type of M(I) cation (N. Hadj-Bagheri, J. Browning, K. Dehghan, K.R. Dixon, N.J. Meanwell, R. Vefghi), (396) C47

Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of $[\{Ph_2PCH{=}C(O)Ph\}Pd(\mu\text{-}Ph_2PO)]_2$ (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Platinum and palladium α-ketoacyl complexes, reactivity toward olefins and acetylenes of (W.M. Vetter, A. Sen), (378) 485

Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of $[(C_6F_5)_2Pt(\mu\text{-}PPh_2)_2Pt(phen)]$ (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643

Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

6-Substituted-3,4-dihydro-2*H*-1-benzopyran-2-ones (dihydrocoumarins), synthesis via palladium catalysed coupling reactions (S.G. Davies, D. Pyatt, C. Thomson), (387) 381

Sydnone complexes with C–Pd and C–Pt σ-bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsydnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195

trans-*N,N,N*-Triethyl-2-[4-(2-phenylethenyl)phenoxyl]ethanammonium iodide, synthesis of (M.I. Al-Hassan), (386) 395

Tripodal nitrogen donor ligands, synthesis of; characterization as $Pd^{II}Me_2$ and $Pd^{II}IMe$ derivatives (P.K. Byers, A.J. Canty, R.T. Honeyman), (385) 417

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Phosphorus

Acrylonitrile, insertion reactions with hydridocarbonylbis(triphenylphosphine)ruthenium(II) carboxylates of (S.S. Deshpande, S. Gopinathan, C. Gopinathan), (378) 103

Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1-acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57

N-Alkoxycarbonylalkyldiphenyl *P*-λ^5-phosphazenes, reactions with acetylene esters of; synthesis of 1-aza-2-oxo-4λ^5-phosphinines (J. Barluenga, F. López, F. Palacios), (382) 61

Alkyneiridium(I), stepwise rearrangement to alkynyl(hydrido)iridium(III) and vinylideneiridium(I) complexes of (A. Höhn, H. Werner), (382) 255

Allyldiphenylphosphine, isomerization to (*Z*)-1-propenyldiphenylphosphine in rhodium(I) complexes of (A. Jegorov, F. Tureček), (379) C5

Allylpalladium(II) cationic complexes, mechanism of phenylation by tetraphenylborate anion of. (B. Crociani, F. Di Bianca, L. Canovese, P. Uguagliati), (381) C17

1-Aminoalkanephosphonic acids, addition of diethyl phosphite to *N*-diisobutylaluminio-aldimines (Z.H. Kudzin, M.W. Majchrzak), (376) 245

Aminomethyldiphenylphosphine-molybdenum complexes, synthesis and reactivity of; crystal structure of *cis*-$Mo(CO)_4(Ph_2PCH_2NHC_6H_4Me\text{-}p)_2]$ (D.L. Davies, F.I. Healey, J. Howarth, D.R. Russell, L.J.S. Sherry), (376) C31

^{195}Au and ^{14}C-labeled antineoplastic gold(I) phosphine complexes, synthesis of (K.T. Garnes, J.R. Heys, S.W. Landvatter, J. Statler), (378) 293

Azadiphosphetine ring system $R\overline{P(NR')P=C}R'$ ($R = Et_3C$, $R' = Bu^t$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leissring), (382) 53

2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

Bidentate P,P or P,As ligands (L–L) in $HRu_3(C{\equiv}CBu^t)(CO)_7(L\text{–}L)$, chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1

Binuclear ruthenium clusters, chiral modification of; development of enantioselective hydrogenation catalysts (J.-L. Wolfender, F. Neumann, G. Süss-Fink), (389) 351

Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon–carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di-μ-chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121

1,2-Bis(dimenthylphosphino)ethane, preparation of an enantioselective catalyst (H. Brunner, J. Ziegler), (397) C25

Bis(dimethylgermyl)alkaneruthenium tetracarbonyls, synthesis and cleavage reactions of (J. Barrau, N. Ben Hamida, J. Satgé), (395) 27

cis-1,3-Bis(diphenylphosphino)dicyclopentadiene tetracarbonylmolybdenum, synthesis and crystal structure of (W.K. Wong, F.L. Chow, H. Chen, T.C.W. Mak), (377) C65

Bis(diphenylphosphino)-methanide or -amide and its derivatives as ligands in gold chemistry (A. Laguna, M. Laguna), (394) 743

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

Bis(diphenylphospino)methanideiron complexes, $(C_5H_5)(L)Fe(Ph_2PCHPPh_2)$ (L = CO, Me_3P), formation and reactions of (F. Scherhag, H. Käb, T.A. Bright, W. Malisch) (385) C27

Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2(HONCMe_2)_2$ and of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2[S(CH_2Ph)_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

Bis(pentacarbonyltungsten) complex of 1,3-diphosphaallene with η^1-coordination mode, preparation and X-ray structure of (M. Yoshifuji, K. Toyota, T. Niitsu, N. Inamoto, K. Hirotsu), (389) C12

Bisphosphinodihalogenosilanes, preparation of 1,3-diphospha-2-silaallyl anions from (K. Hassler, F. Mitter, B. Reiter), (376) C1

Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91

Carbon dioxide in the presence of $RhCl(CO)(PPh_3)_2$ and $IrCl(CO)(PPh_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133

Carbonyl complexes of manganese(I) containing monodentate $Ph_2PCH_2PPh_2$ (dppm), synthesis of (G.A. Carriedo, M.C. Crespo, C. Diaz, V. Riera), (397) 309

Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands (X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79

Carbonylvanadates, hydrido- and alkyl-carbonylvanadium complexes containing alkylated oligophosphines as ancillary ligands (F. Süssmilch, W. Glöckner, D. Rehder), (388) 95

μ_3-Carbynylcarbonyltriiron clusters, reactivity of and addition of alkynes under formation of η^6-ferracyclopentadienone ligands, (D. Buchholz, G. Huttner, W. Imhof, L. Zsolnai, D. Günauer), (381) 79

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

Chelate (η^6-fluorobenzyl)diphenylphosphitodicarbonylchromium complexes, scalar ^{13}C, ^{19}F spin–spin couplings between carbonyl carbons and aromatic fluorine in (P. Szczeciński), (393) 111

Chiral terpenes, hydroformylation with $PtCl(SnCl_3)$(bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147

$[(C_5H_5)_2Lu(\mu\text{-}O(CH_2)_4P(C_6H_5)_2)]_2$ and $[(C_5H_5)_2Lu(OC_4H_8)]_2(\mu\text{-}O)$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49

$(C_5H_4Me)(CO)_2Mn[CHCH(PEt_3)]$, carbene-like ylid complexes, molecular structure of (R.D. Rogers, H.G. Alt, H.E. Maisel), (381) 233

$[(\eta^5\text{-}C_5H_5)(PMe_3)_2Ru{=}C{=}C(Me)Ph]^+$ cationic ruthenium vinylidene complex, stereoselective reaction with sodium cyanide (S.G. Davies, A.J. Smallridge), (395) C39

Chromium (methoxymethyl)carbene complexes, reactions with 3*H*-indoles (C. Giordani, E. Licandro, S. Maiorana, A. Papagni, A.M. Slawin, D.J. William), (393) 227

$[(\eta^5\text{-}C_5H_5)Ru(PPh_3)_2(NH_3)]PF_6$ and $[(\eta^5\text{-}C_5H_5)Ru(PPh_3)(CN^tBu)(NH_3)]PF_6$, preparation and X-ray crystal structures of (F.M. Conroy-Lewis, S.J. Simpson), (396) 83

$[(\eta^5\text{-}C_5H_5)Ru(PPh_3)(NO)(Cl)]PF_6$ six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307

cis- and *trans*-$[(\eta^5\text{-}C_5H_5)W(CO)_2(H)PMe_3]$ half-sandwich complexes, one- and two-dimensional multinuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125

$[ClPt(NMe_2NHCH_2CHPPh_2CH_2CH_2PPh_2)]Cl$ containing a tridentate ylide ligand, chemistry and crystal structure of (X.L.R. Fontaine, A.M. Herring, D.P. Markham, B.L. Shaw, M. Thornton-Pett), (394) 699

$[(\eta^5\text{-}C_5Me_5)(CO)Rh^I(F_3CPCF_2)_2Rh^{III}(CO)(\eta^5\text{-}C_5Me_5)]$, isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameitat), (399) 189

1-Cobalta-2-phospha-1,3-diene, isomerisation to tricarbonyl(1-phosphaallyl)cobalt (H. Lang, M. Leise), (393) C17

Cobalt(II) salts containing weakly-coordinating anions, reductive carbonylation in the presence of diphosphine ligands (A. Del Zotto, P. Rigo), (390) 97

Cobalt phosphine carbonyl complex catalyst for the homologation of methanol (N. Isogai, K. Tanaka), (397) 101

Cobalt-propargyl complexes, synthesis and reactions at $Co\text{–}CH_2$ and C≡C bonds of (F. Ungváry, A. Wojcicki), (396) 95

$Co_4(CO)_{10}(\mu_4\text{-}PPh)_2$, site selectivity and competitive CO attack using methanolic $[Et_4N][OH]$ (J.A. Partin, M.G. Richmond), (396) 339

$(CO)_5ML$, stabilisation of $RP(OH)_2$, $RPHNEt_2$ and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379

$(CO)_5Mo[C(Aryl)H]$, synthesis and reactions of (H. Fischer, D. Reindl), (385) 351

η^4-Coordinated (*s-cis*)-1-molybda-2-phospha-1,3-dienes, stepwise formation of (H. Lang, M. Leise, L. Zsolnai, M. Fritz), (395) C30

$[CpFe(\mu\text{-}PR_2)CO]_2$ and $[Cp_2Fe_2(\mu\text{-}H)(\mu\text{-}PR_2)(CO)_2]$ optically active phosphido-bridged iron complexes, photochemically induced *cis–trans* isomerisation of (H. Brunner, H. Peter), (393) 411

$[Cu_3(\mu_3\text{-}\eta^1\text{-}C{\equiv}CPh)(\mu\text{-dppm})_3][BF_4]_2$, synthesis and crystal structure of (M.P. Gamasa, J. Gimeno, E. Lastra, A. Aguirre, S. García-Granda), (378) C11

Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277

Cyclopentadienyl(dicarbonyl)[η^2-(methylthio)phenylcarben]molybdenum tetrafluoroborate, addition of diphenylchlorophosphine to the metal–carbon double bond in (C.M. Stegmair, F.R. Kreißl), (397) C6

Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(CO)_3MC_5H_4]_2E_n$ (M = Mn, Re; E = S, Se, Te; $n = 2, 1$) M. Herberhold, M. Biersack), (381) 379

Decaruthenium hydrido cluster; synthesis and crystal structure of $[N(PPH_3)_2]_2[Ru_{10}C(CO)_{24}]\cdot C_6H_{14}$ and $[N(PPh_3)_2][HRu_{10}C(CO)_{24}]$ (P.J. Bailey, B.F.G. Johnson, J. Lewis, M. McPartlin, H.R. Powell), (377) C17

Dicarbonyl(η^5-cyclopentadienyl)[η^2-aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3-thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19

Dicarbonyl(η^5-indenyl)(η^3-pentadienyl)molybdenum and its phosphine derivatives, synthesis, characterization and structure of (G.-H. Lee, S.-M. Peng, F.-C. Liu, R.-S. Liu), (377) 123

Dicarbonyltriphenylphosphine(η^6-1,3,5-triethyl-2,4,6-tris(trimethylsilylmethyl)benzene)molybdenum(0), crystal structure of (J.A. Chudek, G. Hunter, R.L. MacKay, G. Färber, W. Weissensteiner), (377) C69

2,3-η^2-(1,4-Dimethoxybut-2-yne)bis(tricyclohexylphosphane)nickel(0), $(Cy_3P)_2Ni(MeOCH_2C{\equiv}CCH_2OMe)$, crystal and molecular structure of; influence of phosphane ligands on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (390) 113

2,3-η^2-(1,4-Dimethoxybut-2-yne) bis(triphenylphosphane)nickel(0), $(Ph_3P)_2Ni(MeOCH_2C{\equiv}CCH_2OMe)$, crystal and molecular structure of; influence of acetylene substituents on acetylene complexation in nickel(0) complexes (U. Rosenthal, G. Oehme, H. Görls, V.V. Burlakov, A.V. Polyakov, A.I. Yanovsky, Yu.T. Struchkov), (389) 409

Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Dinitrogen, diazenido and derived isocyanide complexes of rhenium with phosphite or phosphonite ligands, syntheses and properties of (M.F.N.N. Carvalho, A.J.L. Pombeiro), (384) 121

Dinuclear, hydrido-bridged osmium complexes with double and triple Os–Os bonds; synthesis, structure and reactivity of (M. Schulz, S. Stahl, H. Werner), (394) 469

Dinuclear (M, M′) complexes with $[CH_2(C_5H_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

Diphenylphosphine, addition to Michael-type olefins; the preparation of phosphine-nitrile and phosphine-ester ligands (D.A. Blinn, R.S. Button, V. Farazi, M.K. Neeb, C.L. Tapley, T.E. Trehearne, S.D. West, T.L. Kruger, B.N. Storhoff), (393) 143

Diphenylphosphinomethaneiron(II) complexes, $[FeCp(dppm)(L)]^+ PF_6^-$ (L = CO and CH_3CN), synthesis, redox properties, and crystal structures of (J. Ruiz, M.-T. Garland, E. Román, D. Astruc), (377) 309

Diphosphazirconocene dichloride, $(\eta^5\text{-}C_4Me_4P)_2ZrCl_2$, reactivity of; crystal and molecular structure of $(CO)_3Fe(\mu\text{-}\eta^5,\eta^1\text{-}C_4Me_4P)_2ZrCl_2$ (F. Nief, F. Mathey, L. Ricard), (384) 271

Diruthenium-diphosphane pyrazolato-bridged clusters, reactions of; synthesis and solid state structure of $(\mu_2\text{-}H)Ru_2(CO)_3(\mu_2\text{-}\eta^2\text{-}3,5\text{-}Me_2N_2C_3H)_2[\mu_1\text{-}\eta^2\text{-}PPh_2CH_2CH_2PPh(C_6H_4)]$ (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 151

$F_3CP{=}C(F)NMe_2$ as ($\eta^1\text{-}\mu_2$) 4e-donor, a new coordination mode for acyclic phosphaalkenes (J. Grobe, D. Le Van, B. Krebs, R. Fröhlich, A. Schiemann), (389) C29

$[Fe_5C(CO)_{15}]$, phosphine substituted derivatives of; crystal structure of $[Fe_5C(CO)_{12}(PMe_2Ph)_3]$ (A. Gourdon, Y. Jeannin), (388) 195

$Fe_2(CO)_9$, reductive dehalogenation of bidentate halogen phosphines RXP–CH_2–PXR by; a new route to cluster-stabilised phosphaalkenes with functional groups (F. Bitterer, D.J. Brauer, F. Dörrenbach, O. Stelzer), (399) C4

$Fe(CO)_4$ and $Fe(CO)_3P(OMe)_3$, reactions with stabilized phosphoranes of (D. Senechal, M.-C. Senechal-Tocquer, J-Y. Le Bihan, D. Gentric, B. Caro), (385) C35

$Fe(CO)_4(\eta^1$-dppf) (dppf = $(Ph_2PC_5H_4)_2Fe$), synthesis and conversion into $Fe_2(CO)_8(\mu$-dppf) and $(CO)_4Fe(\mu$-dppf)$Mo(CO)_5$ of, (T.S.A. Hor, L.-T. Phang), (381) 121

$Fe_3(CO)_{10}(\mu_3$-PR), rearrangement of carbonyl groups to carbene, carbyne and alkyne groups in (D. Buchholz, G. Huttner, L. Zsolnai) (381) 97

$Fe_3(CO)_{10}(\mu_3$-RP), addition reactions with XCN^- (X = S, Se, Te) and R′XXR′ (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25

$Fe_4(CO)_{12}(\mu_4$-RP): a tripledecker derivative of the 2π-ligand $RPFe_2(CO)_6$ (D. Buchholz, G. Huttner, W. Imhof, O. Orama), (388) 321

$Fe_3(CO)_{10}(\mu_3$-RP) clusters, introduction of μ_3-η^2-RPO- and μ_3-η^2-RPOEt ligands; OCN^- as oxygen transfer agent (D. Buchholz, G. Huttner, W. Imhof), (388) 307

$Fe(CO)_3[\overline{Fe(CO)_3}{=}CH{=}CPh{=}\overline{S}]$, addition and substitution reactions of (T. Fässler, G. Huttner), (381) 391

Gold(I)-chiral ferrocenylphosphine neutral complexes, enantioselective synthesis of crystal structure of the complex $[\{(\eta^5\text{-}C_5H_4PPh_2)(\eta^5\text{-}C_5H_3(PPh_2)CH(Me)N(Me)CH_2CH_2NMe_2)Fe\}_2(AuCl)_3]\cdot Et_2O$ (A. Togni, S.D. Pastor, G. Rihs), (381) C21

Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2\cdot$glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$, $AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149

Haloarenetricarbonylchromium, reaction with trimethylphosphite: palladium-catalyzed Arbuzov reaction versus arene displacement by trimethylphosphite (R. Chauvin), (387) C1

Halo/n-alkyl mixed chromium(III) compound, synthesis, structure, and reactivity of $Cr(n\text{-}Bu)_2Cl$-$[(Me_2PCH_2)_3CMe]$ (E.G. Thaler, K. Folting, J.C. Huffman, K.G. Caulton), (376) 343

Heterotetranuclear $Cu^I_2Fe^{II}_2$ complex bridged by π-accepting 2,2′-bipyrimidine, electronic structure of; close-lying but orthogonal frontier orbitals (C. Vogler, W. Kaim), (398) 293

$[HOs_3(CO)_{11}]^-$, reactions with main group halide species, a route to terminal and bridged mixed metal clusters; crystal structure of $[(\mu\text{-}H)Os_3(CO)_{10}(\mu\text{-}SbPh_2)]$ (B.F.G. Johnson, J. Lewis, A.J. Whitton, S.G. Bott), (389) 129

$[HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351

$[HRu_3(CO)_8(PPh_3)(PPhC_6H_4)]^-$, reactions with Br_2 and I_2 of; synthesis and molecular structure of $Ru_2(CO)_5(PPh_3)(\mu_2\text{-}PPh_2)(\mu_2\text{-}I)$ (H. Jungbluth, H. Stöckli-Evans, G. Süss-Fink), (377) 339

Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327

Hydro(trisyl)boranes, $(Me_3Si)_3CBHX$, and borates, $M[H_3BC(SiMe_3)_3]_x$, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1

$Ir_4(CO)_8(\mu\text{-}CO)_3(PPh_2AuPPh_3)$, synthesis and structural characterization of; conversion into $Ir_4(CO)_9(\mu\text{-}CO)(\mu\text{-}PPh_2)(\mu\text{-}AuPPh_3)$ (D. Braga, F. Grepioni, F.S. Livotto, M.D. Vargas), (391) C28

Iridium trifluoromethyl, difluorocarbene and tetrafluoroethylene complexes; crystal structures of $IrI(CH_3)(CF_3)(CO)(PPh_3)_2$, $Ir(CF_3)(C_2F_4)(CO)(PPh_3)_2$ and $Ir(CF_3)(=CF_2)(CO)(PPh_3)_2$ (P.J. Brothers, A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper), (394) 615

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanters, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233

$(Lig)Ni^0$ systems, reactions with 1,7-octadiene and phenyl isocyanate of (H. Hoberg, D. Guhl), (384) C43

Lithiated di-t-butylfluorosilylmesitylphosphane, rearrangement of (M. Andrianarison, D. Stalke, U. Klingebiel), (381) C38

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

$[MCl_2(CNBu^t)_3(PMe_3)_2]$ (M = Mo or W) synthesis and reactivity of, preparation of

[$MCl(CNBu^t)_4(PMe_3)_2$]Cl and [$M(SnCl_3)(CNBu^t)_3(PMe_3)_3$]($SnCl_3$) derivatives; crystal structure of [$MoCl(CNBu^t)_4(PMe_3)_2$]$Cl \cdot 2Me_2CO$ (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241

Metallaheterocyclobutadiene complexes, $Fe(CO)_3$[$\overline{Fe(CO)_3{=}CH{=}CpH{=}S}$], reductive activation of (T. Fässler, G. Huttner, D. Günauer, S. Fiedler, B. Eber), (381) 409

Methylplatinum(II) complexes containing 2-(diphenylphosphino)pyridine, (Ph_2Ppy); crystal and molecular structure of [$PtMe(\eta^2\text{-}Ph_2Ppy)(Ph_2Ppy)$][$BPh_4$] (V.K. Jain, V.S. Jakkal, R. Bohra), (389) 417

[$Mn(CH_3\text{-}\eta^5\text{-}C_5H_4)(CO)_2PPh_3$], reaction with iodine; crystal structure of diiodobis(triphenylphosphine oxide)manganese(II) (T. Avilés, M.A.A.F. de C.T. Carrondo, M.F.M. Piedade, G. Teixeira), (388) 143

[$MoH_3(C{\equiv}CBu^t)(Ph_2PCH_2CH_2PPh_2)_2$] trihydrido-alkynyl complex, synthesis and crystal structure of (A.J.L. Pombeiro, A. Hills, D.L. Hughes, R.L. Richards), (398) C15

$Mo(\eta^5\text{-}C_5H_5)_2$ derivatives containing phosphorus ligands, molecular structure, bonding, and reactions of; crystal structures of [$Mo(\eta^5\text{-}C_5H_5)_2H(PPh_3)$]$I \cdot \frac{1}{2}H_2O$ and [$Mo(\eta^5\text{-}C_5H_5)_2(CH_3)(PPh_3)$]$PF_6$ (C.G. Azevedo, M.J. Calhorda, M.A.A.F. de C.T. Carrondo, A.R. Dias, V. Félix, C.C. Ramão), (391) 345

Molybdenum d^6-ML_5 fragments of hydrido derivatives, investigation of C–H activation by (L. Dahlenburg, B. Pietsch), (378) 199

Mono- and bi-nuclear molybdenum complexes of 2,6-bis(diphenylphosphino)-*N*-methylaniline (A.B. van Oort, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (396) 33

Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of $PhSCo(CO)_2(PPh_2OMe)_2$ and $MeOCS_2Co(CO)_2(PPh_2{}^iBu)_2$ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Naphthalene nickel(0) complexes, preparation of; crystal structure of [$Ni(C_{10}H_8)(i\text{-}C_3H_7)_2\text{-}PCH_2CH_2P(i\text{-}C_3H_7)_2$] (F. Scott, C. Krüger, P. Betz), (387) 113

Nickel(0) catalysed formation of 3-cyclopentene carboxylic amide from cyclopentenes and phenyl isocyanides (H. Hoberg, M. Nohlen), (382) C6

Nickel(0) induced and catalysed CC bond formation between phenylisocyanate and vinyl-substituted heterocycles (H. Hoberg, D. Guhl, P. Betz), (387) 233

Nickel(O) induced CC coupling of fluoro-substituted alkenes with phenyl isocyanate (H. Hoberg, D. Guhl), (378) 279

Nickel σ-sydnonyl complexes, stabilized by tertiary phosphines (L.N. Morozova, L.S. Isaeva, P.V. Petrovskii, D.N. Kravtsov, She Fan Min, V.N. Kalinin), (381) 281

$[Ni_6(CO)_{12}]^{2-}$ dianion, reaction with stibine and bismuthine reagents of; synthesis and stereophysical characterization of $[Ni_{10}(SbPh)_2(CO)_{18}]^{2-}$ and $Ni_2(CO)_4(\mu_2\text{-}Ph_2SbOSbPh_2)_2$ (R.E. DesEnfants II, J.A. Gavney, Jr., R.K. Hayashi, A.D. Rai, L.F. Dahl, A. Bjarnason), (383) 543

$(OC)_5M(\mu\text{-dppf})M(CO)_5 \cdot CH_2Cl_2$ (M = Cr, Mo; dppf = $(Ph_2PC_5H_4)_2Fe$) isomorphous singly diphosphine-bridged complexes, crystal and molecular structures of (T.S.A. Hor, L.-T. Phang, L.-K. Liu, Y.-S. Wen), (397) 29

Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165

Organomercury–platinum complexes, synthesis by reaction of platinum hydrides with organomercurials (A. Handler, P. Peringer, E.P. Müller), (389) C23

Organophosphorus and organosilicon derivatives of sterically hindered phenols (S.D. Pastor, E.T. Hessell), (376) 21

Organotin halides, Lewis acidities toward tributylphosphine and tributylphosphine oxide, effect of the donor site (C.H. Yoder, J.C. Otter, A. Grushow, T.F. Ganunis, B.C. Enders, A.I. Zafar, J.N. Spencer), (385) 33

Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133

Osmium *ortho*-metallated ketazine complex, $\overline{OsH(CO)_2\text{-}[(C_6H_3\text{-}p\text{-}Me)(p\text{-tolyl})CNNC(p\text{-tolyl})_2]}(PPh_3)$, synthesis and structure of (M.A. Gallop, C.E.F. Rickard, W.R. Roper), (395) 333

Osmium phosphido (PH_2) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243

Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphatotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39

Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275

Pentacarbonylchromium complexes of Diels–Alder adducts of bis(trifluoromethyl)disphosphenes (J. Grobe, T. Grosspietsch, D. Le Van, J. Schulze, B. Krebs, M. Dartmann), (385) 255

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

$(PhCOO)_2(PPh_3)_2(CO)_2Ru$, stereochemistry assignments and X-ray crystal structure determination of (M. Rotem, Z. Stein, Y. Shvo), (387) 95

Phenylethinyl-substituted phosphenium ion complexes $(R)(R')P{=}MoCp'(CO)_2$, synthesis and reactivity of; preparation of cluster compounds containing a 1-cobalta-2-phospha heteroallyl building block (H. Lang, M. Leise, L. Zsolnai), (386) 349

η^3-Phosphaallyl-cobalt and -nickel complexes; synthesis of; crystal structure of [η^3-1-(2,4,6-tri-t-butylphenyl)-1-phosphaallyl]tricarbonylcobalt (F. Mercier, C. Hugel–Le Goff, L. Ricard, F. Mathey), (389) 389

Phosphametallacycloalkanes, conformation and ^{31}P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eichele, K. Pohmer), (386) 63

Phospharhodacyclopentanes, synthesis by C–Cl bond into rhodium uncoordinated complexes of (E. Lindner, R. Fawzi, K. Pohmer), (385) C13

Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401

Phosphidomanganates applied in synthesis of phosphamanganacyclopropanes with carbene and phosphido units (E. Lindner, E. Ossig, M. Darmuth), (379) 107

Phosphine–phosphinite complexes, reactivity of; synthesis and crystal structure of [{$Ph_2PCH{=}C(O)Ph$}$Pd(\mu\text{-}Ph_2PO)]_2$ (D. Matt, F. Ingold, F. Balegroune, D. Grandjean), (399) 349

Phosphine-stabilised organyl tellurenyl cations, $[RTe(PR'_3)]^+$ (Chr. Köllemann, F. Sladky), (396) C1

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

η^3-Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmair, F.R. Kreissl), (376) 45

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

$[Ph_P(O)_2{\cdot}AlCl_2]_2$ and $[Ph_2P{\cdot}Al(i\text{-}Bu)_2]_2$, synthesis and molecular structure of (S.A. Sangokoya, W.T. Pennington, G.H. Robinson, D.C. Hrncir), (385) 23

Platinum sulfur ylide complexes, preparation by phase transfer catalysis (J.S. Lai, R.F. Wu, I.J.B. Lin, M.C. Cheng, Y. Wang), (393) 431

$(PMe_3)_4Ru(OC_6H_4Me)_2$, phosphorus–carbon bond cleavage reaction of coordinated trimethylphosphine in (J.F. Hartwig, R.G. Bergman, R.A. Andersen), (394) 417

Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of [$(C_6F_5)_2Pt(\mu\text{-}PPh_2)_2Pt(phen)$] (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643

Polysilicon compounds containing two or more triphenylphosphine units, synthesis of (Y. Takuma, N. Imaki), (379) 27

Primary vinylphosphines, preparative synthesis by chemoselective reduction of the corresponding vinylphosphonates of (J.L. Cabioch, J.M. Denis), (377) 227

Pt(II)-η^3-benzyl complexes, synthesis of; crystal structure of [$Pt(Bu^t_2P(CH_2)_3PBu^t_2)$($\eta^3$-*anti*-1-$MeCHC_6H_4Br$-4)][$BF_4$] (L.E. Crascall, S.A. Litster, A.D. Redhouse, J.L. Spencer), (394) C35

$Pt(Ph_2PCH_2PPh_2)Cl_2$, phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound $[Pt_3(\mu_3\text{-}O)(\mu\text{-}\eta^2\text{-}PPh_2O)_3(PPh_2Me)_3]PF_6{\cdot}CHCl_3$ (I.J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361

[RhCl(cyclo-C_8H_{12})(phosphine)], mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniec, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319

cis-Rh(COD)(phosphine)$_2^+$ influence of rigid cyclic phosphine ligands on inner coordination shell dynamics and catalysed olefin hydrogenation/isomerization in (R.J. Topping, L.D. Quin, A.L. Crumbliss), (385) 131

Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of $CpFe(CO)(COMe)PPh_2ORh(COD)$ (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555

Rhodium and platinum complexes of tetraphenylhexapentaene; X-ray crystal structure of bis(triphenylphosphine)chloro(tetraphenylhexapentaene)rhodium (L. Song, A.M. Arif, P.J. Stang), (395) 219

Rhodium-β-diketonate complexes of diphosphines and pyridyl-substituted diphosphines, dichloromethane addition to (P.J. Fennis, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (393) 287

Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $HRh\{[P(OMe)_2O]_2H\}_2(PPh_2Me)$ (A. Varshney, G.M. Gray), (391) 415

Rhodium(I) complexes with 1,*n*-bis(diphenylphosphino)alkane ligands ($n = 3$–6) (M.A. Garralda, L. Ibarlucea), (377) 367

Rhodium(I) immobilised complexes as catalysts for heterogenic enantioselective hydration reactions (H. Brunner, E. Bielmeier, J. Wiehl), (384) 223

Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259

$RuBr_2(CO)[=C(C_6H_4PPh_2)_2]$ bimetallacyclic carbene complex of ruthenium; synthesis, structure, and reactions of (L.M. Boyd, G.R. Clark, W.R. Roper), (397) 209

$Ru(C[C_4H_3N]SCNMe_2S)(\eta^2\text{-}S_2CNMe_2)(CO)(PPh_3)$, synthesis and reactions of; crystal structure of $[Ru\{=C(SCNMe_2S)(2\text{-pyrrolyl})\}(\eta^2\text{-}S_2CNMe_2)(CO)(PPh_3)]^+$ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9

$[Ru_3(CO)_{12}]$ and $[Os_3(CO)_{12}]$, halogenation behaviour of bidentate ligand-bridged derivatives of (J.S. Field, R.J. Haines, J.A. Jay), (395) C16

$Ru_3(CO)_6[P(Ph)C(Ph)C(Ph)](\mu\text{-}PPh_2)_2$, six vertex *nido*-pentagonal bipyramidal structure, synthesis via reductive elimination and acetylene insertion at a triruthenium centre of (F. Van Gastel, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio, E. Sappa), (385) C50

$[Ru_2(CO)_5(solvent)\{\mu\text{-}(RO)_2PN(Et)P(OR)_2\}_2]^{2+}$ solvento species, synthesis of; its potential as a source for a wide range of dinuclear derivatives of ruthenium (J.S. Field, R.J. Haines, U. Honrath, J. Sundermeyer, S.F. Woollam), (395) C9

$[Ru_4(\mu_3\text{-}\eta^2\text{-}CO)(CO)_9\{\mu\text{-}(RO)_2PN(Et)P(OR)_2\}_2]$ (R = Me or Pr^i), synthesis of; crystal structure of $[Ru_4(\mu_3\text{-}\eta^2\text{-}CO)(CO)_9\{\mu\text{-}(MeO)_2PN(Et)P(OMe)_2\}_2]$ (J.S. Field, R.J. Haines, J.A. Jay), (377) C35

$[Ru_3(\mu\text{-}H)(\mu_3\text{-ampy})(CO)_9]$ (Hampy = 2-amino-6-methylpyridine), diphenylphosphine and diphenylphosphido derivatives of (P.L. Andreu, J.A. Cabeza, V. Riera), (393) C30

Ruthenium dinuclear clusters with $\mu_2\text{-}\eta^2$-carbamoylato bridging ligands, solid state structure of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}HNOCPh)_2(MeCN)_2$ (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 139

Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

Stannyl phosphines, addition to alkynes and allenes of (T.N. Mitchell, H.-J. Belt), (386) 167

Synthesis of phenylethynyl- and styryl-substituted $(R)(R')P{=}Mo(\eta^5\text{-}C_5Me_5)(CO)_2$ compounds; crystal structure of $[2,6\text{-}^tBu_2\text{-}4\text{-}MeC_6H_2O)(PhC{\equiv}C)]P{=}Mo(\eta^5\text{-}C_5Me_5)(CO)_2$ (H. Lang, M. Leise, L. Zsolnai), (389) 325

Tertiary phosphines, complexes with iron(II) and dinitrogen, dihydrogen, and other small molecules (A. Hills, D.L. Hughes, M. Jimenez-Tenorio, G.J. Leigh), (393) C41

(Thioketene)$Fe_2(CO)_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49

Thiophenedioxide and its iron carbonyl complexes (R. Albrecht, E. Weiss), (399) 163

Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73

Tricarbonylmolybdenum complexes containing unidentate diphosphine, NMR of *fac-mer* isomers and crystal structure of *fac*-$Mo(CO)_3(\eta^2\text{-phen})(\eta^1\text{-dppm})$ (M. Cano, J.A. Campo, V. Pérez-García, E. Gutiérrez-Puebla, C. Alvarez-Ibarra), (382) 397

Trichloro(carbonyl)tris(dimethylphenylphosphine)rhenium(III), photochemistry in low temperature media (A.J. Rest, M.J. Wilson, E.C. Barra, P.G. Reveco), (394) C21

Trimethylphosphine and tricyclohexylphosphine complexes, $(\eta^5\text{-}C_5Me_5)Re(CO)(PR_3)(N_2)$ (R = Me, cyclo-C_6H_{11}), companion of inter- and intra-molecular C–H activation reactions of; X-ray structure of $(\eta^5\text{-}C_5Me_5)Re[\eta^2\text{-}C_6H_{10}P(C_6H_{11})_2](H)(CO)\cdot 0.5C_6H_{14}$ (J.M. Aramini, F.W.B. Einstein, R.H. Jones, A.H. Klahn-Oliva, D. Sutton), (385) 73

Triphenyliodopnicogen hexafluoroarsenate, synthesis and spectra of (I. Tornieporth-Oetting, Th. Klapötke), (379) 251

Triply-bridging C_6H_4 ligand in open triosmium clusters, attachment of; crystal structures and fluxionality of the clusters $[Os_3(PMe)(C_6H_4)(CO)_8L]$ (L = CO or PEt_3) (A.J. Deeming, J.E. Marshall, D. Nuel, G. O'Brien, N.I. Powell), (384) 347

Triruthenium dodecacarbonyl, reactions with diphenylphosphine of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, M.H. Moore, F. Mulla, D.N. Smit, L.M. Steer), (381) 429

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS) and catalytically useful rhodium complexes, purification of (W.A. Herrmann, J.A. Kulpe, W. Konkol, H. Bahrmann), (389) 85

Tris(trifluoromethyl)gallium and its adducts, synthesis of (M.A. Guerra, S.K. Mehrotra, D.W. Dyer, R.J. Lagow), (390) C73

2,4,6-Tri-t-butylphenylseleno compounds of gold(I) and mercury(II) (I. Wagner, W.-W. du Mont), (395) C23

$W(CO)_3(PR_3)_2$ H_2-coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Platinum

Azadiphosphetine ring system $RP(NR')P{=}CR'$ ($R = Et_3C$, $R' = Bu^t$), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

Benzoyl(carbamoyl-palladium)(II) and -platinum(II) complexes, protonation and alkylation to give cationic benzoyl complexes with *O*-protonated and *O*-alkylated carbamoyl ligands of; characterization of an intermediate in the reaction of *trans*-$[Pd(COPh)(CO)(PMe_3)_2]BF_4$ with pyrrolidine to give *trans*-$Pd(COPh)(CON(CH_2)_3CH_2)(PMe_3)_2$ (L. Huang, F. Ozawa, K. Osakada, A. Yamamoto), (383) 587

Bis(chloromethyl)(1,5-cyclooctadiene)platinum(II), carbon–carbon bond formation upon ligand displacement with tricyclohexylphosphine; X-ray structure of *trans*-di-μ-chlorobis(2-tricyclohexylphosphonioethyl)bis(tricyclohexylphosphine)diplatinum(II) bis(hexafluorophosphate), (390) 121

Chiral terpenes, hydroformylation with $PtCl(SnCl_3)$(bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147

$[ClPt(NMe_2NHCH_2CHPPh_2CH_2CH_2PPh_2)]Cl$ containing a tridentate ylide ligand, chemistry and crystal structure of (X.L.R. Fontaine, A.M. Herring, D.P. Markham, B.L. Shaw, M. Thornton-Pett), (394) 699

Cobalt-platinum carbonyl complexes with carbido ligands; crystal structure of the hexanuclear mixed-metal cluster $[Co_3Pt_3(\mu\text{-}H)(\mu_6\text{-}C)(\mu\text{-}CO)_4(CO)_5(P\text{-}i\text{-}Pr_3)_3]$ (J.C. Jeffery, M.J. Parrott, F.G.A. Stone), (382) 225

Diphenyl{tris(trimethylsilyl)methyl}phosphine, desilylation and cyclometallation reactions with platinum(II) compounds; crystal structure of *trans*-$[PtClPPh_2C(SiMe_3)_2SiMe_2CH_2\{PPh_2$

$Fe(CO)_3[Fe(CO)_3{=}CH{-}CPh{=}S]$, addition and substitution reactions of (T. Fässler, G. Huttner), (381) 391

Ferrocenyl amine sulfide and selenide complexes of Group 10 metals, synthesis of; catalytic activities toward selective hydrogenation, isomerisation, and asymmetric Grignard cross-coupling reactions (A.A. Naiini, C.-K. Lai, D.L. Ward, C.H. Brubaker, Jr.), (390) 73

$(\mu_2\text{-}Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3$, $M = Pt$, Pd, Ni; $L = C_5H_5$, $M = Ti$; $L = Me$, n-Bu, $M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne $[HB(pz)_3](CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Isonitrile-containing platinum–gold phosphine clusters (R.P.F. Kanters, P.P.J. Schlebos, J.J. Bour, J. Wijnhoven, E. van den Berg, J.J. Steggerda), (388) 233

Isosteric isobutyl(isopropoxy)silanes, $^iBu_n(^iPrO)_{3-n}SiH$ ($n = 0$–3), reaction with allyl bromide in the presence of platinum compounds (J. Pikies, W. Wojnowski), (393) 187

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metal complexes of *C*-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493

Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215

Methylplatinum fluoroalkoxide and phenoxide complexes, $PtMe(OR)(HOR)(PMe_3)_2$ ($R = CH(CF_3)_2$, C_6H_5), preparation and properties of (K. Osakada, Y.-J. Kim, A. Yamamoto), (382) 303

Methylplatinum(II) complexes containing 2-(diphenylphosphino)pyridine, (Ph_2Ppy); crystal and molecular structure of $[PtMe(\eta^2\text{-}Ph_2Ppy)(Ph_2Ppy)][BPh_4]$ (V.K. Jain, V.S. Jakkal, R. Bohra), (389) 417

Neutral and cationic dimethylplatinum(IV) complexes, synthesis and isomerism of; crystal structure of the bis(pyrazol-1-yl)(thien-2-yl)methane complex $PtI_2Me_2\{(pz)_2(thi)CH\text{-}N,N'\}$ (A.J. Canty, R.T. Honeyman, B.W. Skelton, A.H. White), (396) 105

Organomercury–platinum complexes, synthesis by reaction of platinum hydrides with organomercurials (A. Handler, P. Peringer, E.P. Müller), (389) C23

Palladacyclopentadienes and platinacyclopentadienes and co-cyclotrimerization of various alkynes (H. tom Dieck, C. Munz, C. Müller), (384) 243

Palladium, platinum and gold, organometallic derivatives of (F. Calderazzo), (400) 303

Palladium and platinum complexes containing the bis(diphenylphosphino)methanide ligand, synthesis and reactivity of (J. Forniés, R. Navarro, E.P. Urriolabeitia), (390) 275

Palladium(II) and platinum(II) complexes with non-cyclic and cyclic ligands $(C_6H_3\{CH_2NR^1R^2\}_2\text{-}2,6)^-$, synthesis and reactivity towards diiodine; end-on diiodine–platinum(II) bonding in macrocyclic $[PtI(C_6H_3\{CH_2NMe(CH_2)_7MeNCH_2\}\text{-}2,6)(\eta^1\text{-}I_2)]$ (J.A.M. van Beek, G. van Koten, G.P.C.M. Dekker, E. Wissing, M.C. Zoutberg, C.H. Stam), (394) 659

Palladium(IV) and platinum(IV) complexes of flexible bidentate nitrogen donor ligands, conformational and fluxional effects in (P.K. Byers, A.J. Canty, R.T. Honeyman, A.A. Watson), (385) 429

$Pd(BF_4)_2$ and $Pt(BF_4)_2$ complexes of 1,1′-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327

Phosphido and sulphido bridged trinuclear platinum and palladium clusters, fragmentation reactions of; formation of $[M_2(\mu\text{-}PPh_2)(\mu\text{-dppm})(PPh_3)_2]^+$, a new type of M(I) cation (N. Hadj-Bagheri, J. Browning, K. Dehghan, K.R. Dixon, N.J. Meanwell, R. Vefghi), (396) C47

Platinacyclohexanes, conformations studied by NMR and crystal structures of $[\overline{Pt(CH_2)_4CH_2}(PPhMe_2)_2]$ and $[\overline{PtCH_2CH_2CMe_2CH_2CH_2}(PPhMe_2)_2]$ of (N.W. Alcock, K.H. Bryars, P.G. Pringle), (386) 399

Platinum and palladium α-ketoacyl complexes, reactivity toward olefins and acetylenes of (W.M. Vetter, A. Sen), (378) 485

Platinum and rhodium catalysed carbonylation (hydroformylation and hydrocarbaloxylation) and enantioselective carbonylation of some methacrylic acid derivatives (G. Consiglio, L. Kollár, R. Kölliker), (396) 375

Platinum-based catalyst for olefin asymmetric homogeneous hydroformylation (S. Paganelli, U. Matteoli, A. Scrivanti), (397) 119

Platinum-catalysed hydrosilylation of disilylethynes, effects of oxygen and temperature (T. Suzuki, P.Y. Lo), (396) 299

Platinum-catalyzed hydroformylation, role of additives in (L. Kollár, P. Sándor, G. Szalontai, B. Heil), (393) 153

Platinum complexes, transfer of chelate ligands between (E. Rotondo, A. Giannetto, S. Lanza), (396) 115

Platinum(II), cationic five-coordinate monoolefin hydrocarbyl complexes of (A. Sanchez, C. Castellari, A. Panunzi, A. Vitagliano, V. De Felice), (388) 243

Platinum sulfur ylide complexes, preparation by phase transfer catalysis (J.S. Lai, R.F. Wu, I.J.B. Lin, M.C. Cheng, Y. Wang), (393) 431

Polydentate ligands containing pyrazole groups, cyclometallation of; synthesis of platinum(IV) complexes with tripodal $[N\text{–}C\text{–}N]^-$ ligand systems (A.J. Canty, R.T. Honeyman), (387) 247

Polynuclear palladium(II)–platinum(II) pentafluorophenyl homo- or heterometallic complexes containing bridging diphenylphosphido ligands; synthesis and crystal structure of $[(C_6F_5)_2Pt(\mu\text{-}PPh_2)_2Pt(phen)]$ (J. Forniés, C. Fortuño, R. Navarro, F. Martínez, A.J. Welch), (394) 643

Pt^0-complexes as catalyst precursors for homogeneous carbon–carbon and carbon–oxygen double bond hydrogenation (S. Paganelli, U. Matteoli, A. Scrivanti, C. Botteghi), (397) 375

trans-$Pt(\eta^1\text{-}C_3H_5)(phosphine_2)Cl$ complexes in benzene, carbon monoxide insertion into; crystal structure of *trans*-$[Pt(COCH_2CH{=}CH_2)(PPh_3)_2Cl]$ (S. Dirè, R. Campostrini, G. Carturan, M. Calligaris, G. Nardin), (390) 267

Pt(II)-η^3-benzyl complexes, synthesis of; crystal structure of $[Pt(Bu^t_2P(CH_2)_3PBu^t_2)(\eta^3\text{-}anti\text{-}1\text{-}MeCHC_6H_4Br\text{-}4)][BF_4]$ (L.E. Crascall, S.A. Litster, A.D. Redhouse, J.L. Spencer), (394) C35

$Pt(Ph_2PCH_2PPh_2)Cl_2$, phase-transfer catalysed base hydrolysis of; synthesis and crystal structure of the trinuclear compound $[Pt_3(\mu_3\text{-}O)(\mu\text{-}\eta^2\text{-}PPh_2O)_3(PPh_2Me)d3]PF_6 \cdot CHCl_3$ (I.J.B. Lin, J.S. Lai, L.-K. Liu, Y.S. Wen), (399) 361

$Pt^{II}/SnCl_2$ catalysed hydroformylation (A. Scrivanti, S. Paganelli, U. Matteoki, C. Botteghi), (3850 439

PtX_2 (X = Cl, Br, I or Me) and PdX_2 (X = Cl, Br or I) complexes with $Ph_2PCH{=}CH_2$ (X.L.R. Fontaine, D.P. Markham, B.L. Shaw), (391) 123

Rhodium and platinum complexes of tetraphenylhexapentaene; X-ray crystal structure of bis(triphenylphosphine)chloro(tetraphenylhexapentaene)rhodium (L. Song, A.M. Arif, P.J. Stang), (395) 219

Ruthenium-platinum carbonyl cluster complexes with bridging methylene, methylidyne, and carbido ligands; crystal structures of the compounds $[Ru_2Pt(\mu\text{-}CH_2)(\mu\text{-}CO)(CO)_2\{P(cyclo\text{-}C_6H_{11})_3\}(\eta\text{-}C_5H_5)_2]$, $[Ru_2Pt_2(\mu\text{-}H)(\mu_4\text{-}CH)(\mu\text{-}CO)(CO)_2(P\text{-}i\text{-}Pr_3)_2(\eta\text{-}C_5H_5)_2]$, and $[Ru_2Pt_2(\mu\text{-}H)_2(\mu_4\text{-}C)(\mu\text{-}CO)_2(P\text{-}i\text{-}Pr_3)_2(\eta\text{-}C_5H_5)_2]$ (D.L. Davies, J.C. Jeffery, D. Miguel, P. Sherwood, F.G.A. Stone), (383) 463

Stereochemistry of ring opening of cyclopropane by platinum(II) (J.B. Lambert, E.C. Chelius), (379) 187

N-Substituted 2-pyrrolidinones, synthesis via homogeneous catalytic reactions catalysed by Pt and Rh complexes of (L. Kollár, B. Heil, P. Sándor), (379) 191

Sydnone complexes with C–Pd and C–Pt σ-bonds, synthesis of; application of palladium salts for the preparation of 4-alkenylsydnones (V.N. Kalinin, She Fan Min, P.V. Petrovskii), (379) 195

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Trimethylplatinum(IV) halide complexes, $[PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

Trinuclear platinum clusters, molecular orbital study of (D.M.P. Mingos, T. Slee), (394) 679

Tris(ethylene)metals, vibrational spectra and structure of (P. Csaszar, P.L. Goggin, J. Mink, J.L. Spencer), (379) 337

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Potassium

Alkyllithium and potassium alkoxide complex bases, utilitization in the dimetallation of phenol, thiophenol, *o*-, *m*- and *p*-cresol (H. Andringa, H.D. Verkruijsse, L. Brandsma, L. Lochmann), (393) 307

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Organopotassium compounds, activation of n-butyllithium by; preparation of strongly basic systems (F. Scott, A.M. Hamese, H.G. Raubenheimer), (393) C40

Potassium hydroxide as promoter for potassium-metal catalysed side-chain alkylation of toluene (R.S. Smith, K.G. Ihrman, M.B. LeBlanc), (382) 333

Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69

Praseodymium

Phenyl lanthanide dichloride complexes, synthesis of; crystal structure of $C_6H_5GdCl_2 \cdot 4THF$ (G. Lin, Z. Jin, Y. Zhang, W. Chen), (396) 307

Rhenium

Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

η^3-Allyl(η^5-pentamethylcyclopentadienyl)dicarbonylrhenium tetrafluoroborate, $[(\eta^5\text{-}C_5Me_5)Re(CO)_2(\eta^3\text{-}C_3H_5)][BF_4]$; synthesis, structure and dynamics of *endo*- and *exo*-isomers of (R.J. Batchelor, F.W.B. Einstein, J.-M. Zhuang, D. Sutton), (397) 69

Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Darensbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191

$[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)(ClC_6H_5)]^+ BF_4^-$ chiral rhenium chlorobenzene complex, an improved functional equivalent of the chiral Lewis acid $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)]^+ BF_4^-$, preparation and reactivity of (J.J. Kowalczyk, S.K. Agbossou, J.A. Gladysz), (397) 333

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(CO)_3MC_5H_4]_2E_n$ (M = Mn, Re; E = S, Se, Te; $n = 2, 1$) M. Herberhold, M. Biersack), (381) 379

Dinitrogen, diazenido and derived isocyanide complexes of rhenium with phosphite or phosphonite ligands, syntheses and properties of (M.F.N.N. Carvalho, A.J.L. Pombeiro), (384) 121

Early-late heterobimetallic μ-alkylidene complexes, synthesis of (C.P. Casey, F.R. Askham, L.M. Petrovich), (387) C31

Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279

(η^5:η^5-Fulvalene)bimetallic compounds derived from (η^5:η^5-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

Hexahydrido(η^5-pentamethylcyclopentadienyl)rhenium(VII), $(\eta^5\text{-}C_5Me_5)ReH_6$, reactions of; gas-phase and crystal structure of (W.A. Herrmann, H.G. Theiler, P. Kiprof, J. Tremmel, R. Blom), (395) 69

^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85

Hydrido-carbonyl rhenium cluster chemistry, coordination and reduction of isocyanide ligands in; synthesis and characterization of the anion $[Re_3(\mu\text{-}H)_4(CO)_9(CNR)]^-$ and of the formimidoyl derivative $[Re_3(\mu\text{-}H)_3(CO)_9(\mu\text{-}\eta^2\text{-}C(H)=NR)(PMe_2Ph)]^-$ ($R = C_6H_{11}$) (T. Beringhelli, G. D'Alfonso, M. Freni, G. Ciani, M. Moret, A. Sironi), (399) 291

Hydrocarbon-bridged metal complexes, $(OC)_5M(CH_2)_nM(CO)_5$, (M = Mn, $n = 2$; M = Re; $n = 2$; $n = 3$), synthesis from dimethyl ether of the bistriflates $Y(CH_2)_nY$ ($Y = F_3CSO_2O$) and carbonyl metalates $[M(CO)_5]^-$ of (E. Lindner, M. Pabel, K. Eichele), (386) 187

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

cis-$M(CO)_4(PPh_3)CH_2I$ (M = Mn, Re), synthesis and rearrangement of (S.K. Mandal, D.M. Ho, M. Orchin), (397) 313

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Methyltrioxorhenium(VII) metallo-acid, addition of anionic and neutral bases to; crystal structure of a 2,2′-bipyridinium perrhenate (W.A. Herrmann, J.G. Kuchler, P. Kiprof, J. Riede), (395) 55

$[Mn(CO)_5Br]$ and $Re[CO]_5Br]$, Pd-catalysed carbonyl ligand substitution reactions with isocyanides of (N.J. Coville, P. Johnston, A.E. Leins, A.J. Markwell), (378) 401

Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57

2,4-Pentadienylrhenium(III) complex, intramolecular alkyne/allyl coupling to (R.A. Fischer, W.A. Herrmann), (377) 275

Pentamethylcyclopentadienylcarbonylrhenium chiral complex, $[(\eta^5\text{-}C_5Me_5)Re(NO)(PPh_3)(CO)]^+ BF_4^-$, optical resolution and absolute configuration of (Y.-H. Huang, F. Niedercorn, A.M. Arif, J.A. Gladysz), (383) 213

α-Pyridine, quinoline, and isoquinoline complexes of the formula $[(\eta^5\text{-}C_5H_5)Re(NO)(PPh_3)(NC_xH_y)]^+ CF_3SO_3^-$, syntheses and structures of (M.A. Dewey, A.M. Arif, J.A. Gladysz), (384) C29

Rhenium chemistry applied in catalysis (*review*) (W.A. Herrmann), (382) 1

Rhenium oxo and methylimido complexes with oxygen, sulphur and nitrogen chelates; synthesis, elimination reactions and structural analysis (W.A. Herrmann, D.W. Marz, E. Herdtweck), (394) 285

Sodium pentacarbonylrhenate(1−), reactions with activated acetylenes of; formation of rhenacyclobutenone complexes (L.L. Padolik, J. Gallucci, A. Wojcicki), (383) C1

Tricarbonylrhenium halide complexes, *fac*-$[ReX(CO)_3\{(C_5H_4ECH_3)_2Fe\}]$ (X = Cl. Br, I; E = S, Se); crystal structure of chloro-1,1′-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (383) 253

Trichloro(carbonyl)tris(dimethylphenylphosphine)rhenium(III), photochemistry in low temperature media (A.J. Rest, M.J. Wilson, E.C. Barra, P.G. Reveco), (394) C21

Trimethylphosphine and tricyclohexylphosphine complexes, $(\eta^5\text{-}C_5Me_5)Re(CO)(PR_3)(N_2)$ (R = Me, cyclo-C_6H_{11}), companion of inter- and intra-molecular C–H activation reactions of; X-ray structure of $(\eta^5\text{-}C_5Me_5)Re[\eta^2\text{-}C_6H_{10}P(C_6H_{11})_2](H)(CO)\cdot 0.5C_6H_{14}$ (J.M. Aramini, F.W.B. Einstein, R.H. Jones, A.H. Klahn-Oliva, D. Sutton), (385) 73

Rhodium

Alkenyl-dirhodium complexes, syntheses, structures, and reactions of; coupling μ-methylene and σ-vinyl to allyl, an entry to μ-ethylidene-μ-methylene dirhodium complexes; crystal structures of $[\{(C_5Me_5Rh)(\mu\text{-}CH_2)(CH{=}CH_2)\}_2]$ and $[(C_5Me_5Rh)_2(\mu\text{-}CH_2)(\mu\text{-}CHMe)Cl_2]$ (J. Martinez, J.B. Gill, H. Adams, N.A. Bailey, I.M. Saez, G.J. Sunley, P.M. Maitlis), (394) 583

η^1- or η^3-Alkylallylrhodium(III) complexes, reductive elimination of; synthesis of β,γ-unsaturated ketones (C.-H. Jun), (390) 361

Alkylidynetungsten complexes $[W(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (R = Me or C_6H_4Me-4), reactions with $[Rh_2(\mu\text{-}SPh)_2(COD)_2]$ of; crystal structure of $[W_2Rh_2(\mu\text{-}CMe)(\mu_3\text{-}CMe)(\mu\text{-}SPh)_2(CO)_4(\eta\text{-}C_5H_5)_2]$ (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315

(Alkynyl)(vinyl)rhodium(III) complexes intermediate in dimerization of 1-alkynes catalysed by $RhCl(PMe_3)_3$ (I.P. Kovalev, K.V. Yevdakov, Yu. A. Strelenko, M.G. Vinogradov, G.I. Nikishin), (386) 139

Allyldiphenylphosphine, isomerization to (*Z*)-1-propenyldiphenylphosphine in rhodium(I) complexes of (A. Jegorov, F. Tureček), (379) C5

C-Allylglycine-rhodium and -iridium complexes; preparation, structure and reactions of (I. Zahn, B. Wagner, K. Polborn, W. Beck), (394) 601

Arsenic-molybdenum-rhodium cluster, formation by reaction of $As(C_5H_5)_3Mo_3(CO)_6$ with $C_5H_5Rh(CO)_2$ (H.-P. Neumann, M.L. Ziegler), (377) 255

Azadiphosphetine ring system $RP\overline{(NR')P{=}CR'}$ (R = Et_3C, R' = Bu^t), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89

Carbon dioxide in the presence of $RhCl(CO)(PPh_3)_2$ and $IrCl(CO)(PPh_3)_2$, electrochemical reduction of (A. Szymaszek, F.P. Pruchnik), (376) 133

Chiral $(\eta^5\text{-}C_9H_7)$Rh(diphosphine) complexes, stereochemistry of (F. Morandini, G. Consiglio), (390) C64

Classical and nonclassical transition metal dihydrides, distinct reaction pathways for (C. Bianchini, M. Peruzzini, F. Zanobini), (390) C16

$[(\eta^5\text{-}C_5Me_5)(CO)Rh^I(F_3CPCF_2)_2Rh^{III}(CO)(\eta^5\text{-}C_5Me_5)]$, isolation and molecular structure of (J. Grobe, D. Le Van, B. Krebs, M. Dartmann, F.G.A. Stone, J. Szameitat), (399) 189

Cobalt and rhodium fulvene complexes, synthesis and structure (D. Rau, U. Behrens), (387) 219

3,4-Diborafulvene as bridging ligand in a novel slipped tripledecker complex (G.E. Herberich, C. Ganter, L. Wesemann, R. Boese), (394) C1

Dihydrobis(triphenylphosphine)rhodium(III) complexes of aromatic N-donor carboxylates, ^{15}N NMR spectra of (L. Carlton, M.-P. Belciug), (378) 469

β-Diketonatocyclooctadienerhodium(I) complexes, kinetics of the substitution of the cyclooctadiene ligand by triphenylphosphite (J.G. Leipoldt, G.J. Lamprecht, E.C. Steynberg), (397) 239

Di-μ-iododi-η^1-methylbis(η^5-pentamethylcyclopentadienylrhodium) and related complexes (A.R. Kunicki, K. Isobe, P.M. Maitlis), (399) 199

Dinuclear (M, M') complexes with $[CH_2(C_5H_4)_2]^{2-}$ as bridging ligands (D. Schneider, H. Werner), (384) C33

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

Dirhodium complexes with asymmetric bridging ligands, synthesis and characterization of (C. Carriedo), (379) 331

Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279

($\eta^5:\eta^5$-Fulvalene)bimetallic compounds derived from ($\eta^5:\eta^5$-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

Heterobinuclear complexes $[WM(CO)_3(PPh_3)_2(\eta^5\text{-}C_5H_5)]$ (M = Rh, Cu), ^{13}C and ^{31}P NMR studies on geometrical non-rigidity in (W.E. Lindsell, P.J. Tomb), (378) 245

Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of $[H(CO)(PPh_3)_2Ru(\mu\text{-}Cl)(\mu\text{-}pz)Ir(TFB)]$ (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne $[HB(pz)_3](CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Hexarhodium hexadecacarbonyl, diene derivatives of; molecular structures of $Rh_6(CO)_{14}(\eta^4\text{-}CH_2C(Me)C(Me)CH_2)$ and $Rh_6(CO)_{12}(\eta^4\text{-}CH_2C(Me)C(Me)CH_2)_2$, and their substitution reactions with bis(diphenylphosphino)methane (Z. Hou, Y. Wakatsuki, H. Yamazaki), (399) 103

$[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

Hydrocarboxylation of isoprene catalysed by iodocarbonylrhodium derivatives (L. Garlaschelli, M. Marchionna, M.C. Iapalucci, G. Longoni), (378) 457

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

$[M(COD)(\mu\text{-}L)]_2$ (M = Rh, Ir; L = substituted hydroxypyridinate), variable temperature ^1H NMR studies of (G.S. Rodman, K.R. Mann), (378) 255

$(Me_3P)_3Rh(Me)$, reaction with toluene to give $(Me_3P)_3Rh(Ar)$ (Ar = *o*-, *m*- and *p*-tolyl) of (R.T. Price, R.A. Andersen, E.L. Muetterties), (376) 407

Metal carbonyl complexes, dinitrogen monoxide induced carbon–hydrogen activation by (C. Barrientos, C.K. Ghosh, W.A.G. Graham, M.J. Thomas), (394) C31

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metallacyclobutarenes from cyclopropa[*b*]naphthalene, reactions with rhodium(I), platinum(0) and palladium(0) (P.J. Stang, L. Song, B. Halton), (388) 215

Migration of a hydride ligand to a difluorocarbene ligand bound to rhodium; synthesis and crystal structure of $RhCl_2(CF_2H)(PPh_3)_2$ (A.K. Burrell, G.R. Clark, J.G. Jeffrey, C.E.F. Rickard, W.R. Roper), (388) 391

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Near-linear Rh_2Mo trinuclear complex $[(\eta^5\text{-}C_5H_5)Rh(\mu\text{-}CO)(\mu\text{-}Ph_2PC_5H_4N)Rh(CO)Mo(CO)_3(\eta^5\text{-}C_5H_5)]$, synthesis and crystal structure of (S. Lo Schiavo, F. Faraone, M. Lanfranchi, A. Tiripicchio), (387) 357

Nitrosoarene complexes of rhodium(III), iridium(III), copper(I) and mercury(II), mode of bonding in (G. Vasapollo, C.F. Nobile, A. Sacco, B.G. Gowenlock, L. Sabbatini, C. Malitesta, P. Zambonin), (378) 239

Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57

Phenylacetylide iridium(I) and rhodium(I) complexes, synthesis and reactions of (M.J. Fernández, M.A. Esteruelas, M. Covarrubias, L.A. Oro), (381) 275

Phospharhodacyclopentanes, synthesis by C–Cl bond into rhodium uncoordinated complexes of (E. Lindner, R. Fawzi, K. Pohmer), (385) C13

Phosphido-bridged molybdenum, rhodium, and iron complexes; optical activity of (H. Brunner, H. Peter), (393) 401

Platinum and rhodium catalysed carbonylation (hydroformylation and hydrocarbaloxylation) and enantioselective carbonylation of some methacrylic acid derivatives (G. Consiglio, L. Kollár, R. Kölliker), (396) 375

Polymetallic compounds of extended polyaromatic ligands; rhenium and manganese carbonyl derivatives of truxene (T.L. Tisch, T.J. Lynch, R. Dominquez), (377) 265

$Rh(acac)\{P(OPh)_3\}_2$ modified with amines as catalyst for hex-1-ene hydroformylation; formation of reactive $HRh(CO)\{P(OPh)_3\}_3$ and unreactive $Rh_4(CO)_8\{P(OPh)_3\}_4$ species (A.M. Trzeciak), (390) 105

$[RhCl(cyclo\text{-}C_8H_{12})(phosphine)]$, mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniec, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319

cis-$Rh(COD)(phosphine)_2^+$ influence of rigid cyclic phosphine ligands on inner coordination shell

dynamics and catalysed olefin hydrogenation/isomerization in (R.J. Topping, L.D. Quin, A.L. Crumbliss), (385) 131

$[Rh(CO)_2I_2]^-$, oxidative addition of iodomethane to; factors influencing the key step in methanol and methyl acetate carbonylation (A. Fulford, C.E. Hickey, P.M. Maitlis), (398) 311

Rh complexes containing optically active iron compounds as ligands, enantioselective catalysis with; crystal structure of $CpFe(CO)(COMe)PPh_2ORh(COD)$ (H. Brunner, R. Eder, B. Hammer, U. Klement), (394) 555

$[RhH(PPh_3)_4]$, reaction with thiols; ^1H and ^{31}P NMR study (L. Carlton, Z. Bulbulia), (389) 139

Rhodium and platinum complexes of tetraphenylhexapentaene; X-ray crystal structure of bis(triphenylphosphine)chloro(tetraphenylhexapentaene)rhodium (L. Song, A.M. Arif, P.J. Stang), (395) 219

Rhodium-β-diketonate complexes of diphosphines and pyridyl-substituted diphosphines, dichloromethane addition to (P.J. Fennis, P.H.M. Budzelaar, J.H.G. Frijns, A.G. Orpen), (393) 287

Rhodium catalysed dimerization of vinyl ketones, NMR study of dynamic behaviour of intermediate η^2- and η^4-methyl vinyl ketone-rhodium(I) (I.P. Kovalev, Yu.N. Kolmogorov, Yu.A. Strelenko, A.V. Ignatenko, M.G. Vinogradev, G.I. Nikishin), (385) 173

Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209

Rhodium-catalyzed reactions of 1-alkynes with 3-butenoic acid, multiple pathways in (G. Salerno, M. Panza, G.P. Chiusoli, M. Costa), (394) 569

Rhodium complexes, immobilization in aqueous HBF_4; enantioselective hydrogenation of prochiral olefins with $\{[CH_3CHP(p\text{-}C_6H_4NMe_2H)_2CH_2CHP(p\text{-}C_6H_4NMe_2H)_2CH_3]RhNBD\}^{5+}$ (I. Tóth, B.E. Hanson, M.E. Davis), (396) 363

Rhodium complexes with chiral cationic water soluble ligands, immobilization on Nafion–H and other strongly acidic cation exchange resins (I. Tóth, B.E. Hanson, M.E. Davis), (397) 109

Rhodium hydride complexes with phosphite/phosphito ligands, syntheses and reactions with isocyanates; X-ray crystal structure of $HRh\{[P(OMe)_2O]_2H\}_2(PPh_2Me)$ (A. Varshney, G.M. Gray), (391) 415

Rhodium(I), complexation with 5-hydro-3,8-*R*,*R*-1,6-dioxa-4,9-diaza-5-phosphaspiro[4.4]nonane (E.E. Nifantyev, K.N. Gavrilov, G.I. Timofeeva, A.T. Teleshev, S.N. Krasnokutsky, E.Y. Zhorov, V.A. Pavlov, E.I. Klabunovsky), (397) 245

Rhodium(I) and iridium(I) complexes of the dianions of 2,3-pyrazinedicarboxylic and 2,5-pyrazinedicarboxylic acid, synthesis and reactivity of (J.C. Bayón, G. Net, J. Real, P.G. Rasmussen), (385) 409

Rhodium(I) complexes containing 4-pyridylmethylene-4′-alkoxyanilines; formation of liquid crystals by coordination of non-mesogenic organic ligands (M.A. Esteruelas, E. Sola, L.A. Oro, M.B. Ros, M. Marcos, J.L. Serrano), (387) 103

Rhodium(I) complexes with 1,*n*-bis(diphenylphosphino)alkane ligands ($n = 3$–6) (M.A. Garralda, L. Ibarlucea), (377) 367

Rhodium(I) fluorothiolate derivatives, catalytic activity of; crystal structure of $[Rh(\mu\text{-}SC_6H_4F)(CO)_2]_2$ (C. Claver, A.M. Masdeu, N. Ruiz, C. Foces-Foces, F.H. Cano, M.C. Apreda, L.A. Oro, J. Garcia-Alejandre, H. Torrens), (398) 177

Rhodium(III), iridium(III), and ruthenium(II) optically active pseudoctahedral complexes with α-amino acidato ligands; crystal structures of $R_{Ir}S_CS_N$- and $S_{Ir}S_CS_N[(C_5Me_5)Ir(pro)Cl]\cdot\frac{1}{2}H_2O$ (Hpro = L-proline) (D. Carmona, A. Mendoza, F.J. Lahoz, L.A. Oro, M.P. Lamata, E. San Jose), (396) C17

Rhodium(I) immobilised complexes as catalysts for heterogenic enantioselective hydration reactions (H. Brunner, E. Bielmeier, J. Wiehl), (384) 223

Rhodium(I) olefin complexes, reactions with (2-(2-methoxyethoxy)ethyl)diphenylphosphine; an NMR spectroscopic study of (V.V.S. Reddy, A. Varshney, G.M. Gray), (391) 259

Rhodium(I)- or ruthenium(II)-catalysed direct coupling of vinyl ketones with aldehydes and the subsequent reduction to give aldol derivatives *anti*-selectively (S. Sato, I. Matsuda, M. Shibata), (377) 347

Rhodium-osmium clusters derived from the reaction of $(\mu\text{-}H)_2Os_3(CO)_{10}$ with $(\eta^5\text{-}C_5H_5)Rh(CO)_2$, syntheses and structures of (A. Colombie, D.A. McCarthy, J. Krause, L.-Y. Hsu, W.-L. Hsu, D.-Y. Jan, S.G. Shore), (383) 421

Rhodium/picolineoxazoline catalyst, use in enantioselective hydrosilylation of acetophenone (H. Brunner, P. Brandl), (390) C81

Ruthenium and rhodium bis(benzotriazol-1-yl)borato complexes (J. Cartwright, A. Harman, A.F. Hill), (396) C31

Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

Square-planar $MCl(CX)[P(i\text{-}Pr)_3]_2$ complexes of rhodium and iridium (X = O and CH_2), bonding in and UV photoelectron spectroscopy and DV-Xα calculations of (C. Cauletti, F. Grandinetti, G. Granozzi, M. Casarin, H. Werner, J. Wolf, A. Höhn, F.J. Garcia Alonso), (382) 445

N-Substituted 2-pyrrolidinones, synthesis via homogeneous catalytic reactions catalysed by Pt and Rh complexes of (L. Kollár, B. Heil, P. Sándor), (379) 191

Tetrarhodium substituted carbonyl clusters, reaction kinetics of (N.M.J. Brodie, A.J. Poë), (383) 531

Tosyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195

Transition metal carbonyl cluster compounds, fast atom bombardment mass spectrometry of (S. Naylor, M.D. Vargas), (386) 275

Transition metals, diene complexes of (A. Nakamura), (400) 35

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS) and catalytically useful rhodium complexes, purification of (W.A. Herrmann, J.A. Kulpe, W. Konkol, H. Bahrmann), (389) 85

Unsaturated amides, reactions under hydroformylation conditions of (L. Kollár, G. Consiglio, P. Pino), (386) 389

Ruthenium

Acetyl and formyl ligands bound to transition metal auxiliaries, conformational analyses of (S.G. Davies, A.J. Smallridge), (397) C13

Acrylonitrile, insertion reactions with hydridocarbonylbis(triphenylphosphine)ruthenium(II) carboxylates of (S.S. Deshpande, S. Gopinathan, C. Gopinathan), (378) 103

Alkene- and alkyne-pentamethylcyclopentadienyldicarbonyliron complexes synthesis via the aquo derivative $[Fe(\eta\text{-}C_5Me_5)(CO)_2(OH_2)]^+ BF_4^-$ of; crystal structure of the ruthenium analogue (A. Tahiri, V. Guerchais, L. Toupet, C. Lapinte), (381) C47

Alkenyl carbonyl ruthenium(II) complexes, reaction with t-butyl isocyanide; synthesis of η^1-acylruthenium(II) complexes by intramolecular CO insertion (J. Montoya, A. Santos, A.M. Echavarren, J. Ros), (390) C57

Alkenylruthenium complexes, carbonylation of; formation of alkene or acyl complexes (M.R. Torres, A. Perales, H. Loumrhari, J. Ros), (384) C61

Alkyl-, acyl-, silyl- and hydrido-ruthenium complexes, synthesis via nucleophilic iodo-ruthenates(0) of; crystal structure of glyoxalbis(isopropylimine)(η^4-norborandiene)methyliodoruthenium (W. Rohde, H. tom Dieck), (385) 101

μ-Amidocarbonylruthenium complexes, bridging in; crystal structure of $[Ru_3(\mu\text{-}H)(\mu\text{-}H_3N_2\text{-}4,5\text{-}Me_2\text{-}1,2\text{-}phenylene)]$ (J.A. Cabeza, V. Riera, M.A. Pellinghelli, A. Tiripicchio), (376) C23

Arene-bis(ethylene)-ruthenium and -osmium complexes, protonation of (M.A. Bennett, I.J. McMahon, S. Pelling), (382) 175

Areneruthenium(II) complexes, carbene derivatives of; one step preparation from terminal alkynes (D. Devanne, P.H. Dixneuf), (390) 371

η^6-Arene-ruthenium(II) complexes of α-amino acids with coordinating side chains, synthesis and structural characterization of (W.S. Sheldrick, S. Heeb), (377) 357

2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

Bidentate P,P or P,As ligands (L–L) in $HRu_3(C{\equiv}CBu^t)(CO)_7(L\text{–}L)$, chelating and bridging behaviour of (E. Sappa, G. Predieri, A. Tiripicchio, C. Vignali), (378) 109

Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109

Binuclear ruthenium clusters, chiral modification of; development of enantioselective hydrogenation catalysts (J.-L. Wolfender, F. Neumann, G. Süss-Fink), (389) 351

2,2′-Bipyridine- or 1,10-phenanthroline-ruthenium(II) complexes, photochemical reduction of carbon dioxide to formate catalyzed by (J.-M. Lehn, R. Ziessel), (382) 157

Biruthenocene, synthesis of; NMR spectroscopic study of the products of the reaction of biruthenocene with Lewis acids (M. Watanabe, S. Kawata, H. Sano, I. Motoyama), (399) 301

Bis(dimethylgermyl)alkaneruthenium tetracarbonyls, synthesis and cleavage reactions of (J. Barrau, N. Ben Hamida, J. Satgé), (395) 27

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2(HONCMe_2)_2$ and of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}ONCMe_2)_2[S(CH_2Ph)_2]_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

Carbonyl-alkyl and carbonyl-acyl bipyridyl ruthenium complexes, terminal alkynes as source of (C. Mountassir, T. Ben Hadda, H. Le Bozec), (388) C13

Carbonyl ligands from alkynes; oxidative decarbonation of acetylide bridged complexes (W. Bernhardt, H. Vahrenkamp), (383) 357

$[(\eta^5\text{-}C_5H_5)(PMe_3)_2Ru{=}C{=}C(Me)Ph]^+$ cationic ruthenium vinylidene complex, stereoselective reaction with sodium cyanide (S.G. Davies, A.J. Smallridge), (395) C39

$[(\eta^5\text{-}C_5H_5)Ru(PPh_3)_2(NH_3)]PF_6$ and $[(\eta^5\text{-}C_5H_5)Ru(PPh_3)(CN^tBu)(NH_3)]PF_6$, preparation and X-ray crystal structures of (F.M. Conroy-Lewis, S.J. Simpson), (396) 83

$[(\eta^5\text{-}C_5H_5)Ru(PPh_3)(NO)(Cl)]PF_6$ six-coordinate ruthenium nitrosyl complex, synthesis and crystal structure of (F.M. Conroy-Lewis, A.D. Redhouse, S.J. Simpson), (399) 307

$[\{(\eta^6\text{-}C_6Me_6)_2Ru_2H_4\}RuB_{10}H_8(OEt)_2]$, products of the reaction with carbon monoxide; NMR studies and crystal structure of $[\{(\eta^6\text{-}C_6Me_6)_2Ru_2H_2(CO)_2\}RuB_{10}H_8(OEt)_2]$ (M. Bown, J.M. Waters, X.L.R. Fontaine, J.D. Kennedy), (390) 379

$[\eta^5\text{-}C_5Me_5RuOMe]_2$ and $[(\eta^5\text{-}C_5Me_5Ru)_3(\mu_3\text{-}OMe)_2]PF_6$, comparison of molecular structures of (U. Kölle, J. Kossakowski, R. Boese), (378) 449

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

$Cp_2Mo_2Ru_3(CO)_{10}(C{\equiv}CPh)_2$ pentanuclear heterometallic acetylide complex, synthesis and crystal structure of (D.-K. Hwang, Y. Chi, S.-M. Peng, G.-H. Lee), (389) C7

$CpM(SnPh_3)(CO)_2$ (M = Fe, Ru), carbene formation from; crystal structures of CpFeI(CO){=C(OEt)Ph}, CpRuI(CO){=C(OEt)Ph} and CpRuI(CO){=C(NHMe)Ph} (H. Adams, N.A. Bailey, C. Ridgway, B.F. Taylor, S.J. Walters, M.J. Winter), (394) 349

$[CpRu(CO)_2]_2$, infrared spectra in liquid xenon solution in the presence of proton donors (B.V. Lokshin, A. Ginzburg, S.G. Kazaryan), (397) 203

$Cp^*Ru(OMe)PCy_3$ and Cp^*RuHL_2 (L = $PCyPh_2$, PCy_2H), reactivity of; preparation from $[Cp^*Ru(OMe)]_2$ and bulky phosphines (B. Chaudret, A. Duteil, X.D. He), (393) C45

(η^4-1,5-Cyclooctadiene)(η^6-1,2,3,4,-tetramethylfulvene)ruthenium, formation of, ligand arrangement in and molecular structure of (U. Kölle, B.-S. Kang, U. Thewalt), (386) 267

Cyclopentadienylcyclooctadienylhydridoruthenium, rearrangements in (U. Kölle, B.-S. Kang, G. Raabe, C. Krüger), (386) 261

Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1

Cyclopentadienylruthenium complex molecules, cation formation, by $CpRu^+$ cation during reflux in alcohols or glycols of (T. Wilczewski), (382) 431

Decaruthenium hydrido cluster; synthesis and crystal structure of $[N(PPH_3)_2]_2[Ru_{10}C(CO)_{24}]\cdot C_6H_{14}$ and $[N(PPh_3)_2][HRu_{10}C(CO)_{24}]$ (P.J. Bailey, B.F.G. Johnson, J. Lewis, M. McPartlin, H.R. Powell), (377) C17

Diene-ruthenium(II) complexes of sulphur-containing α-amino acids, synthesis and stereochemistry of (W.S. Sheldrick, R. Exner), (386) 375

[Diphenylboratobis(η^5-cyclopentadienyl,η^6-phenylruthenium(II)]$^+$ cation, formation mechanism of (T. Wilczewski), (376) 385

Directly bonded zirconium–ruthenium heterobimetallic complexes, synthesis and reactions of (C.P. Casey), (400) 205

Diruthenium-diphosphane pyrazolato-bridged clusters, reactions of; synthesis and solid state structure of $(\mu_2\text{-}H)Ru_2(CO)_3(\mu_2\text{-}\eta^2\text{-}3,5\text{-}Me_2N_2C_3H)_2[\mu_1\text{-}\eta^2\text{-}PPh_2CH_2CH_2PPh(C_6H_4)]$ (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 151

Formates, homogeneous activation of the C–H bond in; decarbonylation of formates to alcohols (G. Jenner, E.M. Nahmed, H. Leismann), (387) 315

Gold and ruthenium compounds (M.I. Bruce), (400) 321

Heterodinuclear Ru–Ir and Ru–Rh complexes, synthesis and catalytic activity of; crystal structure of $[H(CO)(PPh_3)_2Ru(\mu\text{-}Cl)(\mu\text{-}pz)Ir(TFB)]$ (pz = pyrazolate, TFB = tetrafluorobenzobarrelene) (M.P. García, A.M. López, M.A. Esteruelas, F.J. Lahoz, L.A. Oro), (388) 365

Heterotetranuclear anionic clusters, $[MCo_3(CO)_{12-2n}(C_2Ph_2)_n]^-$ (M = Fe, Ru; $n = 0$, 1), redox behaviour of (R. Jund, J. Rimmelin, M. Gross), (381) 239

^{199}Hg NMR of mercury-bridged transition metal clusters (S. Hajela, E. Rosenberg, R. Gobetto, L. Milone, D. Osella), (377) 85

$[HRu_5C(CO)_{14}(C_5H_4N)]$, synthesis and crystal structure of two isomers of (G. Conole, M. McPartlin, H.R. Powell, T. Dutton, B.F.G. Johnson, J. Lewis), (379) C1

$[H_2Ru_4(CO)_{13}]$, polymorphism and multiple independent molecules in (A.L. Rheingold, B.S. Haggerty, G.L. Geoffroy, S.-H. Han), (384) 209

$[HRu_3(CO)_{11}]^-$ anionic cluster, reactions with phosphor- and arsene-containing ligands; synthesis and crystal structure of $H_2Ru_3(CO)_7(AsPh_3)_2(AsPh)$ (G. Gremaud, H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (388) 351

$[HRu_3(CO)_{11}]^-$ as catalyst in isomerisation of allyl alcohol to propanal (M. Langenbahn, K. Bernauer, G. Süss-Fink), (379) 165

$[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

$[HRu_3(CO)_8(PPh_3)(PPhC_6H_4)]^-$, reactions with Br_2 and I_2 of; synthesis and molecular structure of $Ru_2(CO)_5(PPh_3)(\mu_2\text{-}PPh_2)(\mu_2\text{-}I)$ (H. Jungbluth, H. Stöckli-Evans, G. Süss-Fink), (377) 339

Hydrotris(pyrazol-1-yl)boratoruthenium(II) complexes, synthesis of (A.F. Hill), (395) C35

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

$LWRu_2(CO)_8(\mu\text{-}H)(\mu_3\text{-}NPh)$, L = Cp and Cp^*, imido complex; reaction with the tungsten acetylide complex $CpW(CO)_3C{\equiv}CPh$ (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Metalladiborane anions, $[M(CO)_4(\eta^2\text{-}B_2H_5)]^-$ (Fe, Ru, Os), addition of electrophiles to (T.J. Coffy, S.G. Shore), (394) C27

Methyl-, acetyl- and allyl-ruthenium carbidocarbonyl clusters, syntheses and structures of (T. Chihara, K. Aoki, H. Yamazaki), (383) 367

Mixed-metal carbide clusters, $[MnRu_3C(CO)_{13}]^-$, $[MnOs_3C(CO)_{13}]^-$, $[Cr_2Ru_3C(CO)_{16}]^{2-}$, $[Mo_2Ru_3C(CO)_{16}]^{2-}$, $[Rh_3Ru_3C(CO)_{15}]^-$, $[Ni_3Ru_3C(CO)_{13}]^{2-}$ and $[Co_3Ru_3C(CO)_{15}]^-$; preparation via the ketenylidene route (M.P. Jensen, W. Henderson, D.H. Johnston, M. Sabat, D.F. Shriver), (394) 121

Mixed-metal cluster compound $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$, synthesis and X-ray structure analysis of (P.J. McCarthy, I.D. Salter, K.P. Armstrong, M.M. McPartlin, H.R. Powell), (377) C73

Mixed-metal clusters containing $M\{P(CH_2Ph)_3\}$ (M = Cu or Ag) fragments, influence of $P(CH_2Ph)_3$ ligand on the metal framework structures adopted by; crystal structures of $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{\mu\text{-}P(CH_2Ph)_2(\eta^2\text{-}CH_2Ph)\}]$ and $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711

Neutral transition metal polyhydrides, reactivity in catalytic transfer hydrogenation of ketones of, (Y. Lin, Y. Zhou), (381) 135

Open Ru_5 cluster, reactions of (M.I. Bruce), (394) 365

Organometallic compounds, design and application of a reflux modification for synthesis using microwave dielectric loss heating effects of (D.R. Baghurst, D.M.P. Mingos), (384) C57

$[Os(\eta^6\text{-}C_6H_6)(\eta^6\text{-}[2_2](1,4)C_{16}H_{16})][BF_4]_2$, synthesis and crystal structure of; synthesis and NMR characterisation of the trinuclear heterometallic complex $[(\eta^6\text{-}C_6H_6)Os(\eta^6,\eta^6\text{-}[2_2](1,4)C_{16}H_{16})Ru(\eta^6,\eta^6\text{-}[2_2](1,4)C_{16}H_{16})Os((\eta^6\text{-}C_6H_6)][BF_4]_6$ (M.R.J. Elsegood, D.A. Tocher), (391) 239

Osmium and iridium series $[MLCl(PPh_3)_2(OSA)]$ (ML = OsNO, IrCO; A = O, CH_2, S, NR; R = *o*-tolyl, *p*-tolyl and *p*-tosyl), (M. Herberhold, A.F. Hill) (387) 323

Osmium and ruthenium complexes containing tetrafluoroethylene and maleic anhydride ligands, synthesis and structure of (A.K. Burrell, G.R. Clark, C.E.F. Rickard, W.R. Roper, D.C. Ware), (398) 133

Osmium phosphido (PH_2) complexes (D.S. Bohle, G.R. Clark, C.E.F. Rickard, W.R. Roper), (393) 243

Pentaphenylcyclopentadienyl ligand, stereochemical and kinetic consequences of binding of; crystal structure of $Ru(C_5Ph_5)(CO)(PPh_3)Br$ (H. Adams, N.A. Bailey, A.F. Browning, J.A. Ramsden, C. White), (387) 305

$(PhCOO)_2(PPh_3)_2(CO)_2Ru$, stereochemistry assignments and X-ray crystal structure determination of (M. Rotem, Z. Stein, Y. Shvo), (387) 95

$[Ph_3PCH_2CH_2PPh_3^{2+}][Ru_{10}(\mu_6\text{-}C)_2(CO)_{20}(\mu\text{-}CO)_4^{2-}]\cdot 2Me_2CO$, crystal structure of; the severely disordered structure of $[NEt_4^+]_2[Ru_{10}(\mu_6\text{-}C)_2(CO)_{20}(\mu\text{-}CO)_4^{2-}$ (M.R. Churchill, C. Bueno, A.L. Rheingold), (395) 85

$(PMe_3)_4Ru(OC_6H_4Me)_2$, phosphorus–carbon bond cleavage reaction of coordinated trimethylphosphine in (J.F. Hartwig, R.G. Bergman, R.A. Andersen), (394) 417

Rhodium(III), iridium(III), and ruthenium(II) optically active pseudoctahedral complexes with α-amino acidato ligands; crystal structures of $R_{Ir}S_CS_N$- and $S_{Ir}S_CS_N[(C_5Me_5)Ir(pro)Cl]\cdot\frac{1}{2}H_2O$ (Hpro = L-proline) (D. Carmona, A. Mendoza, F.J. Lahoz, L.A. Oro, M.P. Lamata, E. San Jose), (396) C17

Rhodium(I)- or ruthenium(II)-catalysed direct coupling of vinyl ketones with aldehydes and the subsequent reduction to give aldol derivatives *anti*-selectively (S. Sato, I. Matsuda, M. Shibata), (377) 347

$RuBr_2(CO)[=C(C_6H_4PPh_2)_2]$ bimetallacyclic carbene complex of ruthenium; synthesis, structure, and reactions of (L.M. Boyd, G.R. Clark, W.R. Roper), (397) 209

$Ru(C[C_4H_3N]SCNMe_2S)(\eta^2\text{-}S_2CNMe_2)(CO)(PPh_3)$, synthesis and reactions of; crystal structure of $[Ru\{=C(SCNMe_2S)(2\text{-pyrrolyl})\}(\eta^2\text{-}S_2CNMe_2)(CO)(PPh_3)]^+$ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9

$[RuClH(CO)(PPh_3)_3]$, reactions with diphenylbutadiyne and bis(phenylethynyl)mercury (A.F. Hill, R.P. Melling), (396) C22

$[Ru_3(CO)_{12}]$ and $[Os_3(CO)_{12}]$, halogenation behaviour of bidentate ligand-bridged derivatives of (J.S. Field, R.J. Haines, J.A. Jay), (395) C16

$Ru_3(CO)_9B_2H_6$, metal-rich ruthenaborane analogue of pentaborane(9) and model for triruthenium supported unsaturated hydrocarbon (A.K. Chipperfield, C.E. Housecroft, D.M. Matthews), (384) C38

$Ru_3(CO)_6(CH_3C{=}CHCH{=}NC_3H_7\text{-}i)_2$, electronic structure as indicated by UV-photoelectron spectroscopy and DV-Xα quantum mechanical calculations (M. Casarin, R. Bertoncello, G.A. Rizzi, C.J. Elsevier, W.P. Mul, K. Vrieze, A. Vittadini), (396) 73

$Ru[=C(OC_6H_4O)(2\text{-}N\text{-methylpyrrolyl})]I(CO)(PPh_3)_2$, synthesis and crystal structure of (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C5

$Ru(CO)ClH(C_5H_5N)(PPh_3)_2$, reactions with 1-alkynes (A. Romero, A. Santos, J. López, A.M. Echavarren), (391) 219

$Ru(CO)Cl(RC{=}CHR')(PPh_3)_2$ reactions with carboxylates of; crystal structure of $Ru(O_2CMe)(CO)(HC{=}CHPh)(PPh_3)_2$ (M.R. Torres, A. Perales, H. Loumrhari, J. Ros), (385) 379

$Ru(CO)HCl(PPh_3)_3$, bis-insertion reactions with methyl propiolate of; formation of (methoxycarbonylethenyl)triphenylphosphonium chloride (A.M. Castaño, A.M. Echavarren, J. López, A. Santos), (379) 171

$\{Ru_3(CO)_{11}\}_2(\mu\text{-dppa})$ (dppa = $C_2(PPh_2)_2$), thermal behaviour of; crystal structures of $Ru_4(\mu_4\text{-}PPh)(\mu_4\text{-}PhC_2PPh_2)(\mu\text{-}CO)_2(CO)_8\cdot MeOH$, $Ru_5(\mu_4\text{-}PPh)\{\mu_3\text{-}CCPh(PPh_2)\}(CO)_{12}$, $Ru_5(\mu_3\text{-}H)(\mu_4\text{-}PPh)\{\mu_4\text{-}CCPh(C_6H_4)\}(\mu_3\text{-}PPh)(CO)_{10}$ and $Ru_5(\mu_4\text{-}PPh)\{\mu_4\text{-}CCPh(C_6H_4)\}\{\mu\text{-}PPh(OMe)\}(CO)_{11}\cdot 2MeOH\cdot H_2O$ (M.I. Bruce, M.J. Liddell, E.R.T. Tiekink), (391) 81

$Ru_3(CO)_6[P(Ph)C(Ph)C(Ph)](\mu\text{-}PPh_2)_2$, six vertex *nido*-pentagonal bipyramidal structure, synthesis via reductive elimination and acetylene insertion at a triruthenium centre of (F. Van Gastel, A.J. Carty, M.A. Pellinghelli, A. Tiripicchio, E. Sappa), (385) C50

$[Ru_2(CO)_5(solvent)\{\mu\text{-}(RO)_2PN(Et)P(OR)_2\}_2]^{2+}$ solvento species, synthesis of; its potential as a source for a wide range of dinuclear derivatives of ruthenium (J.S. Field, R.J. Haines, U. Honrath, J. Sundermeyer, S.F. Woollam), (395) C9

$[Ru_2\{\mu\text{-}1,2\text{-}(NH)_2C_6H_4\}(CO)_4(PPh_3)_2]$, reactions with H^+, NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M (M = Cu, Ag, Au) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

$Ru_3\{\mu\text{-}H,\mu\text{-}O{=}CNMe_2\}(CO)_{10}$, reaction with diarylacetylenes; synthesis and subsequent reaction of a $\{\mu$-carboxamido,$\mu\text{-}\sigma,\pi$-vinyl$\}$-hexacarbonyl diruthenium complex with propyne; crystal and molecular structures of $Ru_2\{\mu\text{-}O{=}CNMe_2,\mu\text{-}\sigma,\pi\text{-}C(p\text{-tol}){=}CH(p\text{-tol})\}(CO)_6$, and of $Ru_2\{\mu\text{-}O{=}CNMe_2,\mu\text{-}\sigma,\pi\text{-}C(CH_3){=}C(H)C(p\text{-tolyl}){=}CH(p\text{-tolyl})\}(CO)_6$ (p-tol = p-$CH_3C_6H_4$) (W. Krone-Schmidt, W.J. Sieber, N.M. Boag, C.B. Knobler, H.D. Kaesz), (394) 433

$[Ru_4(\mu_3\text{-}\eta^2\text{-}CO)(CO)_9\{\mu\text{-}(RO)_2PN(Et)P(OR)_2\}_2]$ (R = Me or Pr^i), synthesis of; crystal structure of $[Ru_4(\mu_3\text{-}\eta^2\text{-}CO)(CO)_9\{\mu\text{-}(MeO)_2PN(Et)P(OMe)_2\}_2]$ (J.S. Field, R.J. Haines, J.A. Jay), (377) C35

$[Ru_3(\mu\text{-}H)(\mu_3\text{-ampy})(CO)_9]$ and its protonated derivative, selective carbonyl substitution reactions of; crystal structure of $[Ru_3(\mu\text{-}H)_2(\mu_3\text{-ampy})(CO)_9][BF_4]$ (Hampy = 2-amino-6-methylpryidine) (P.L. Andreu, J.A. Cabeza, V. Riera, C. Bois, Y. Jeannin), (384) C25

$[Ru_3(\mu\text{-}H)(\mu_3\text{-ampy})(CO)_9]$ (Hampy = 2-amino-6-methylpyridine), diphenylphosphine and diphenylphosphido derivatives of (P.L. Andreu, J.A. Cabeza, V. Riera), (393) C30

Ruthenium, benzyne complexes of; models for dissociative chemisorption of benzene on a metal surface; crystal structures of $[Ru_4(CO)_{10}(\mu\text{-}CO)(\mu_4\text{-}PR)(\mu_4\text{-}\eta^4\text{-}C_6H_4)]$ (R = Ph and CH_2NPh_2), $[Ru_5(CO)_{13}(\mu_4\text{-}PPh)(\mu_5\text{-}\eta^6\text{-}C_6H_4)]$ and $[Ru_6(CO)_{12}(\mu_4\text{-}PMe)_2(\mu_3\text{-}\eta^2\text{-}C_6H_4)_2]$ (S.A.R. Knox, B.R. Lloyd, D.A.V. Morton, S.M. Nicholls, A.G. Orpen, J.M. Viñas, M. Weber, G.K. Williams), (394) 385

Ruthenium and iridium polyhydride complexes, synthesis under conditions of phase transfer catalysis of (V.V. Grushin, A.B. Vymenits, M.E. Vol'pin), (382) 185

Ruthenium and rhodium bis(benzotriazol-1-yl)borato complexes (J. Cartwright, A. Harman, A.F. Hill), (396) C31

Ruthenium carbonyl cluster chemistry, carbide forming and cluster build-up reactions in (P.J. Bailey, M.J. Duer, B.F.G. Johnson, J. Lewis, G. Conole, M. McPartlin, H.R. Powell, C.E. Anson), (383) 441

Ruthenium-catalysed alkyne hydrogenation reaction, steric control of (B.S. Nkosi, N.J. Coville, M.O. Albers, C. Gordon, M.M. Viney, E. Singleton), (386) 111

Ruthenium compounds (S.A.R. Knox), (400) 255

Ruthenium dinuclear clusters with $\mu_2\text{-}\eta^2$-carbamoylato bridging ligands, solid state structure of $Ru_2(CO)_4(\mu_2\text{-}\eta^2\text{-}HNOCPh)_2(MeCN)_2$ (F. Neumann, H. Stoeckli-Evans, G. Süss-Fink), (379) 139

Ruthenium higher oxidation state ruthenium complexes, electrochemical generation in $(\eta^5\text{-}C_5Me_5)Ru(L)Cl_2$ (L = tertiary phosphines) of (M.-a. Haga, H. Sakamoto, H. Suzuki), (377) C77

Ruthenium(II) and osmium(II), coordinatively unsaturated σ-aryl complexes of (C.E.F. Rickard, W.R. Roper, G.E. Taylor, J.M. Waters, L.J. Wright), (389) 375

Ruthenium(II) isocyanide complexes, electrochemical reactions of (Y. Yamamoto, T. Tanase, T. Date, Y. Koide, K. Kobayashi), (386) 365

Ruthenium or osmium edge double-bridged-trinuclear cluster complexes, synthesis and reactions of (H.D. Kaesz), (383) 413

Ruthenium-platinum carbonyl cluster complexes with bridging methylene, methylidyne, and carbido ligands; crystal structures of the compounds $[Ru_2Pt(\mu\text{-}CH_2)(\mu\text{-}CO)(CO)_2\{P(cyclo\text{-}C_6H_{11})_3\}(\eta\text{-}C_5H_5)_2]$, $[Ru_2Pt_2(\mu\text{-}H)(\mu_4\text{-}CH)(\mu\text{-}CO)(CO)_2(P\text{-}i\text{-}Pr_3)_2(\eta\text{-}C_5H_5)_2]$, and $[Ru_2Pt_2(\mu\text{-}H)_2(\mu_4\text{-}C)(\mu\text{-}CO)_2(P\text{-}i\text{-}Pr_3)_2(\eta\text{-}C_5H_5)_2]$ (D.L. Davies, J.C. Jeffery, D. Miguel, P. Sherwood, F.G.A. Stone), (383) 463

$(\mu\text{-}S_5)[RuC_5H_5(CO)_2]_2$, synthesis and reaction with acid chlorides of, preparation of $RuC_5H_5(CO)_2SCOR$ and molecular structure of $RuC_5H_5(CO)_2SCO(2\text{-}O_2NC_6H_4)$ (M.O. El-Hinnawi, M.L. Sumadi, F.T. Esmaldi, I. Jibril, W. Imhof, G. Huttner), (377) 373

Telluride-substituted mixed metal clusters; crystal structures of $[HRuCo_3(CO)_{11}(TeMe_2)]$, $[HRuCo_3(CO)_{10}(TeMe_2)_2]$, and $[HRuCo_3(CO)_{11}(TePh_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81

Tetranuclear mixed-metal hydride complexes, $LWM_3(CO)_{11}(\mu\text{-}H)_3$, (L = C_5H_5, C_5Me_5 and M = Ru, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45

Three-, four-, and five-membered dimetalloheterocyclic compounds, synthesis by reaction of $[Ru_2H(CO)_5\{\mu\text{-}(RO)_2PN(Et)P(OR)_2\}_2][PF_6]$ (R = Me or Pr^i) with X≡Y and X′=Y′=Z′ systems and crystal structures of (K.J. Edwards, J.S. Field, R.J. Haines, B. Homann, J. Sundermeyer, S.F. Woollam), (386) C1

Tolyliminooxosulphurane, coordinative activation towards electrophiles (M. Herberhold, A.F. Hill), (395) 207

Tosyliminooxosulphurane, factors affecting coordination geometry in complexes of (M. Herberhold, A.F. Hill), (395) 195

Tosyliminooxosulphurane, insertion reactions with coordinatively unsaturated ruthenium and osmium aryl complexes (M. Herberhold, A.F. Hill), (395) 327

Trimetallic clusters, linkage through the bridging ligands C_3HO_2 and C_3O_2; crystal structures of three clusters containing the components $Os_3CHCCO_2Os_3$, $Ru_3CHCCO_2Os_3$, and $Os_3CCCO_2Os_3$ (K.I. Hardcastle, T. McPhillips, A.J. Arce, Y. De Sanctis, A.J. Deeming, N.I. Powell), (389) 361

Trinuclear metal carbonyl clusters of iron, ruthenium and osmium, quantitative mechanistic studies of photoreactions of (P.C. Ford), (383) 339

Trinuclear ruthenium clusters, fixation of hydrazines and hydrazones to; synthesis and crystal structure of $(\mu_2\text{-}H)Ru_3(CO)_9(\mu_3\text{-}NHNH_2)$ (T. Jenke, H. Stoeckli-Evans, G. Süss-Fink), (391) 395

Trinuclear ruthenium clusters with proline and cysteine derivatives; synthesis, crystal structure, and catalytic properties of $[(\mu_2\text{-}H)Ru_3(CO)_{10}(\mu_2,\eta^2\text{-}OCNCH_2CH_2CH_2CHCH_2OCH_3)]$ and $[(\mu_2\text{-}H)Ru_3(CO)_9(\mu_3,\eta^2\text{-}N{=}CCH_2CH_2CHCH_2OCH_3)]$ (G. Süss-Fink, T. Jenke, H. Heitz, M.A. Pellinghelli, A. Tiripicchio), (379) 311

Triruthenium dodecacarbonyl, reactions with diphenylphosphine of (L.M. Bullock, J.S. Field, R.J. Haines, E. Minshall, M.H. Moore, F. Mulla, D.N. Smit, L.M. Steer), (381) 429

σ-Vinyl-ruthenium complexes, reactions with 1-alkynes; X-ray structures of Ru{η^3-CH(CO_2Me)-C(CO_2Me)C=CHPh}(PPh_3)(η-C_5H_5) and Ru(η-C_5H_5){η^5-$\dot{C}_3$(CO_2Me)$_3$CH^{t}Bu$\dot{C}$H(CO_2Me)} (M.I. Bruce, A. Catlow, M.P. Cifuentes, M.R. Snow, E.R.T. Tiekink), (397) 187

Samarium

η^6-Benzenelanthanoidtris(aluminum tetrachlorides) (Ln = La, Nd, Sm), synthesis and structure of (B. Fan, Q. Shen, Y. Lin), (377) 51

Bis(trimethylsilyl)cyclopentadienyl samarium complexes, synthesis and reactivity of; X-ray crystal structure of [(Me_3Si)$_2$$C_5H_3$]$_3$Sm (W.J. Evans, R.A. Keyer, J.W. Ziller), (394) 87

{[(η^5-$C_5H_4Bu^t$)$_2$Sm(μ_3-H)][(μ_2-H)$_2$AlH·OC_4H_8]}$_2$ 20-electron alumohydride complex of bis(t-butylcyclopentadienyl)samarium, crystal and molecular structure of (Yu.K. Gun'ko, B.M. Bulychev, A.I. Sizov, V.K. Bel'sky, G.L. Soloveichik), (390) 153

(t-$C_4H_9C_5H_4$)$_2$Sm(DME), synthesis of; its reactivity with phenylacetylene; synthesis and structure of ((t-$C_4H_9C_5H_4$)$_2$SmC≡CPh)$_2$ (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 307

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate (η^5-$C_5H_3Bu^t_2$)$_2$Sm·OC_4H_8 and homoleptic ate complex [NaSm(η^5:η^2-$C_5H_4Bu^t$)$_3$·OC_4H_8]$_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

[Li(THF)$_4$][(C_5H_5)$_2$Lu(NPh_2)$_2$], synthesis and crystal structure of (H. Schumann, E. Palamidis, J. Loebel), (390) 45

Phenyl lanthanide dichloride complexes, synthesis of; crystal structure of $C_6H_5GdCl_2$·4THF (G. Lin, Z. Jin, Y. Zhang, W. Chen), (396) 307

Samarium(II) soluble complex, synthesis of; crystal structure of ($C_5H_4CH_2CH_2CH_2C_5H_4$)Yb(THF)$_2$ (S.J. Swamy, J. Loebel, H. Schumann), (379) 51

η^6-*m*-Xylenesamariumtris(aluminum tetrachlorides), synthesis and molecular structure (B. Fan, Q. Shen, Y. Lin), (376) 61

Selenium

2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

Bisoximato-bridged dinuclear complexes; synthesis and crystal structure of $Ru_2(CO)_4$(μ_2-η^2-$ONCMe_2$)$_2$($HONCMe_2$)$_2$ and of $Ru_2(CO)_4$(μ_2-η^2-$ONCMe_2$)$_2$[$S(CH_2Ph)_2$]$_2$ (M. Langenbahn, H. Stoeckli-Evans, G. Süss-Fink), (397) 347

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

(C_5H_5)$_2$Cr(μ-$OCMe_3$)$_2$, reactions with chalcogens of; syntheses and molecular structures of (C_5H_5)$_2$$Cr_2$($\mu$-$OCMe_3$)$_2$($\mu$-$S_4$) and ($C_5H_5$)$_2$$Cr_2$($\mu$-$OCMe_3$)$_2$($\mu$-Se) (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

$(CO)_5$Mo[C(Aryl)H], synthesis and reactions of (H. Fischer, D. Reindl), (385) 351

[CpCr$(CO)_3$]$_2$(μ-$SnCl_2$) and CpCrCl_2(THF), isolation from the insertion-displacement of Se in $Cp_2Cr_2(CO)_4Se$ with $SnCl_2$; crystal structure of CpCrCl_2(CH_3CN) (Cp=η^5-C_5H_5) (L.Y. Goh, T.W. Hambley), (395) 269

Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of [$(CO)_3MC_5H_4$]$_2$$E_n$ (M = Mn, Re; E = S, Se, Te; *n* = 2, 1) M. Herberhold, M. Biersack), (381) 379

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

2,5-Diphenylchalcophene radical ions, electron spin resonance study of (A.G. Davies, C.H. Schiesser), (389) 301

p-Ethoxyphenyl 2-(2-pyridyl)phenyl selinide, crystal structure of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana, E.R.T. Tiekink), (388) 273

$Fe_3(CO)_{10}$(μ_3-RP), addition reactions with XCN^- (X = S, Se, Te) and R′XXR′ (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25

Ferrocene-chalcogenols Fe(C_5H_5)(C_5H_4EH) and Fe(C_5H_4EH)$_2$ (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281

$[HRuCo_3(CO)_{11}(SeMe_2)]$, $[HRuCo_3(CO)_{10}(SeMe_2)_2]$ and $[HRuRh_3(CO)_9]_2[SeMe_2]_3$ (S. Rossi, J. Pursiainen, M. Ahlgren, T.A. Pakkanen), (391) 403

Organolanthanoid(II) complexes, non-classical; preparation and reactivity of the first organoneodymium(II) compound (M. Wedler, A. Recknagel, F.T. Edelmann), (395) C26

μ-Oxo-bis(η^5-cyclopentadienyldichlorotitanium(IV)), preparation from η^5-cyclopentadienyl-tris(methylselenolato)titanium(IV) (P. Gowik, T. Klapötke, J. Pickardt), (393) 343

$Pd(BF_4)_2$ and $Pt(BF_4)_2$ complexes of 1,1′-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327

2-Phenylselenylenones and 2-haloenones, formation from enones; mechanistic and synthetic aspects, and X-ray crystal structures of intermediates (L. Engman, K.W. Törnroos), (391) 165

$^iPr_2InBr$, $^iPr_2InI$ and $^iPrInI_2$, synthesis and properties of (G.G. Hoffmann, R. Faist), (391) 1

2-(2-Pyridyl)phenyl selenium compounds, synthesis and properties of; crystal structure of 2-(2-pyridyl)phenylselenium(II) tribromomercurate(II) (S.A. Mbogo, T.S. Lobana, W.R. McWhinnie, M.R. Greaves, T.A. Hamor), (395) 167

Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and η^1/η^2 isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105

Se-organolead selenocarboxylates, isolation and characterisation of (S. Kato, H. Ishihara, K. Ibi, H. Kageyama, T. Murai), (386) 313

Telluride-substituted mixed metal clusters; crystal structures of $[HRuCo_3(CO)_{11}(TeMe_2)]$, $[HRuCo_3(CO)_{10}(TeMe_2)_2]$, and $[HRuCo_3(CO)_{11}(TePh_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305

Trifluormethylselenocarbonylfluoride, preparation and reactions with 1,3-dienes and secondary amines of (J. Grobe, D. Le Van, J. Welzel), (386) 321

Trimethylplatinum(IV) halide complexes, $[PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}]$ (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473

2,4,6-Tri-t-butylphenylseleno compounds of gold(I) and mercury(II) (I. Wagner, W.-W. du Mont), (395) C23

Silicon

Alkenylsilanes, radical addition of tetrahydrofuran and tetrahydro-2-furanone to; effect of the presence of di(t-butyl)peroxide (V. Gevorgyan, E. Priede, E. Liepiņš, M. Gavars, E. Lukevics), (393) 333

Alkyl-, acyl-, silyl- and hydrido-ruthenium complexes, synthesis via nucleophilic iodo-ruthenates(0) of; crystal structure of glyoxalbis(isopropylimine)(η^4-norborandiene)methyliodoruthenium (W. Rohde, H. tom Dieck), (385) 101

Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3-CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261

Alkyneiridium(I), stepwise rearrangement to alkynyl(hydrido)iridium(III) and vinylideneiridium(I) complexes of (A. Höhn, H. Werner), (382) 255

Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139

Allylsilanes, cyclisation of; biomimetic approximation of the cyclogeranyle skeleton (D. Serramedan, B. Delmond, G. Deleris, J. Dunogues, M. Pereyre, C. Filliatre), (398) 79

Allyltrimethylsilane, reactions with acetylcyclopropanes in the presence of Lewis acids of (P. Piras, M. Afshari, G. Léandre, H. Monti), (384) C9

Benzenyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77

1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leissring), (382) 53

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

Bis(bis(trimethylsilyl)phosphino)silane $[(Me_3Si)_2P]_2SiH_2$ and 1,2-bis(bis(trimethylsilyl)phosphino)disilane $[(Me_3Si)_2PSiH_2]_2$ (K. Hassler, U. Katzenbeisser), (399) C18

1,2-Bis(1-diazo-2-oxoalkyl)disilanes, synthesis and carbene reactions of (G. Maas, A. Fronda), (398) 229

Bisphosphinodihalogenosilanes, preparation of 1,3-diphospha-2-silaallyl anions from (K. Hassler, F. Mitter, B. Reiter), (376) C1

Bromo- and iododisilanes, synthesis and NMR spectra of (K. Hassler, M. Pöschl), (398) 225

Carbonylcobalt complexes of ethynylhydrogenosilanes, formation and reactions of (R.J.P. Corriu, J.J.E. Moreau, H. Praet), (376) C39

$(\eta^5\text{-}C_5H_5)(\eta^5\text{-}C_5Me_5)Zr[Si(SiMe_3)_3]Me$, insertions of nitriles and pyridine into the Zr–Si bond of (H.-G. Woo, T. D. Tilley), (393) C6

Chlorinated vinylsilanes, multinuclear NMR of (E. Lipeiņš, I. Birģele, E. Lukevics, V.D. Sheludyakov, V.G. Lahtin), (385) 185

Chloromethylphenylethinylsilane, reaction with octacarbonyldicobalt; reactivity of $[(\eta^2\text{-}C{\equiv}CPh)Co_2(CO)_6](Me)Si(H)(Cl)$ (H. Lang, U. Lay), (388) C1

Chloroplatinic acid catalysed cyclization of silanes bearing pendant acetylenic groups (M.G. Steinmetz, B.S. Udayakumar), (378) 1

$[(C_5H_5)_2Lu(\mu\text{-}O(CH_2)_4P(C_6H_5)_2)]_2$ and $[(C_5H_5)_2Lu(OC_4H_8)]_2(\mu\text{-}O)$, formation and crystal structures of (H. Schumann, E. Palamidis, J. Loebel), (384) C49

$(\eta\text{-}C_8H_8)UI_2(THF)_2$, a precursor to monocyclooctatetraenyl uranium complexes, synthesis of (J.-C. Berthet, J.-F. Le Maréchal, M. Ephritikhine), (393) C47

Cobaltadisiloxane cyclic compounds; crystal structures of a pyridinolithium [bis(cyclosiloxy)cobalt]cobalt chloride and a bis(tetramethylethylenediaminolithium)bis(cyclosiloxy)cobaltate (M.B. Hursthouse, M.A. Mazid, M. Motevalli, M. Sanganee, A.C. Sullivan), (381) C43

Cyclic polysilanes, electronic spectra of radical ions of (S. Irie, K. Oka, R. Nakao, M. Irie), (388) 253

Cyclopentadienyldimethylsilane, bidentate silicon containing ligand, formation of and reactions with (E. Colomer, R.J.P. Corriu, R. Pleixats), (381) C1

Cyclopentadienyl-titanium complexes, sterical effects in the hydrolysis of (J. Okuda), (397) C37

Cyclotrisiloxanes, stereochemistry of nucleophilic substitution at the Si atom in (R. Gewald, K. Rühlmann, U. Scheim, A. Porzel), (377) 9

Dialkyl-aluminium and -gallium solution stabilized monomeric species, $[MR_2]^{\cdot}$ (R = 2-$C(SiMe_3)C_5H_4N$)], formation by reduction of MR_2Cl of; crystal structure of GaR_2Cl (U. Kynast, B.W. Skelton, A.H. White, M.J. Henderson, C.L. Raston), (384) C1

Di- and poly-silanes, formation by electrosynthesis of (C. Biran, M. Bordeau, P. Pons, M.-P. Léger, J. Dunoguès), (382) C17

Diborane $\{(Me_3Si)_3C\}HB(\mu\text{-}H)_2BH\{C(SiMe_3)_3\}$ and bis(aminoboryl)amine $\{(Me_3Si)_3CB(NH_2)\}_2NH$, crystal structures of (S.S. Al-juaid, C. Eaborn, P.B. Hitchcock, K. Kundu, M.E. Molla, J.D. Smith), (385) 13

Dicyclopentadienylbis(trimethylsilyl)lutetate anion, crystal structure of (H. Schumann, J.A. Meese-Marktscheffel, F. Ekkehardt Hahn), (390) 301

2,5-Dihydroboroles and 1,3-dihydro-1,3-diborete, formation from 1,3-dienes and alkynes by rearrangement with dichloro(diisopropylamino)borane and alkali metals (D. Bromm, D. Stalke, A. Heine, A. Meller, G.M. Sheldrick), (386) 1

Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

1,1-Dimethylsilabutadiene, gas phase reactions of (R.T. Conlin, M. Namavari), (376) 259

1,1-Dimethyl-1-silacyclohexan-2-one, enantioselective microbial reduction with growing cells of the yeast *Kloeckera corticis* (ATCC 20109) of (R. Tacke, H. Hengelsberg, H. Zilch, B. Stumpf), (379) 211

2,4-Dineopentyl-1,3-disilacyclobutanes, preparation and characterisation of (N. Auer, R. Gleixner), (393) 33

Dioxanylmethyl phosphane rhodium complexes as model compounds in the carbonylation of methanol (E. Lindner, E. Glaser), (393) C37

Diphenyl{tris(trimethylsilyl)methyl}phosphine, desilylation and cyclometallation reactions with platinum(II) compounds; crystal structure of *trans*$[\overline{PtClPPh_2C(SiMe_3)_2SiMe_2CH_2}\{PPh_2$

1,4-Disila[6]radialanes in two stable conformational isomers, formation of (A. Maercker, F. Brauers, W. Brieden, B. Engelen), (377) C45

Disilylethynes, platinum-catalysed hydrosilylation of (T. Suzuki, P.Y. Lo), (391) 19

1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27

Di-t-butylsilylene, addition to 2,2′-bipryidyls of (M. Weidenbruch, A. Lesch, H. Marsmann), (385) C47

16-Electron carbene complexes $(CO)_4MC(NR_2)SiR'_3$ (M = Cr, Mo, W), preparation and properties of (W. Hepp, U. Schubert), (385) 221

Enamines of acylsilanes, preparation of; synthesis of acylsilanes (J.P. Picard, J.M. Aizpurua, A. Elyusufi, P. Kowalski), (391) 13

Ethynylsilanes, $^nJ(^{29}Si-^{13}C)$ coupling constants and $^{13/12}C$ isotope shifts in ^{29}Si NMR spectra of (E. Liepiņš, I. Birģele, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (393) 11

Fluoroallyl alcohols, preparation of (T. Dubuffet, C. Bidon, P. Martinet, R. Sauvêtre, J.-F. Normant), (393) 161

Fluoromethyltrimethylsilanes, synthesis of (V. Broicher, D. Geffken), (381) 315

Fluorovinylsilanes, bromodesilylation of (T. Gouyon, R. Sauvêtre, J.-F. Normant), (394) 37

Gallium-arsenic four-membered ring compounds containing a bridging $As(SiMe_3)_2$ group, synthesis and characterization of; crystal structure of $Ph_2GaAs(SiMe_3)_2Ga(Ph)_2Cl$ and $Ph_2GaAs(SiMe_3)_2$-$Ga(Ph)_2Br$ (W.K. Holley, R.L. Wells, S. Shafieezad, A.T. McPhail, C.G. Pitt), (381) 15

Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121

$(H_3C)_3SiH_2CSCH_2Si(CH_3)_3$ and $((CH_3C)_3Si)_3CSCH_3$ β-trimethylsilyl substituted sulfides, rationalisation of the low first ionisation energies of (H. Bock, J. Meuret, U. Stein), (398) 65

H-cyclosiloxanes, reactions with 1,4-bis(trimethylsiloxy)but-2-yne to multifunctional surface active compounds (G. Sonnek, H. Jancke, S. Pasynkiewicz, W. Ziemkowska), (389) 289

1-Heteroaryl-silatranes and -germatranes, chemical ionization and fast atom bombardment mass spectra of (S. Rozite, I. Mažeika, A. Gaukhman, N.P. Erchak, L.M. Ignatovich, E. Lukevics), (384) 257

Heterocumulenes with multiple metal–arsene and metal–antimony bonds (A. Strube, G. Huttner, L. Zsolnai), (399) 267

Heterocyclic complexes of the type *cis*-$Mo(CO)_4\{R_2PO)_2Si(Me)R'\}$ ($R_2 = OCH_2CMe_2CH_2O$; R′ = Me, Bu^t or $R_2 = Ph_2$; R′ = Bu^t) (G.M. Gray, F.P. Fish, D.K. Srivastava, A. Varshney, M.J. van der Woerd, S.E. Ealick), (385) 49

Heteryl-silanes and -germanes, reaction with metal hydrides (V. Gevorgyan, L. Borisova, E. Lukevics), (393) 57

Highly crowded organosilanols, 1,3-migration of triorganosilyl groups from carbon to oxygen in (A.I. Al-Mansour, M.I. Al-Gurashi, C. Eaborn, F.A. Fattah, P.D. Lickiss), (393) 27

$HOs_3(CO)_9(C{\equiv}CSiMe_3)$, synthesis and crystal structure of (B.F.G. Johnson, J. Lewis, M. Monari, D. Braga, F. Grepioni), (377) C1

Hydridostannyl complexes of iron and corresponding anionic complexes; preparation, stereochemistry and reactivity of (M. Knorr, H. Piana, S. Gilbert, U. Schubert), (388) 327

Hydro(trisyl)boranes, $(Me_3Si)_3CBHX$, and borates, $M[H_3BC(SiMe_3)_3]_x$, formation and reactions of (P. Paetzold, L. Geret, R. Boese), (385) 1

Isobutyl(isopropoxy)silanethiols $i\text{-}Bu_n(i\text{-}PrO)_{3-n}SiSH$ ($n = 0$–3), imidazole catalysed alcoholysis of (J. Pikies, W. Wojnowski), (386) 305

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

Isomeric $Ph_3E{-}E'Me_3$, (E = Ge, E′ = Si and E = Si, E′ = Ge), structures of (K.H. Pannell, R.N. Kapoor, R. Raptis, L. Párkányi, V. Fülöp), (384) 41

Isosteric isobutyl(isopropoxy)silanes, $^iBu_n(^iPrO)_{3-n}SiH$ ($n = 0$–3), reaction with allyl bromide in the presence of platinum compounds (J. Pikies, W. Wojnowski), (393) 187

Isosteric isobutyl(isopropoxy)silanethiols, preparation and spectroscopic properties of (J. Pickies, W. Wojnowski), (378) 317

Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich), (377) C5

Lithiated di-t-butylfluorosilylmesitylphosphane, rearrangement of (M. Andrianarison, D. Stalke, U. Klingebiel), (381) C38

Lithium bis(trimethylgermyl)amide, synthesis and structure of (M. Rannenberg, H.-D. Hausen, J. Weidlein), (376) C27

Lithium dimeric derivative of tetraphenyldisiloxanediolate dianion, synthesis and structure of (M.B. Hursthouse, M.A. Hossain, M. Motevalli, M. Sanganee, A.C. Sullivan), (381) 293

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

$(Me_3Ge)_2Sb{-}Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

1-(γ-Mercaptopropyl)silatrane, crystal structure of (P. Hencsei, I. Kovács, V. Fülöp), (377) 19
[{$(Me_3Si)_3C$}$Cl_2Si]_2O$ crowded disiloxane, synthesis and crystal structure of (C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A.D. Taylor), (398) 59
$[(Me_3Si)_2CH]_2Sn(Cl)N(H)(C_6H_2$-2,4,6-t-$Bu_3)$ and $[(Me_3Si)_2CH]_2Sn(F)N(H)(C_6H_2$-2,4,6-t-$Bu_3)$, syntheses and crystal structures of (A. Raharinirina, R. Boese, G. Schmid), (395) 39
Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113
3-Methoxy-1-(tributylstannyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283
3-Methyl-1,1-bis(trimethylsiloxy)-1,3-butadiene and trimethylsilyl 4-trimethylsilyl-3-methyl-2-butenoate, synthesis and reactions with benzaldehyde (M. Bellasoued, R. Ennigrou, M. Gaudemar), (393) 19
Methylchorosilanes, direct synthesis of (*Review*) (M.P. Clark), (376) 165
3-Methylene-1,1-dichlorosilacyclobutane and 1,1-dichlorosilacyclopent-3-ene, synthesis of (R. Damrauer, R. Simon, A. Laporterie, G. Manuel, Y.T. Park, W.P. Weber), (391) 7
N-Methyl-*N*,*O*-bis(trimethylsilyl)hydroxylamine bulky proton-containing reagent, selectivity in the formation of nitrones (J.R. Hwu, K.P. Khoudary, S.-C. Tsay), (399) C13
ω-Monoalkylaminoallyltrimethylsilanes, $RNH(CH_2)_nCH(SiMe_3)CH{=}CH_2$ ($n = 2, 3$), reactions with formaldehyde of and formation of *N*-alkyl-2,3,6,7-tetrahydroazepines and *N*-alkyl-1,2,3,4,7,8-hexahydroazocines (B. Guyot, J. Pornet, L. Miginiac), (386) 19
Mono- and diarylacetylenes, synthesis of (M.I. Al-Hassan), (395) 227
Nickel(II) complexes, catalytic application in the Kumada cross-coupling reaction (M.E. Wright, M.-J. Jin), (387) 373
Oligosiloxanes containing acetoxyl and hydroxyl end groups; kinetics of their condensation catalyzed by uncharged nucleophiles in an acid–base inert solvent (M. Cypryk, S. Rubinsztajn, J. Chojnowski), (377) 197
Optically active vinylborates (I. Mikhail, D. Kaufmann), (398) 53
Organophosphorus and organosilicon derivatives of sterically hindered phenols (S.D. Pastor, E.T. Hessell), (376) 21
Organosilanediols, hydrogen-bonding in; crystal structure of bis(pentamethylcyclopentadienyl)silanediol (S.S. Al-Juaid, C. Eaborn, P.B. Hitchcock, P.D. Lickiss, A. Möhrke, P. Jutzi), (384) 33
Organosilicon compounds, surface ionization mass spectra of (T. Fujii, H. Ishii, H. Tokiwa), (391) 147
Organosilicon-substituted alkenes, hydroformylation of (R. Takeuchi, N. Sato), (393) 1
3-Organyl-silyl and -germyl propynals and their carbon analogues, aldol-type condensation of methyl diazoacetate with (O.I. Margorskaya, A.S. Medvedeva, M.M. Demina, I.D. Kalikhman, M.G. Voronkov), (376) 31
Pentacoordinated 1,3,2-dioxosilaheterocyles, synthesis of (P. Arya, R.J.P. Corriu, K. Gupta, G.F. Laneau, Z. Yu), (399) 11
Perchloroorganic silicon and germanium compounds, cyclization reaction of; synthesis and crystal structure of perchloro(2,2′-biphenylene)diphenyl-silane and -germane (L. Fajarí, L. Juliá, J. Riera, E. Molins, C. Miravitlles), (381) 321
2-Phenyl- and 2-(*o*-tolyl)-2-(phenylethynyl)hexamethyltrisilane, nickel-catalysed reactions of (M. Ishikawa, Y. Nomura, E. Tozaki, A. Kunai, J. Ohshita), (399) 205
Phenylbromine and phenyliodine disilanes and trisilanes, synthesis of (K. Hassler, M. Pöschl), (385) 201
Phenylsilanes formation of silyltriflates from (W. Uhlig, A. Tzschach), (378) C1
Phenyl(trimethylsilyl)silylene, reaction with chloromethanes; insertion into the C–Cl bond and abstraction of chlorine and HCl (K. Oka, R. Nakao), (390) 7
Platinum-catalysed hydrosilylation of disilylethynes, effects of oxygen and temperature (T. Suzuki, P.Y. Lo), (396) 299
Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1
Polycarbosilanes, alternative synthesis by electrochemical method of (M. Bordeau, C. Biran, P. Pons, M.-P. Léger, J. Dunoguès), (382) C21
Poly[(disilanylene)diethynylene] with highly conducting properties, synthesis of (M. Ishikawa, Y. Hasegawa, A. Kunai, T. Yamanaka), (381) C57
Polyhedral highly-functionalized oligosilsesquioxanes, syntheses of (F.J. Feher, T.A. Budzichowski), (379) 33
Poly(silaisoprene), preparation by laser-induced decomposition of 1-methyl-1-vinyl-1-silacyclobutane (J. Pola, E.A. Volnina, L.E. Guselnikov), (391) 275

Poly(silanylene)diethynylene]s, pyrolysis of (R.J.P. Corriu, C. Guerin, B. Henner, A. Jean, H. Mutin), (396) C35

Polysilicon compounds containing two or more triphenylphosphine units, synthesis of (Y. Takuma, N. Imaki), (379) 27

Propargyltrimethylsilanes, aminomethylation–desilylation of; regioselective synthesis of α-allenic amines (D. Damour, J. Pornet, B. Randrianoelina, L. Miginiac), (396) 289

Racemic acetyl(t-butyl)methylphenylsilane and acetylmethylphenyl[(trimethylsilyl)methyl]silane, synthesis of substrates for stereoselective microbial reductions (R. Tacke, K. Fritsche, A. Tafel, F. Wuttke), (388) 47

[RhCl(cyclo-C_8H_{12})(phosphine)], mechanism of hydrosilylation of 1-hexene catalysed by (B. Marciniec, W. Duczmal, W. Urbaniak, E. Śliwińska), (385) 319

Rhodium-catalysed enantioselective transfer hydrogenation of C=C double bonds with a mixture of formic acid and triethylamine as hydrogen source (H. Brunner, W. Leitner), (387) 209

Si,Si′-substituted 1,2-bis(dimethylsilylmethyl)diacetylhydrazines, synthesis and chirality of (I.D. Kalikhman, B.A. Gostevskii, O.B. Bannikova, M.G. Voronkov, V.A. Pestunovich), (376) 249

7-Sila- and 7-germa-norbornadienes, CIDNP ^1H study of the photolysis of (S.P. Kolesnikov, M.P. Egorov, A.M. Galminas, M.B. Ezhova, O.M. Nefedov, T.V. Leshina, M.B. Taraban, A.I. Kruppa, V.I. Maryasova), (391) C1

Silica-anchored (ether-phosphane)rhodium complexes as catalysts in the hydrocarbonylation of methyl acetate to ethylidene acetate (E. Lindner, E. Glaser, H.A. Mayer, P. Wegner), (398) 325

Silicohydrocarbons, highly unsaturated, macrocyclic (M. Voronkov, O. Yarosh, G. Turkina, V. Vitkovskii, A. Albanov), (389) 1

Silicon, structure and reactivity of hypervalent species of (R.J.P. Corriu), (400) 81

Silicon compounds, pentacoordinated; intramolecular ring closure, site preferences of substituents and the stability of the resulting chelates (R.J.P. Corriu, A. Kpoton, M. Poirier, G. Royo, A. de Saxcé, J.C. Young), (395) 1

(*N–Si*)-Silicon-functional (1-(2-pyridone)-2′-pyridyl)imine)methyl)silanes, synthesis and structural investigations of; crystal and molecular structure of (*N–Si*)-chloro(1-(2-pyridone(2′-pyridyl)-imine)methyl)dimethylsilane, (*N–Si*)-(1-(2-pyridone(2′-pyridyl)imine)methyl)trichlorosilane and 1-methyl-2-(2′-pyridyl)aminopyridinium chloride (D. Kummer, S.C. Chaudhry, J. Seifert, B. Deppisch, G. Mattern), (382) 345

Silicon-rich trisilyl-arsanes, -stibanes and -bismuthanes, synthesis, IR and Raman spectra of (K. Hassler, S. Seidl), (384) 263

Silyl-nickel complexes prepared by η^6-arene substitution in (η^6-toluene)bis(trihalosilyl)nickel; preparation of $L_3Ni(SiX_3)_2$ and $L_2Ni(SiX_3)_2$ (X = Cl, F; L = phosphine, phosphites, and pyridines); X-ray structure of *cis*-(collidine)$_2$Ni(SiCl$_3$)$_2$ (S.-B. Choe, J.J. Schneider, K.J. Klabunde, L.J. Radonovich, T.A. Ballantine), (376) 419

Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289

Spirocyclic pseudosilatranes, synthesis and spectroscopic and structural studies of (J.Y. Corey, N.P. Rath, C.S. John, E.R. Corey), (399) 221

Sterically crowded aryloxide silicon compounds, preparation, characterization and X-ray structures of (M.D. Healy, A.R. Barron), (381) 165

Sterically hindered silylenes, reactions with, tri-t-butyl azide of, (M. Weidenbruch, B. Brand-Roth, S. Pohl, W. Saak), (379) 217

Substituted benzamidinate anions as steric equivalents of η^5-C_5H_5 and η^5-C_5Me_5; crystal structures of [PhC(NSiMe$_3$)$_2$]$_3$UCl, [4-CF$_3$C$_6$H$_4$C(NSiMe$_3$)$_2$]$_3$UCl, [2,4,6-(CF$_3$)$_3$C$_6$H$_2$C(NSiMe$_3$)$_2$]$_2$UCl$_2$ and [2,4,6-(CF$_3$)$_3$C$_6$H$_2$C(NSiMe$_3$)$_2$]$_2$ThCl$_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens, (388) 21

Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35

Tetramesityldisilene, reactions with azides; synthesis of disilaaziridines (G.R. Gillette, R. West), (394) 45

(Thioacetoxy-*S*-methyl)diorganylsilanes and (mercaptomethyl)diorganylsilane, synthesis and properties of (R. Tacke, B. Becker, H. Lange), (388) 57

Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of [η^5-η^5-(C$_5$H$_4$)$_2$Si(CH$_3$)$_2$]Ti[CH$_2$Si(CH$_3$)$_3$]$_2$ (R. Gómez, T. Cuenca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103

TMSI-activated butylcopper, stereoselective conjugate addition to 1-(*R*)-*endo*-(1-naphtyl)bornyl crotonate (M. Bergdahl, M. Nilsson, T. Olsson), (391) C19

Transition metal stabilised As^I and Sb^I chelates (A. Strube, G. Huttner, L. Zsolnai), (399) 255
Trialkylsilyl α- or ω-chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127
Trichlorosilane, γ-ray induced reduction of acid chlorides with (K. Oka, R. Nakao, Y. Abe, T. Dohmaru), (381) 155
1-Triethoxysilyl-1-alkenes, synthesis by cross-metathesis of vinyltriethoxysilane with 1-alkenes of (Z. Foltynowicz, B. Marciniec), (376) 15
trans-N,N,N-Triethyl-2-[4-(2-phenylethenyl)phenoxyl]ethanammonium iodide, synthesis of (M.I. Al-Hassan), (386) 395
Trifluoromethylsilanes, thermolysis of formation of fluoromethylsilnaes by insertion of CF_2 and CHF into Si–H bonds (H. Beckers, H. Bürger), (385) 207
Trimethylaluminium complexes with a multidentate carbosiloxane-type ligand (S. Pasynkiewicz, W. Ziemkowska), (397) 269
Trimethylsiloxy groups, reactivity towards hydrozirconation reagent $(C_5H_5)_2Zr(H)Cl$ of (E. Uhlig, B. Bürglen, C. Krüger, P. Betz), (382) 77
α-Trimethylsilyl substituted α-picolines, negative hyperconjugation control of acidities in; isolation of $[Li\{NC_5H_4\text{-}2\text{-}C(H)(SiMe_3)_2\}\{NC_5H_4\text{-}2\text{-}C(H)(SiMe_3)\}]_2$ (C. Jones, C.H.L. Kennard, C.L. Raston, G. Smith), (396) C39
Tris(trimethylsilyl)methylsilicon compounds, reactions of (C. Eaborn, F.A. Fattah), (396) 1
2,4,6-Tri-t-butylphenylseleno compounds of gold(I) and mercury(II) (I. Wagner, W.-W. du Mont), (395) C23
2,4,6-Tri-t-butylphenyl-substituted iminoboranes, preparation, structures and reactions of (G. Elter, M. Neuhaus, A. Meller, D. Schmidt-Bäse), (381) 299
Unstable methoxycyclosiloxanes $[(CH_3O)SiO]_n$ ($n = 2, 3$): thermal generation and direct mass spectral studies (I. Tamás, A. Gömöry, I. Besenyei, V.N. Khabashesku, Z.A. Kerzina, N.D. Kagramanov, I.O. Bragilevsky), (387) 147
1-Vinyl-1-chloro-3-neopentylsilaethene, [2 + 4]-cycloaddition reactions of (N. Auner), (377) 175
Vinylsiloxane substituted compounds, synthesis of (G. Sonnek, E. Drahs, H. Jancke, H. Hamann), (386) 29

Silver

$AgNO_3$ as nitrosylation reagent (K.-B. Shiu, C.-J. Chang), (395) C47
$[Au_3AgCu(C_2Ph)_6]^-$ pentanuclear trimetallic cluster, preparation, characterisation and possible structure of; reactions of pentanuclear and trinuclear acetylide complexes (O.M. Abu-Salah, A.R.A. Al-Ohaly, Z.F. Mutter), (391) 267
Bimetallic tetranuclear clusters, synthesis from phosphido-bridged Ru_3 cluster anions and metal halogenides of Groups 11 and 12; crystal structure of $HRu_3Au(CO)_8(PPh_3)(PPh_2)_2$ (H. Jungbluth, H. Stoeckli-Evans, G. Süss-Fink), (391) 109
Copper(I) and silver(I) complexes with 1,5-cyclooctadiene, Raman spectra of; the nature of metal–olefin bonds; possibility of a copper(I)–olefin bond in cytochrome oxidase (H. Masuda, M. Munakata, S. Kitagawa), (391) 131
Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of $Ag_3M_3(CO)_{12}(Me_2PCH_2CH_2PMe_2)_3$, M = Nb, Ta (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45
Group 11 trifluoromethyl derivatives, formation by reaction of $Cd(CF_3)_2 \cdot$glyme with representative Au, Ag and Cu complexes: isolation of $Au(CF_3)_3(PMe_3)$, $Au(CF_3)_3(PEt_3)$, $AuI(CF_3)_2(PMe_3)$, $AuCF_3(PMe_3)$, $AuCF_3(PEt_3)$ and $AgCF_3(PMe_3)$; observation of $CuCF_3(PMe_3)$, (H.K. Nair, J.A. Morrison), (376) 149
Heteronuclear cluster compounds containing $M(PR_3)$ (M = Cu, Ag or Au; R = alkyl or aryl), synthesis via group 11 metal exchange reactions of (S.S.D. Brown, I.D. Salter), (377) C31
Mixed-metal clusters containing $M\{P(CH_2Ph)_3\}$ (M = Cu or Ag) fragments, influence of $P(CH_2Ph)_3$ ligand on the metal framework structures adopted by; crystal structures of $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{\mu\text{-}P(CH_2Ph)_2(\eta^2\text{-}CH_2Ph)\}]$ and $[Cu_2Ru_4(\mu_3\text{-}H)_2(CO)_{12}\{P(CH_2Ph)_3\}_2]$ (C.J. Brown, P.J. McCarthy, I.D. Salter, K.P. Armstrong, M. McPartlin, H.R. Powell), (394) 711
Pentanuclear $[Au_3Ag_2(C_2Ph)_6]^-$, $[Ag_5(C_2Ph)_6]^-$, and $[Ag_4Cu(C_2Ph)_6]^-$ clusters, preparation and possible structures of; reactivity of the polymer complexes $[\{AuAg(C_2Ph)_2\}_n]$ and $[\{AuCu(C_2Ph)_2\}_n]$ (O.M. Abu-Salah, A. Razzak, A. Al-Ohaly, Z.F. Mutter), (389) 427

[Ru_2\{μ-1,2-$(NH)_2C_6H_4$\}$(CO)_4(PPh_3)_2$], reactions with H^+, NO^+ and Group 11 metal fragments; syntheses of trinuclear Ru_2M (M = Cu, Ag, Au) and pentanuclear Ru_4Au clusters (A. Anillo, J.A. Cabeza, R. Obeso-Rosete, V. Riera), (393) 423

Tetranuclear cluster [$Au_2Ag_2(C_2Ph)_4(PPh_3)_2$] and mixed-metal gold–silver and gold–copper phenylacetylide polymer complexes [{$AuM(C_2Ph)_2$}$_n$] (M = Ag, Cu), syntheses and structures of (O.M. Abu-Salah), (387) 123

Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS), water-soluble metal complexes of (W.A. Herrmann, J. Kellner, H. Riepl), (389) 103

Sodium

Arenetricarbonylchromium complexes in the synthesis of 6,7-benzomorphanes (V.N. Kalinin, S.K. Moiseev, V.I. Bakhmutov, I.A. Cherepanov), (383) 85

Complex bases from organolithium compounds and various sodium alkoxides, properties of (L. Lochmann), (376) 1

Dicyclopentadienylsamarium complexes with t-butyl substituents in the ring. Crystalline and molecular structure of the solvate (η^5-$C_5H_3Bu^t_2)_2Sm\cdot OC_4H_8$ and homoleptic ate complex [$NaSm(\eta^5:\eta^2$-$C_5H_4Bu^t)_3\cdot OC_4H_8]_n$ (V.K. Bel'sky, Yu.K. Gunko, B.M. Bulychev, A.I. Sizov, G.L. Soloveichik), (390) 35

1,1-Disodio-2,3,4,5-tetraphenyl-1-silacyclopentadiene, synthesis and reactivity of (W.-C. Joo, J.-H. Hong, S.-B. Choi, H.-E. Son, C.H. Kim), (391) 27

($\eta^5:\eta^5$-Fulvalene)bimetallic compounds derived from ($\eta^5:\eta^5$-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

{$Na(\mu_2$-THF)[$(C_5Me_5)Gd(THF)]_2(\mu_2$-$Cl)_3(\mu_3$-$Cl)_2$}$_2\cdot$6THF monopentamethylcyclopentadienyl derivative of gadolinium, synthesis and X-ray crystal structure of (Q. Shen, M. Qi, Y. Lin), (399) 247

Sodium aza-allyl monomer, {[PhC(H)NC(H)Ph]Na·PMDETA}, discrete contact ion-pair structure with N–Na bond and (*ortho*-Ph)C–H···Na contacts, X-ray structure in solid state and solution of (P.C. Andrews, R.E. Mulvey, W. Clegg, D. Reed), (386) 287

Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69

Strontium

Calcium and strontium, and zinc (phenazine)$^{-\cdot}$ species (G.E. Jacobsen, C.L. Raston), (395) C1

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Sulphur

Alkylidynetungsten complexes [W(≡CR)$(CO)_2(\eta$-$C_5H_5)$] (R = Me or C_6H_4Me-4), reactions with [$Rh_2(\mu$-$SPh)_2(COD)_2$] of; crystal structure of [$W_2Rh_2(\mu$-CMe)$(\mu_3$-CMe)$(\mu$-$SPh)_2(CO)_4(\eta$-$C_5H_5)_2$] (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315

2,1,3-Benzothiadiazole and 2,1,3-benzoselenadiazole, complexes of ruthenium, osmium and iridium of and coordination chemistry in (M. Herberhold, A.F. Hill), (377) 151

2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333

1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455

Bridged double butterfly-shaped Fe–S cluster complexes [$(\mu$-RS$)Fe_2(CO)_6]_2(\mu$-$SCH_2C_6H_4CH_2S$-μ), synthesis and structural characterization of (L.-C. Song, M. Kadiata, J.-T. Wang, R.-J. Wang, H.-G. Wang), (391) 387

Carbon disulphide and carbon dioxide adducts (η-$C_5H_5)(CO)_2Fe$–CX_2^-, reactions with organoiron electrophiles of (M.E. Giuseppetti-Dery, B.E. Landrum, J.L. Shibley, A.R. Cutler), (378) 421

Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands (X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79

Cesium monomercaptoundecahydro *closo*-dodecaborate(2−), oxidation products of (K. Nagasawa, Y. Ikenishi, Y. Nakagawa), (391) 139

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

[(η-C_5H_5)(CO)FeC(S)SC(Fp)S] (Fp = (η-C_5H_5)Fe(CO)$_2$), reactions with Group IB and IIB metals; X-ray molecular structure of [(η-C_5H_5)(CO)FeC(SHgBr$_2$)SC(Fp)S]$_2$ (L. Busetto, S. Bordoni, V. Zanotti, V.G. Albano, D. Braga, M. Monari), (389) 341

$(C_5H_5)_2Cr(\mu\text{-}OCMe_3)_2$, reactions with chalcogens of; syntheses and molecular structures of $(C_5H_5)_2Cr_2(\mu\text{-}OCMe_3)_2(\mu\text{-}S_4)$ and $(C_5H_5)_2Cr_2(\mu\text{-}OCMe_3)_2(\mu\text{-}Se)$ (S.E. Nefedov, A.A. Pasynskii, I.L. Eremenko, B. Orazsakhatov, V.M. Novotortsev, O.G. Ellert, A.I. Yanovsky, Yu.T. Struchkov), (384) 295

[(η-C_5H_5)$_2$Nb(CO)(CR^1=CHR^2)], reactivity of alkenyl complexes of; crystal structure of 1,3-dithiol-2-ylidene niobium complexes (J. Amaudrut, J. Sala-Pala, J.E. Guerchais, R. Mercier), (391) 61

{η^6-1,4-$(CH_3SO_3)_2C_6H_4$}Cr(CO)$_3$, synthesis, characterization, and reactivity of (M.E. Wright), (376) 353

[3,3,3-(CO)$_3$-4-SMe$_2$-3,1,2-$MnC_2B_9H_{10}$], synthesis and molecular and electronic structure of; order-of-magnitude improved structure of (η-C_5H_5)Mn(CO)$_3$ (J. Cowie, E.J.M. Hamilton, J.C.V. Laurie, A.J. Welch), (394) 1

Cp_2Zr ligand complexes, theoretical study of dyotropic rearrangements of (G.N. Sastry, E.D. Jemmis), (388) 289

Cryptates from cryptands containing the ferrocene unit; determination of equilibria stoicheiometries and stability constants (C.D. Hall, I.P. Danks, N.W. Sharpe), (390) 227

Cyclopentadienylthiocarbonyl complexes of iron, $[Cp^*Fe(CO)_2CS]^+$, $Cp^*_2Fe_2(CO)_2(CS)_2$, $Cp_2Fe_2(CO)_3(CS)$, and $Cp_2Fe_2(CO)_2(CS)_2$ ($Cp = C_5H_5$, $Cp^* = C_5Me_5$), formation and structures of (M.-G. Choi, L.M. Daniels, R.J. Angelici), (383) 321

(*N*,*N*-Dibenzyl)benzene coordination of sulphenamide to pentacarbonylchromium(0) via the sulphur atom; crystal structure of $(C_6H_5CH_2)_2NS(C_6H_5)Cr(CO)_5$ (M.L. Rodriguez, C. Ruiz-Pérez, I. Brito, C. Diaz, J. Cuevas, G. González, V. Manriquez), (377) 235

Dicarbonyl(η^5-cyclopentadienyl)[η^2-aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3-thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19

Dichlorobis(cyclopentadienyl)hafnium(IV), *N*-(aryl)-2-mercaptoacetamide derivatives of (A.K. Narula, P. Lukose), (393) 365

Diene-ruthenium(II) complexes of sulphur-containing α-amino acids, synthesis and stereochemistry of (W.S. Sheldrick, R. Exner), (386) 375

(*N*,*N*-Diethyldithiocarbamato)-tungsten(II) and -molybdenum(IV) complexes, reactions with a "C_4" hydrocarbon cut containing a mixture of alkynes and olefins; crystal structure of [W($S_2CN(C_2H_5)_2)_2$-(CO)(η^2-CH≡C–CH=CH$_2$)] (N. Le Berre, R. Kergoat, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 61

Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7

Dimethylgermyldimethylsilylmethaneoctacarbonyldiiron, formation of (J. Barrau, N. Ben Hamida, J. Satgé), (387) 65

Dimethyltin dichloride-dibenzylsulphoxide, crystal structure of (S.W. Ng, A.L. Rheingold), (378) 339

Dinuclear sulfur- and selenium-bridged carbonyl-rhodium complexes, reactivity studies of (H. Brunner, N. Janietz, J. Wachter, H.-P. Neumann, B. Nuber, M.L. Ziegler), (388) 203

Diorganotin(IV) complexes of thiohydrazides and thiohydrazone, synthesis and spectral characterization of (N.K. Singh, U. Sharma, S.K. Kulshreshtha), (382) 375

2,5-Diphenylchalcophene radical ions, electron spin resonance study of (A.G. Davies, C.H. Schiesser), (389) 301

1,3-Dithia-2-boryl-[3]ferrocenophanes, synthesis and characterization of (D. Fest, C.D. Habben), (390) 339

Dithioformate Fe(η^2-HC(SR)S) complexes, cleavage of the coordinate C–S bond by alkynes in; route to FeCH(SR)COC(CO_2Me)=C(CO_2Me)S(CO)(PR_3)$_2$ (D. Touchard, J.-L. Fillaut, P.H. Dixneuf, R.D. Adams, B.E. Segmüller), (386) 95

Ferrocene-chalcogenols Fe(C_5H_5)(C_5H_4EH) and Fe(C_5H_4EH)$_2$ (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne [HB(pz)$_3$](CO)$_2$W≡CSMe, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

Iron carbonyl, insertion into a C–S bond of tetrathiofulvane (H.G. Raubenheimer, L. Linford, H.M. Roos), (393) C49

Isobutyl(isopropoxy)silanethiols i-Bu_n(i-PrO)$_{3-n}$SiSH ($n = 0$–3), imidazole catalysed alcoholysis of (J. Pikies, W. Wojnowski), (386) 305

Isosteric isobutyl(isopropoxy)silanethiols, preparation and spectroscopic properties of (J. Pickies, W. Wojnowski), (378) 317

Lanthanoide triflate and monocyclopentadienyllanthanoide compounds, chemistry of (H. Schumann, J.A. Meese-Marktscheffel, A. Dietrich), (377) C5

1-(γ-Mercaptopropyl)silatrane, crystal structure of (P. Hencsei, I. Kovács, V. Fülöp), (377) 19

Molybdenum– and tungsten–sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177

Molybdenum–molybdenum double bond electrogeneration from thiolate-bridged dinuclear precursors; carbon monoxide catalysed isomerisation about the Mo=Mo bond (C. Le Floc'h, F.Y. Pétillon, C.J. Pickett, J. Talarmin), (390) C39

Molybdenum pyrazolylborato stereochemically nonrigid complexes containing a *dihapto*-thiocarboxamido ligand, synthesis, structure and properties of (T. Desmond, F.J. Lalor, B. O'Sullivan, G. Ferguson), (381) C33

Mononuclear cobalt carbonyls containing monodentate thiolate or xanthate groups; structures of $PhSCo(CO)_2(PPh_2OMe)_2$ and $MeOCS_2Co(CO)_2(PPh_2{}^iBu)_2$ (S. Vastag, L. Markó, A.L. Rheingold), (397) 231

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-*S*-methylthiouracil; crystal structure of methylmercury(II)-2-*S*-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19

Mono- or *gem*-di-halogenoalkenes, convenient preparation from α-sulfonyl carbanions and halogenolithiocarbenoïds of (P. Charreau, M. Julia, J.-N. Verpeaux), (379) 201

Nido-cluster $[(CO)_3FeS]_2$, photochemically induced [2 + 2]-cycloaddition of alkenes and dienes to the S–S bond of (A. Kramer, I.-P. Lorenz), (388) 187

Organotin thiosemicarbazates, crystal structure of triphenyltin 1-amino-4-(2-hydroxyphenyl)-2,3-diazapenta-(*E*)-1,(*E*)-3-dienyl-1-thiolate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 211

Osmium and iridium series $[MLCl(PPh_3)_2(OSA)]$ (ML = OsNO, IrCO; A = O, CH_2, S, NR; R = *o*-tolyl, *p*-tolyl and *p*-tosyl), (M. Herberhold, A.F. Hill) (387) 323

Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphatotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39

Oxygen-donor adduct of triphenyltin saccharin; crystal structure of [*N*-triphenylstannyl 1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide]·[*O*-glycolic acid] (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (379) 247

$Pd(BF_4)_2$ and $Pt(BF_4)_2$ complexes of 1,1′-bis[(alkyl- or phenyl-)chalcogenoferrocenes, synthesis and properties of (M. Sato, M. Sekino, M. Katada, S. Akabori), (377) 327

Racemic acetyl(t-butyl)methylphenylsilane and acetylmethylphenyl[(trimethylsilyl)methyl]silane, synthesis of substrates for stereoselective microbial reductions (R. Tacke, K. Fritsche, A. Tafel, F. Wuttke), (388) 47

Redox-active dinuclear macrocycles designed to bind and activate small molecules (P.D. Beer, J.E. Nation, S.L. Brown), (377) C23

Rhenium oxo and methylimido complexes with oxygen, sulphur and nitrogen chelates; synthesis, elimination reactions and structural analysis (W.A. Herrmann, D.W. Marz, E. Herdtweck), (394) 285

$[RhH(PPh_3)_4]$, reaction with thiols; ^1H and ^{31}P NMR study (L. Carlton, Z. Bulbulia), (389) 139

$Ru(C[C_4H_3N]SCNMe_2S)(\eta^2\text{-}S_2CNMe_2)(CO)(PPh_3)$, synthesis and reactions of; crystal structure of $[Ru\{=C(SCNMe_2S)(2\text{-pyrrolyl})\}(\eta^2\text{-}S_2CNMe_2)(CO)(PPh_3)]^+$ (G.J. Irvine, C.E.F. Rickard, W.R. Roper, L.J. Wright), (387) C9

$(\mu\text{-}S_5)[RuC_5H_5(CO)_2]_2$, synthesis and reaction with acid chlorides of, preparation of $RuC_5H_5(CO)_2SCOR$ and molecular structure of $RuC_5H_5(CO)_2SCO(2\text{-}O_2NC_6H_4)$ (M.O. El-Hinnawi, M.L. Sumadi, F.T. Esmaldi, I. Jibril, W. Imhof, G. Huttner), (377) 373

Sulphur-bridged trinuclear carbonylalkynyliron clusters, preparation, properties and structure of (Th. Fassler, G. Huttner), (376) 367

Tetramesityldisilene, reactions with azides; synthesis of disilaaziridines (G.R. Gillette, R. West), (394) 45
2-Thienyl-, 2-furyl- and 2-(4,5-dihydrofuryl)germanes, ^{73}Ge NMR spectra of (E. Liepiņš, I. Zicmane, L.M. Ignatovich, E. Lukevics), (389) 23
(Thioacetoxy-*S*-methyl)diorganylsilanes and (mercaptomethyl)diorganylsilane, synthesis and properties of (R. Tacke, B. Becker, H. Lange), (388) 57
Thioacylferrocenes; metal complexation of; crystal structures of pentacarbonyl(thiobenzoylferrocene-*S*)-chromium and benzoylferrocene (J.C. Barnes, W. Bell, C. Glidewell, R.A. Howie), (385) 369
Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57
Thiocarbene-chromium complexes, sulfur to carbon migration of an allyl group upon alkyne insertion in (A. Parlier, H. Rudler, C. Alvarez), (379) 271
(Thioketene)$Fe_2(CO)_6$, reactions with arsa-chelate ligands of (M. Wiederhold, U. Behrens), (384) 49
Titanocene complexes containing the chelating ligands $C_2S_4^{4-}$,$C_2S_5^{2-}$, and $C_2S_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89
Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305
Transition metal polysulphide complexes, chemistry of; synthesis and crystal structures of $Cp'_3Nb_3S_{12}$ and $Cp'_3Nb_3S_{10}O$ ($Cp' = t\text{-}BuC_5H_4$) (H. Brunner, W. Meier, J. Wachter, B. Nuber, M.L. Ziegler), (381) C7
Tricarbonylrhenium halide complexes, *fac*-[$ReX(CO)_3\{(C_5H_4ECH_3)_2Fe\}$] (X = Cl. Br, I; E = S, Se); crystal structure of chloro-1,1′-bis(methylthio)ferrocenetricarbonylrhenium (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (383) 253
Trimethylplatinum(IV) halide complexes, [$PtXMMe_3\{(C_5H_4ECH_3)_2Fe\}$] (E = S, Se; X = Cl, Br, I), syntheses, structures and stereodynamics of (E.W. Abel, N.J. Jong, K.G. Orell, A.G. Osborne, V. Šik), (378) 473
Triphenyl(*N*,*N*-diisopropyldithiocarbamato)tellurium(IV), crystal structure of (J.E. Drake, M.L.Y. Wong), (377) 43
Tris(sodium-*m*-sulfonatophenyl)phosphane (TPPTS) and catalytically useful rhodium complexes, purification of (W.A. Herrmann, J.A. Kulpe, W. Konkol, H. Bahrmann), (389) 85

Tantalum

Electron-transfer processes with substituted group 5 metal carbonyls; synthesis, crystal and molecular structure of $Ag_3M_3(CO)_{12}(Me_2PCH_2CH_2PMe_2)_3$, M = Nb, Ta (F. Calderazzo, G. Pampaloni, U. Englert, J. Strähle), (383) 45
Tantalocene (acetylene)hydrido complexes, reaction of activated acetylene with the tantalum–hydrogen bond of (G.E. Herberich, U. Englert, M. Hoeveler, I. Savvopoulos), (399) 35
Transition metals, diene complexes of (A. Nakamura), (400) 35

Technetium

Bis(cyclopentadienyl)technetium(III) chloride and tris(cyclopentadienyl)technetium(III), synthesis and crystal structure of (C. Apostolidis, B. Kanellakopulos, R. Maier, J. Rebizant, M.L. Ziegler), (396) 315

Tellurium

Bis(aryltelluro)methanes, synthesis and characterization, of (L. Torres C.), (381) 69
Chloro-*p*-ethoxyphenyl-2-(2-pyridyl)phenyltelluronium(IV) trichloromercurate(II), crystal and molecular structure of (T.S. Lobana, S.A. Mbogo, W.R. McWhinnie, W.C. Patalinghug, A.H. White), (390) 29
Cyclopentadienyltricarbonyl-manganese and -rhenium chalcogen derivatives of $[(CO)_3MC_5H_4]_2E_n$ (M = Mn, Re; E = S, Se, Te; n = 2, 1) M. Herberhold, M. Biersack), (381) 379
Cyclotellurated derivatives of 2-(3-thienyl)pyridine (H.B. Singh, N. Sudha), (397) 153
Diaryl ditellurides, improved preparation of (L. Engman, J. Persson), (388) 71
Di-2-benzo[*b*]thienyl ditelluride, synthesis and structure of (S.K. Kumar, H.B. Singh, K. Das, U.C. Sinha), (397) 161
2,5-Diphenylchalcophene radical ions, electron spin resonance study of (A.G. Davies, C.H. Schiesser), (389) 301
$Fe_3(CO)_{10}(\mu_3\text{-}RP)$, addition reactions with XCN^- (X = S, Se, Te) and R′XXR′ (X = Se, Te) of (D. Buchholz, G. Huttner, L. Zsolnai, W. Imhof), (377) 25

$Fe_2(CO)_6(\mu_2\text{-}Te_2)$, insertion of a methylene group into the Te–Te bond of (P. Mathur, V.D. Reddy), (387) 193

Ferrocene-chalcogenols $Fe(C_5H_5)(C_5H_4EH)$ and $Fe(C_5H_4EH)_2$ (E = S, Se, Te), acyl derivatives of (M. Herberhold, P. Leitner, C. Dörnhörfer, J. Ott-Lastic), (377) 281

$(\mu_2\text{-}Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 (L = PPh_3, M = Pt, Pd, Ni; L = C_5H_5, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127

2-Phenyl-2-iodo-5,6-dimethyl-1,3-dihydro-2-telluraindene, preparation of phenylation at tellurium by tetraphenylborate ion (A.Z. Al-Rubaie), (382) 383

Phosphine-stabilised organyl tellurenyl cations, $[RTe(PR'_3)]^+$ (Chr. Köllemann, F. Sladky), (396) C1

2-(2-Pyridyl)phenyl(*p*-ethoxyphenyl)tellurium(II), reaction with mercury(II) chloride of (S.A. Mbogo, W.R. McWhinnie, T.S. Lobana), (384) 115

Rhenium chemistry applied in catalysis (*review*) (W.A. Herrmann), (382) 1

Telluride-substituted mixed metal clusters; crystal structures of $[HRuCo_3(CO)_{11}(TeMe_2)]$, $[HRuCo_3(CO)_{10}(TeMe_2)_2]$, and $[HRuCo_3(CO)_{11}(TePh_2)]$ (S. Rossi, J. Pursiainen, T.A. Pakkanen), (397) 81

Tellurium-containing aromatic azomethine derivatives, intramolecular Te ← N coordination in (I.D. Sadekov, A.A. Maksimenko, A.G. Maslakov, V.I. Minkin), (391) 179

Telluronium heterocyclic β-diketonates, synthesis, spectra and biological activity of (K.M. Prasad, N.R. Rao, M.C. Ganorkar, C.M. Chary), (376) 53

Triphenyl(*N*,*N*-diisopropyldithiocarbamato)tellurium(IV), crystal structure of (J.E. Drake, M.L.Y. Wong), (377) 43

Thallium

Formyl-, acetyl-, carbomethoxy-, and carboethoxy-cyclopentadienylthallium, formation and synthetic utility of (S.S. Jones, M.D. Rausch, T.E. Bitterwolf), (396) 279

(η^5:η^5-Fulvalene)bimetallic compounds derived from (η^5:η^5-fulvalene)dithallium, synthesis and structures of (M.D. Rausch, W.C. Spink, B.G. Conway, R.D. Rogers, J.L. Atwood), (383) 227

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Manganese, rhodium, and ruthenium bimetallic carbonyl complexes, synthesis from 1,4-bis(cyclopentadienylthallium) 1,4-butadione of (T.E. Bitterwolf), (386) 9

Metallocenylcyclopentadienylides as precursors for heteropolymetallocenes, preparation and reactions of ferrocenyl- and cobaltoceniumyl-cyclopentadienylides of, (C. Rieker, G. Ingram, P. Jaitner, H. Schottenberger, K.E. Schwarzhans), (381) 127

Monoorganomercury and diorganothallium derivatives of 2-thiouracil and 2-*S*-methylthiouracil; crystal structure of methylmercury(II)-2-*S*-methylthiouracilate (M.S.G. Tasende, M.I.S. Gimeno, A. Sánchez, J.S. Casas, J. Sordo, E.E. Castellano), (384) 19

Titanocene chiral derivatives accessible from substituted dihydropentalene and azulene precursors (P. Burger, H.-U. Hund, K. Evertz, H.-H. Brintzinger), (378) 153

Thorium

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

Monoorganomercury and diorganothallium derivatives of 2-thiobarbituric acid (M.S. García Tasende, M.I. Suárez Gimeno, A. Sánchez, J.S. Casas, J. Sordo), (390) 293

Substituted benzamidinate anions as steric equivalents of η^5-C_5H_5 and η^5-C_5Me_5; crystal structures of $[PhC(NSiMe_3)_2]_3UCl$, $[4\text{-}CF_3C_6H_4C(NSiMe_3)_2]_3UCl$, $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2UCl_2$ and $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2ThCl_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens, (388) 21

Tris(indenyl)actinide hydrocarbyls, actinide–ligand bond disruption enthalpies in (S. Bettonville, J. Goffart, J. Fuger), (377) 59

Tin

Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of $TiCl_4$ or Cp_2TiCl_2 (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295

Allylstannanes with boron trifluoride etherate and boron trichloride as reagents in allylation reactions of aldehydes (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (390) 127

Allylstannation of aldehydes by crotyltin chlorides in acid media (D. Marton, G. Tagliavini, N. Vanzan), (376) 269

Arsane, reaction with cobalt or iron carbonyls; X-ray crystal structures of $[Fe_2(CO)_8(\mu_4\text{-As})]_2[Fe_2(CO)_6]$ and $[\mu_4\text{-}AsCo_3(CO)_8]_3$ (L.J. Arnold, K.M. Mackay, B.K. Nicholson), (387) 197

Aryltin(IV) complexes, synthesis using arylmercury compounds; synthesis of mixed triaryltin(IV) complexes; crystal and molecular structure of $[\overline{Sn(2\text{-}C_6H_4N=N}Ph)Ph_2Cl]$ (J. Vicente, M.T. Chicote, M.C. Ramirez-de-Arellano, P.G. Jones), (394) 77

Bis[bis(trimethyl)silylmethyl]manganese(II), synthesis and properties of; crystal structures of its tetrahydrofuran and bis(dimethylphosphino)ethane adducts (P.B. Hitchcock, M.F. Lappert, W.-P. Leung, N.H. Buttrus), (394) 57

1,2-Bis(organostannyl)ethanes as bidentate Lewis acids; crystal structures of $(Ph_2ClSnCH_2)_2.(Me_2N)_2PO$ and $[Ph_3P=N=PPh_3][(Ph_2ClSnCH_2)_2.Cl]$ (K. Jurkschat, F. Hesselbarth, M. Dargatz, J. Lehmann, E. Kleinpeter, A. Tzschach, J. Meunier-Piret), (388) 259

Bromodestannylation reactions of some functionally substituted organotin compounds (A.B. Chopa, L.C. Koll, J.C. Podestá, T.N. Mitchell), (376) 283

Chiral terpenes, hydroformylation with $PtCl(SnCl_3)$(bis-phosphine) as catalyst of (L. Kollár, J. Bakos, B. Heil, P. Sándor, G. Szalontai), (385) 147

$CH_3OOCCH_2CH(COOCH_3)CH_2SnCl_3$, preparation and structure of (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (397) 17

$[CpCr(CO)_3]_2(\mu\text{-}SnCl_2)$ and $CpCrCl_2(THF)$, isolation from the insertion-displacement of Se in $Cp_2Cr_2(CO)_4Se$ with $SnCl_2$; crystal structure of $CpCrCl_2(CH_3CN)$ ($Cp=\eta^5\text{-}C_5H_5$) (L.Y. Goh, T.W. Hambley), (395) 269

Cyclopalladated *N*-nitrosoanilines, reactions with Sn^{IV} reagents; crystal structure of the bis cyclopalladated complex *cis*-$Pd\{ONN(CH_3)(C_6H_4)\}_2$ (A. Albinati, S. Affolter, P.S. Pregosin), (395) 231

Dichlorobis(imidazole)dimethyltin(IV), crystal structure of (E. García Martínez, A. Sánchez González, A. Macías, M.V. Castaño, J.S. Casas, J. Sordo), (385) 329

Dichlorodivinylbis[(3*H*)-imidazoline-2-thione]tin(IV), synthesis and molecular structure of (R. Graziani, V. Peruzzo, G. Plazzogna, U. Casellato), (396) 19

Dimethyl- and trimethyl-stannane, vacuum UV and PE spectra of (G. Lespes, A. Dargelos, J. Fernandez-Sanz), (379) 41

Dimethyltin dichloride-dibenzylsulphoxide, crystal structure of (S.W. Ng, A.L. Rheingold), (378) 339

Di-n-butyltin(IV) di-*o*-bromobenzoate, a weakly-bridged dimer (S.W. Ng, V.G. Kumar Das, W.-H. Yip, R.-J. Wang, T.C.W. Mak), (393) 201

Diorganotin(IV) complexes of thiohydrazides and thiohydrazone, synthesis and spectral characterization of (N.K. Singh, U. Sharma, S.K. Kulshreshtha), (382) 375

Diorganotin(IV) complexes with *o*-anisic acid, synthesis and spectroscopic properties of; crystal and molecular structure of $\{[^nBu_2Sn(2\text{-}MeOC_6H_4COO)]_2O\}_2$ (C.S. Parulekar, V.K. Jain, T. Kesavadas, E.R.T. Tiekink), (387) 163

Diphenyl-lead sulphide and diphenyl-tin sulfide trimers; molecular structures, ring segment exchange in solution, and dimer formation as indicated by FD mass spectroscopy (B.M. Schmidt, M. Dräger), (399) 63

Di-t-butyldichlorostannane, reactions with sterically congested aryllithium compounds of (M. Weidenbruch, K. Schäfers, K. Peters, H.G. von Schnering), (381) 173

Di-t-butyltin chalcogenide four membered compounds, X-ray and NMR spectroscopy of (H. Puff, G. Bertram, B. Ebeling, M. Franken, R. Gattermayer, R. Hundt, W. Schuh, R. Zimmer), (379) 235

Ethynylstannanes, isotope $^{13/12}C$ effects on ^{119}Sn nucleus shielding in (E. Liepiņš, I. Birģele, E. Lukevics, E.T. Bogoradovsky, V.S. Zavgorodny), (390) 139

$Et_4N[trans\text{-}(Cl_3Sn)_2Co(CO)_3]$ and $[Co\{(pz)_3BH\}_2][trans\text{-}\{[(CO)_4Co]Cl_2Sn\}_2Co(CO)_3]$, preparation, structures and bonding in (O.J. Curnow, B.K. Nicholson, M.J. Severinsen), (388) 379

$(\mu_2\text{-}Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 ($L = PPh_3$, $M = Pt$, Pd, Ni; $L = C_5H_5$, $M = Ti$; $L = Me$, n-Bu, $M = Sn$) of (P. Mathur, V. Dayal Reddy), (385) 363

Group IVB organobimetallic compounds, reactions with electrophilic reagents (S.I. Bobrovskii, Yu.G. Bundel), (395) 121

1,1,6,6,11,11-Hexamethyl-1,6,11-tristannacyclopentadecane, synthesis and complexing ability of (K. Jurkschat, A. Rühlemann, A. Tzschach), (381) C53

5-Hexenyltributyltin, reaction with pseudohalogens; cyclization vs. double bond addition (J.W. Herndon, J.J. Harp), (393) C1

$[HFe(CO)_4]^-$ as a reagent for the synthesis of tin/iron clusters, partial crystal structure of $(NEt_4)_2[SnCl_2\{Fe(CO)_4\}_2]\cdot SnCl_4$ (M. Ferrer, O. Rossell, M. Seco, X. Solans, M. Gómez), (381) 183

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Main-group elements as central atoms in cyclopentadienyl complexes (P. Jutzi), (400) 1

$[MCl_2(CNBu^t)_3(PMe_3)_2]$ (M = Mo or W) synthesis and reactivity of, preparation of $[MCl(CNBu^t)_4(PMe_3)_2]Cl$ and $[M(SnCl_3)(CNBu^t)_3(PMe_3)_3](SnCl_3)$ derivatives; crystal structure of $[MoCl(CNBu^t)_4(PMe_3)_2]Cl\cdot 2Me_2CO$ (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241

$(Me_3Ge)_2Sb-Sb(GeMe_3)_2$ and related distibanes, crystal structures and thermal properties of (S. Roller, M. Dräger, H.J. Breunig, M. Ates, S. Güleç), (378) 327

$[(Me_3Si)_2CH]_2Sn(Cl)N(H)(C_6H_2$-2,4,6-t-$Bu_3)$ and $[(Me_3Si)_2CH]_2Sn(F)N(H)(C_6H_2$-2,4,6-t-$Bu_3)$, syntheses and crystal structures of (A. Raharinirina, R. Boese, G. Schmid), (395) 39

$[(Me_3Sn)_2(Me_3Sb)M(CN)_6]_\infty$ (M = Fe, Ru): organo-Sn^{IV}/Sb^V polymers of high chemical and thermal stability (S. Eller, S. Dülsen, R.D. Fischer), (390) 309

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metal complexes of *C*-nitroso compounds, correlation of NO stretching frequencies with coordination modes in (M. Cameron, B.G. Gowenlock, G. Vasapollo), (378) 493

3-Methoxy-3-oxopropyltin(IV), tris(pyrazolyl)borate complexes of; crystal structure and properties of $CH_3OOCCH_2CH_2Sn((pz)_3BH)X_2$ (X = Cl, NCS) (O.-S. Jung, J.H. Jeong, Y.S. Sohn), (399) 235

3-Methoxy-1-(tributylstannyl)-1-propene, a versatile vinyltin synthon (J.-B. Verlhac, M. Pereyre), (391) 283

Mixed-valence 1,1,12,12-tetra-n-butyl[1,1]stannaferrocenophane, electron transfer in; electrochemical and near-IR spectroscopic studies (T.-Y. Dong, M.-Y. Hwang, Y.-S. Wen, W.-S. Hwang), (391) 377

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Organotin compounds, ^{119}Sn NMR studies of the pyrazine adducts of (D. Cunningham, J. McManus, M.J. Hynes), (393) 69

Organotin halides, effect of halide on Lewis acidity (J.N. Spencer, T. Ganunis, A. Zafar, H. Eppley, J.C. Otter, S.M. Coley, C.H. Yoder), (389) 295

Organotin halides, Lewis acidities toward tributylphosphine and tributylphosphine oxide, effect of the donor site (C.H. Yoder, J.C. Otter, A. Grushow, T.F. Ganunis, B.C. Enders, A.I. Zafar, J.N. Spencer), (385) 33

Organotin(IV) complexes of some *N,N*-dimethylaniline *N*-oxide derivatives (T.A.K. Al-Allaf, M.A.M. Al-Tayy), (391) 37

Organotin(IV) oxinates and thiooxinates, high-resolution solid-state ^{119}Sn NMR spectroscopy of (A. Lyčka, J. Holeček, B. Schneider, J. Straka), (389) 29

Organotin thiosemicarbazates, crystal structure of triphenyltin 1-amino-4-(2-hydroxyphenyl)-2,3-diazapenta-(*E*)-1,(*E*)-3-dienyl-1-thiolate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 211

Oxy- and thio-phosphorus acid derivatives of tin(IV); crystal and molecular structure of *O*-methylphosphatotriphenyltin(IV) (J.G. Masters, F.A.K. Nasser, M.B. Hossain, A.P. Hagen, D. van der Helm, J.J. Zuckerman), (385) 39

Oxygen-donor adduct of triphenyltin saccharin; crystal structure of [*N*-triphenylstannyl 1,2-benzisothiazol-3(2*H*)-one 1,1-dioxide]·[*O*-glycolic acid] (S.W. Ng, C. Wei, V.G. Kumar Das, T.C.W. Mak), (379) 247

Palladium-catalyzed addition of the tin–germanium bond to allenes, reversal of regioselectivity in (T.N. Mitchell, U. Schneider, B. Fröhling), (384) C53

Plumboles bearing organometallic substituents, synthesis and reaction mechanism as studied by multinuclear magnetic resonance spectroscopy (B. Wrackmeyer, K. Horchler), (399) 1

Polymeric trimethylstannyl thiophene-2-carboxylate, X-ray crystal structure of (G.K. Sandhu, S.P. Verma, E.R.T. Tiekink), (393) 195

$Pt^{II}/SnCl_2$ catalysed hydroformylation (A. Scrivanti, S. Paganelli, U. Matteoki, C. Botteghi), (3850 439
$\{[R_2Sn(O_2CR')]_2O\}_2$ (R = Me, Et, ^nPr and ^nBu; R′ = thiophene and furan), characterization of; X-ray crystal structure of $\{[^nBu_2Sn(O_2CC_4H_3S)]_2O\}_2$ (C. Vatsa, V.K. Jain, T.K. Das, E.R.T. Tiekink), (396) 9
Silylstannyl triflates, silylstannylation of ethyl diazoacetate with (A. Fronda, G. Maas), (391) 289
Stannyl phosphines, addition to alkynes and allenes of (T.N. Mitchell, H.-J. Belt), (386) 167
6-Substituted-3,4-dihydro-2*H*-1-benzopyran-2-ones (dihydrocoumarins), synthesis via palladium catalysed coupling reactions (S.G. Davies, D. Pyatt, C. Thomson), (387) 381
Tetrakis(pyrazolyl)borates (G.G. Lobbia, F. Bonati, P. Cecchi, D. Leonesi), (391) 155
Thiirane-1-oxide, ring-opening reaction of; structure of the intermediate Lewis acid adduct (W.A. Schenk, A. Khadra, C. Burschka), (396) C4
Tin hydride and oxide, regiochemical and mechanistic studies of addition to substituted ketenes of (A.S. Hneihen, J.W. Bruno, J.C. Huffman), (382) 363
Tin(II) chiral alkoxide, asymmetric induction with (J. Augé, G. Bourleaux), (377) 205
Tin(II) compounds in organic synthesis (T. Mukaiyama, S. Kobayashi), (382) 39
Tin(IV) coordination environment in di-n-butyltin di-*p*-bromobenzoate (S.W. Ng, V.G. Kumar Das, B.W. Skelton, A.H. White), (377) 221
α-Tributylstannylacetals: preparation via transacetalisation of diethoxymethyltributyltin; use for the synthesis of new α-stannylated ethers (A. Duchêne, S. Boissière, J.-L. Parrain, J.-P. Quintard), (387) 153
Trifluormethylselenocarbonylfluoride, preparation and reactions with 1,3-dienes and secondary amines of (J. Grobe, D. Le Van, J. Welzel), (386) 321
Trimesityltin hydroxide and fluoride, preparation and X-ray structures of (H. Reuter, H. Puff), (379) 223
Triorganostannate esters of dicarboxylic acids, synthesis of; crystal structure of bis(dicyclohexylammonium) trisoxalatotetrakis(tri-n-butylstannate)·2ethanol (S.W. Ng, V.G. Kumar Das, M.B. Hossain, F. Goerlitz, D. van der Helm), (390) 19
Triorganotin(IV) complexes of *N*-benzoylglycine and *N*-benzoylglycylglycine, preparation, IR and ^1H NMR spectral studies of (G.K. Sandhu, G. Kaur), (388) 63
Triphenyltin(IV) chloroacetate, $[(C_6H_5)_3SnOC(O)CH_2Cl]$, $VT^{119m}Sn$ Mössbauer spectroscopy and X-ray crystallography of (S.W. Ng, K.L. Chin, C. Wei, V.G. Kumar Das, R.J. Butcher), (376) 277
Trisodium tricarbonylcobaltate(3−), synthesis, isolation and characterization of (J.E. Ellis, P.T. Barger, M.L. Winzenburg, G.F. Warnock), (383) 521
Tris(pyrazolyl)borates, preparations of (G.G. Lobbia, F. Bonati, P. Cecchi, A. Cingolani, A. Lorenzotti), (378) 139
Zinc[bis[3-(dimethylamino)propyl-*C*,*N*]tin]bis(dibenzoylmethanato)-(*Sn*–*Zn*), crystal structure of; stabilisation of a dialkyltin(II) compound by Sn–Zn coordination (J.T.B.H. Jastrzebski, H.A.J. Sypkens, F.J.A. des Tombe, P.A. van der Schaaf, J. Boersma, G. van Koten, A.L. Spek, A.J.M. Duisenberg), (396) 25

Titanium

Allyl-stannanes as reagents for the formation of homoallyl alcohols and 4-chlorotetrahydropyrans by allylation of aldehydes in the presence of $TiCl_4$ or Cp_2TiCl_2 (D. Marton, G. Tagliavini, M. Zordan, J.L. Wardell), (391) 295
Benzenyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77
Bis(η-cyclopentadienyl)titanium(IV) bis(substituted benzoato) complexes; synthesis and spectra of (Y. Dang, H.J. Geise, R. Dommisse, E. Esmans, H.O. Desseyn), (381) 333
Bis(η^5-(1*R*,8*R*)- and (η^5-(1*R*,8*R*),η^5-(1*S*,8*S*)-7,7,9,9-tetramethyltricyclo[6.1.1.$0^{2,6}$]deca-3,5-dien-2-yl)dichlorotitanium, comparative analysis of the solid state structural features of (M.R. Sivik, R.D. Rogers, L.A. Paquette), (397) 177
(η^4-Butadiene)-zirconocene, and -hafnocene with 2-methyl-2-nitrosopropane of (G. Erker, M.G. Humphrey), (378) 163
1-Camphenyl-titanium, -zirconium and -hafnium compounds, synthesis of (D. Schenke, K.-H. Thiele), (382) 109
$(C_5H_5)_2Ti^{IV}$ and $(C_5H_5)_2Zr^{IV}$ complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. Güthner), (379) 59

$(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2Ti(Sb_2F_{11})_2$; synthesis and characterization of; structure of $(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2V(SbF_6)_2$ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345

$(C_5H_5)_2TiX$ (X = Cl, Br) applied in dehalogenation of organic halides (Q. Yanlong, L. Guisheng, Y.-Z. Huang), (381) 29

$Cp_2Ti(BiF_6)_2$, synthesis and characterization of (P. Gowik, T. Klapötke), (387) C27

Cyclopentadienyl-titanium complexes, sterical effects in the hydrolysis of (J. Okuda), (397) C37

Dicarbonylbiscyclopentadienyltitanium(II), standard molar enthalpy of formation of the crystalline compound (M.A.V. Ribeiro da Silva, M.D.M.C. Ribeiro da Silva), (393) 359

1,3-Di-t-butylcyclopentadienyl ligands to iron, cobalt and titanium, complexation of (J. Okuda), (385) C39

$(\eta^6$-Durene)Ti$[(\mu$-X$)_2(AlX_2)]_2$ (X = Cl, I), mixed chloro-iodo-titanium(II) complex, molecular structure of; distribution of halogen atoms in bridge and outer positions (S.I. Troyanov, K. Mach), (389) 41

Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

$(\mu_2$-$Te_2)Fe_2(CO)_6$, reduction and reaction of the dianion formed with metal dihalides L_2MCl_2 (L = PPh_3, M = Pt, Pd, Ni; L = C_5H_5, M = Ti; L = Me, n-Bu, M = Sn) of (P. Mathur, V. Dayal Reddy), (385) 363

Isopropyltetramethylcyclopentadienyltitanium derivatives, synthesis, X-ray structures and polymerization of (D.T. Mallin, M.D. Rausch, E.A. Mintz, A.L. Rheingold), (381) 35

Magnesium activation of dichlorodi-η_5-cyclopentadienyltitanium in the catalytic hydrogenation of olefins and acetylenes (F. Scott, H.G. Raubenheimer, G. Pretorius, A.M. Hamese), (384) C17

ansa-Metallocene complexes with 16-electron and 18-electron configurations, assignment of ^{1}H- and ^{13}C-NMR signals in (S. Gutmann, P. Burger, M.-H. Prosenc, H.-H. Brintzinger), (397) 21

Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Me_3TiCp^*, gas phase molecular structure of (R. Blom, K. Rypdal, M. Mena, P. Royo and R. Serrano), (391) 47

Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173

μ-Oxo-bis(η^5-cyclopentadienyldichlorotitanium(IV)), preparation from η^5-cyclopentadienyl-tris(methylselenolato)titanium(IV) (P. Gowik, T. Klapötke, J. Pickardt), (393) 343

Pentamethylcyclopentadiene, reaction with the titanium Ziegler–Natta catalyst of (K. Mach, H. Antropiusová, J. Poláček), (385) 335

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

$TiCl_4$, interaction with *o*-, *m*- and *p*-diesters; crystal structures of $[o$-$C_6H_4(COO$-i-$Bu)_2TiCl_4]CH_2Cl_2$ and $[p$-$C_6H_4(COOMe)_2TiCl_4]$ (P. Sobota, J. Utko, T. Lis), (393) 349

Titanium complexes and alkali metal hydrides, active hydrogenation catalysts from (Y. Zhang, S. Liao, Y. Xu, S. Chen), (382) 69

Titanium-isocyanate complex, use in lactam synthesis by nitrogenation of enol lactones (Y. Uozumi, E. Mori, M. Mori, M. Shibasaki), (399) 93

Titanium–nitrogen complexes, reaction with acid halides and acid anhydrides (M. Mori, Y. Uozumi, M. Shibasaki), (395) 255

Titanocene, acetylene complexes of, as starting compounds in the preparation of five-membered titanacycles (H.G. Alt, G.S. Herrmann), (390) 159

Titanocene, alkenyl and ethyl complexes of; crystal structure of $[Cp_2Ti(CMe{=}CHMe)]_2\mu$-O (G.S. Herrmann, H.G. Alt, U. Thewalt), (393) 83

Titanocene aluminium hydride, reactions with alcohols, amines and ethers; structures of $[(\eta^5$-$C_5H_5)Ti(\mu_2$-$H)_2Al(H)(\mu_2$-$OC_2H_5)]_2$ and $[(\eta^5$-$C_5H_5)_2Ti(\mu_2$-$H)_2Al(H)\{\mu_2$-$N(C_2H_5)_2\}]_2$ (T.Yu. Sokolova, A.I. Sizov, B.M. Bulychev, E.A. Rozova, V.K. Belsky, G.L. Soloveichik), (388) 11

Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of $[\eta^5$-η^5-$(C_5H_4)_2Si(CH_3)_2]Ti[CH_2Si(CH_3)_3]_2$ (R. Gómez, T. Cuenca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103

Titanocene complexes containing the chelating ligands $C_2S_4^{4-}$, $C_2S_5^{2-}$, and $C_2S_6^{2-}$, synthesis and spectra of (R. Steudel, U. Westphal), (388) 89

Titanocene-trifluoroacetato complexes; molecular structures of $[Cp_2Ti(OCOCF_3)]_2\mu$-O and $Cp_2Ti(OCOCF_3)_2$ (G.S. Herrmann, H.G. Alt, U. Thewalt), (399) 83

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119
Transition metals, diene complexes of (A. Nakamura), (400) 35

Transition Metals – General

Action of carbon monoxide on nickel (L. Mond, C. Langer, F. Quincke) (*Facsimile*), (383) 1
Azide ion and *N*-nucleophile additions to coordinated carbon monoxide and CO-containing ligands; azido- and isocyanato-carbonyl metal complexes (W. Beck), (383) 143
Cationic π-complexes of transition metals of groups 6–10, synthesis by exchange of the carbonyl ligands in strong protonic acids of (M.I. Rybinskaya), (383) 113
CO substitution reactions of metal carbonyls, early kinetic studies on (F. Basolo), (383) 579
Ludwig Mond—father of metal carbonyls—and so much more (7 March 1839–11 December 1909) (E. Abel), (383) 11
Metal carbonyl reactivity, ligand and metal effects on (J.D. Atwood), (383) 59
The history of my process of nickel extraction (L. Mond) (*Facsimile*), (383) 7
100 years of metal carbonyls; a serendipitous chemical discovery of major scientific and industrial impact (W.A. Herrmann), (383) 21

Trans. Metals – General

Transition metals in organic synthesis, annual survey 1989 (L.S. Hegedus), (392) 285
Transition metals in organic synthesis, annual survey 1988 (L.S. Hegedus), (380) 169
Transition metals in organic synthesis; hydroformylation, reduction and oxidation; annual survey 1988 (L. Markó), (380) 429

Tungsten

$AgNO_3$ as nitrosylation reagent (K.-B. Shiu, C.-J. Chang), (395) C47
Alkylidyne-tricobalt cluster, metal exchange reactions with reactive μ_3-CX groups of (H.T. Schacht, H. Vahrenkamp), (381) 261
Alkylidynetungsten complexes $[W(\equiv CR)(CO)_2(\eta\text{-}C_5H_5)]$ (R = Me or C_6H_4Me-4), reactions with $[Rh_2(\mu\text{-}SPh)_2(COD)_2]$ of; crystal structure of $[W_2Rh_2(\mu\text{-}CMe)(\mu_3\text{-}CMe)(\mu\text{-}SPh)_2(CO)_4(\eta\text{-}C_5H_5)_2]$ (P.K. Byers, N. Carr, F.G.A. Stone), (384) 315
Anionic transition metal carbonyl hydrides, reactions with electrophilic metal carbonyls of: nucleophilic addition (hydride transfer) vs. electron transfer mechanisms (M.Y. Darensbourg, C.E. Ash, L.W. Arndt, C.P. Janzen, K.A. Youngdahl, Y.K. Park), (383) 191
$(\eta^6$-Arene)$M(CO)_3$ complexes (M = Cr, Mo or W), dielectric, electro-optic and spectroscopic properties of (M.J. Aroney, R.M. Clarkson, R.J. Klepetko, A.F. Masters, R.K. Pierens), (393) 371
Azadiphosphetine ring system $R\overline{P(NR')P=}\overline{CR'}$ (R = Et_3C, R' = Bu^t), relative donor properties of the sp^3 and sp^2 hybridised phosphorus atoms towards transition metals (R. Matos, M.F. Meidine, J.F. Nixon, B.F. Trigo Passos, E. Niecke, D. Barion), (390) C89
1,3-Benzodiphospholes, organometallic complexes with (K. Issleib, H. Schmidt, E. Leissring), (382) 53
Benzylidene(pentacarbonyl)wolfram, 1,4-insertion of a 1,4-diazabutadiene into the C–H bond of (H. Fischer, K. Treier, E.-C. Plappert, J. Hofmann), (399) 153
2,2-Bis(diphenylphosphinomethyl)-1-phenylthiopropane and its group 6 complexes, synthesis of (S.-T. Liu, H.-E. Wang, M.-C. Cheng, S.-M. Peng), (376) 333
1,2-Bis(3-indenyl)ethane dianion, reactions with photochemically activated carbonyl complexes of chromium, molybdenum and tungsten; crystal structure of 1,2-bis(3-indenyl)ethane (H.G. Alt, S.J. Palackal, R.D. Rogers), (388) 105
1,1′-Bis(methylthio)ruthenocene, syntheses, structures and stereodynamics of transition metal complexes of; crystal structure of 1,1′-bis(methylthio)ruthenocene tetracarbonyltungsten (E.W. Abel, N.J. Long, K.G. Orrell, A.G. Osborne, V. Šik, P.A. Bates, M.B. Hursthouse), (394) 455
Bis(pentacarbonyltungsten) complex of 1,3-diphosphaallene with η^1-coordination mode, preparation and X-ray structure of (M. Yoshifuji, K. Toyota, T. Niitsu, N. Inamoto, K. Hirotsu), (389) C12
Carbon monoxide ligands as building blocks for alkenyl ketone compounds (H.G. Alt), (383) 125
Carbonyl-free neutral and cationic phenylcarbynyl complexes of tungsten with isonitrile ligands (A.C. Filippou, E.O. Fischer), (383) 179

Carbonyl-molybdenum(0) and -tungsten(0) complexes, reactions with uninegative (S, X)-donor ligands (X = S, N, P) of (A.E. Sánchez-Peláez, M.F. Perpiñán, E. Gutierrez-Puebla, A. Monge, C. Ruiz-Valero), (384) 79

Carbonyltris(alkyne)tungsten complexes, dynamic behaviour in solution of (J. Okuda, K.H. Zimmermann), (384) C21

Cationic trimetallic clusters with Au–W bonds, synthesis of; crystal structure of $[AuW_2(\mu\text{-}CR)_2(CO)_4(bipy)_2Cl_2]\cdot PF_6$ (R = C_6H_4Me-4) (G.A. Carriedo, V. Riera, G. Sánchez, X. Solans, M. Labrador), (391) 431

$(\eta^5\text{-}C_5H_4CMe_2C_{13}H_9)M(CO)_3X$ (M = Cr, Mo, W; X = H, Me) complexes; preparation, characterisation and reactivity of (H.G. Alt, H.E. Maisel, J.S. Han, B. Wrackmeyer, A. Razavi), (399) 131

Chromium and tungsten aziridinocarbene complexes, synthesis and reactivity with formation of nitrile and acetiminoester complexes of (B. Denise, A. Massoud, A. Parlier, H. Rudler, J.C. Daran, J. Vaissermann, C. Alvarez, R. Patino, R.A. Toscano), (386) 51

cis- and *trans*-$[(\eta^5\text{-}C_5H_5)W(CO)_2(H)PMe_3]$ half-sandwich complexes, one- and two-dimensional multinuclear magnetic resonance spectroscopy of (B. Wrackmeyer, H.G. Alt, H.E. Maisel), (399) 125

$Co_2(CO)_8$, $Co_4(CO)_{12}$, and $Cp_2Mo_2(CO)_4$, reactions with tungsten and molybdenum propargyl complexes; study of the formation of $(CO)_3Co(\mu\text{-}RC{\equiv}CMe)WCp(CO)_2$ (G.H. Young, A. Wojcicki), (390) 351

$(CO)_5M{=}C(OMe)Ph$ (M = Cr, W) complexes, matrix photochemistry of; reactive MLCT and LF states of (P.C. Servaas, D.J. Stufkens, A. Oskam), (390) 61

$(CO)_5ML$, stabilisation of $RP(OH)_2$, $RPHNEt_2$ and RPHCl ligands by (K. Diemert, A. Hinz, W. Kuchen, D. Lorenzen), (393) 379

trans-$[(CO)_5M\{Ph_2PX(CH_2)_3N{=}CHC_6H_4\text{-}o\text{-}O\}]_2M'$ (M = Mo; X = NH or M = Cr, W; X = CH_2; M′ = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-$[(CO)_5Mo\{P(OCH_2CMe_2CH_2O)NH(CH_2)_2N{=}CHC_6H_4\text{-}o\text{-}O\}]_2Cu$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53

Coordinated acetylide and disubstituted alkynes, regiospecific coupling of; X-ray structures of $C_5H_5WOs_2(CO)_7[C(Tol)C(Tol)CC^nBu]$ and $C_5H_5WOs_2(CO)_7[C(CF_3)C(CF_3)CCPh]$ (Y. Chi, G. Huttner, W. Imhof), (384) 93

$Cp(CO)_2W{\equiv}CTol$ and $Cp(CO)_2W{\equiv}C(2\text{-}C_4H_3S)$, protonation in the presence of alkynes and carbon monoxide; synthesis of 1-naphthols and 4-hydroxy-5,6-dimethylbenzothiophene (K.E. Garrett, W.C. Feng, H. Matsuzaka, G.L. Geoffroy, A.L. Rheingold), (394) 251

Cycloaddition between metallic ylid and ketene imine, unexpected results of (W.P. Fehlhammer, G. Zinner, G. Beck, J. Fuchs), (379) 277

Diboradiazaronaphthalenetricarbonylchromium complexes, synthesis and characterization of (S. Allaoud, A. Karim, A. Mortreux, F. Petit, B. Frange), (379) 89

1-Dicarbonyl-1-(η^5-cyclopentadienyl)-2,4-dimethyl-3-phenyl-1-wolframa-2,4-dithiabicyclo[1.1.0]butane tetrafluoroborate, preparation and X-ray crystallographic analysis of (N. Ullrich, E. Herdtweck, F.R. Kreißl), (397) C9

Dicarbonyl(η^5-cyclopentadienyl)[η^2-aryl(methylthio)carbene]tungsten tetrafluoroborate, reaction with tri-methylphosphine with formation of an η^3-thio-ketene intermediate of (N. Ullrich, H. Keller, C. Stegmair, F.R. Kreissl), (378) C19

Dicyclopentadienyl-molybdenum and -tungsten *p*-substituted benzonitrile complexes, syntheses and reactivity of; oxidative electrochemistry; crystal structure of $[Mo(\eta^5\text{-}C_5H_5)_2(SC_6H_5)(p\text{-}(CH_3)_2NC_6H_4CN)][PF_6]$ (M.A.A.F. de C.T. Carrondo, A.R. Dias, M.H. Garcia, P.M. Matias, M.P. Robalo, M.L.H. Green, J. Higgins, Y.Y. Yang), (395) 279

Diethylaminocarbyne(carbonyl)tungsten complexes with trimethyl-phosphites and isonitrile ligands (A.C. Filippou, E.O. Fischer), (382) 143

(*N*,*N*-Diethyldithiocarbamato)-tungsten(II) and -molybdenum(IV) complexes, reactions with a "C_4" hydrocarbon cut containing a mixture of alkynes and olefins; crystal structure of $[W(S_2CN(C_2H_5)_2)_2(CO)(\eta^2\text{-}CH{\equiv}C\text{–}CH{=}CH_2)]$ (N. Le Berre, R. Kergoat, M.M. Kubicki, J.E. Guerchais, P. L'Haridon), (389) 61

Dimeric tungsten(0) complex of a chelating triisocyanide ligand, synthesis and crystal structure of (F.E. Hahn, M. Tamm), (398) C19

d^3–d^3 Dimolybdenum and ditungsten, organometallic chemistry of (M.H. Chisholm), (400) 235

Diphosphinoamines, $X_2PN(R)PX_2$, organometallic derivatives of; reactions with carbonyl derivatives of Group 6 metals and iron pentacarbonyl; crystal structures of $[Mo(CO)_4PhN(P(OPh)_2)_2]$ and

$[W(CO)_4{}^iPrN(PPh_2)_2]$ (M.S. Balakrishna, T.K. Prakasha, S.S. Krishnamurthy, U. Siriwardane, N.S. Hosmane), (390) 203

2,5-Dithiahex-3-yne (MeSC≡CSMe) and tungsten carbonyl complexes, electrophilic and nucleophilic reactions of (D.C. Miller, R.J. Angelici), (394) 235

16-Electron carbene complexes $(CO)_4MC(NR_2)SiR'_3$ (M = Cr, Mo, W), preparation and properties of (W. Hepp, U. Schubert), (385) 221

$Fe(CO)_4(\eta^1$-dppf) [where dppf = $(Ph_2PC_5H_4)_2Fe$] as building block for heterometallic complexes (T.S.A. Hor, L.-T. Phang), (390) 345

$[Fe(CO)_2('S_4')]$ as reagent for the preparation of bi- and tri-nuclear heterometallic sulfur complexes; synthesis, properties and X-ray structure analysis of $[Fe(CO)_2(\mu\text{-}'S_4')\{M(CO)_5\}_n]$ (n = 1:M = Cr, Mo, W; n = 2: M = W; $'S_4'^{2-}$ = 2,3,8,9-dibenzo-1,4,7,10-tetrathiadecane(2−)) (D. Sellmann, R. Weiß, F. Knoch, M. Moll), (391) 327

Gaseous dicyclopentadienyl-molybdenum and tungsten dihydrides, standard enthalpies of formation of (A.R. Dias, H.P. Diogo, M.E.M. da Piedade, J.A.M. Simões, A.S. Carson, E.H. Jamea), (391) 361

Group 6 dimetallaheterocycles; CO-substitution by electron transfer catalysis in (P. Holzmeier, H. Kisch, J.K. Kochi), (382) 129

Group 6 metal carbonyl complexes containing 2-diphenylphosphinopyridine and 3,6-bis(diphenylphosphino)pyridazine, synthesis of; molecular structure of $Cr(CO)_5$(3-diphenylphosphino-6-diphenylphospholylpyridazine), (Z.-Z. Zhang, H.-K. Wang, Y.-J. Shen, H.-G. Wang, R.-J. Wang), (381) 45

Heteronuclear di- and tri-metal μ-carbyne compounds from the thiocarbyne $[HB(pz)_3](CO)_2W{\equiv}CSMe$, synthesis of (R.A. Doyle, R.J. Angelici, F.G.A. Stone), (378) 81

$HW_2(CO)_9(NO)$, substitution of phosphine for CO ligand in; structures of $HW_2(CO)_8(NO)(\eta^2\text{-}(\eta^5\text{-}C_5H_4PPh_2)_2Fe$, $HW_2(CO)_7(NO)(Ph_2PH)_2$, $HW_2(CO)_7(NO)\text{-}(\eta^2\text{-}Ph_2PCH_2PPh_2)$, and $[HW_2(CO)_8(NO)]_2\text{-}(\mu\text{-}Ph_2PCH_2CH_2PPh_2)$, (J.T. Lin, S.Y. Wang, P.S. Huang, Y.M. Hsiao, Y.S. Wen, S.K. Yeh), (388) 151

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Indium monohalide insertion reactions into metal–metal bonds; crystal structure of $[InCl(THF)\{Mo(CO)_3(\eta\text{-}C_5H_5)\}_2]$ (L.M. Clarkson, N.C. Norman, L.J. Farrugia), (390) C10

Inenylcarbene complexes, preparation from alkinylcarbene complexes and electron-rich alkynes (H. Fischer, T. Meisner, J. Hofmann), (397) 41

Iron, chromium, molybdenum and tungsten diisopropylaminomethylidyne complexes (S. Anderson, A.F. Hill), (394) C24

Iron(II) heterodinuclear alkanediyl complexes containing molybdenum(II), tungsten(II), rhenium(I) and ruthenium(II), synthesis and properties of (H.B. Friedrich, J.R. Moss, B.K. Williamson), (394) 313

Isoelectronic relationships in the chemistry of multinuclear complexes (H. Vahrenkamp), (400) 107

$LWRu_2(CO)_8(\mu\text{-}H)(\mu_3\text{-}NPh)$, L = Cp and Cp*, imido complex; reaction with the tungsten acetylide complex $CpW(CO)_3C{\equiv}CPh$ (Y. Chi, L.-K. Liu, G. Huttner, L. Zsolnai), (390) C50

$[MCl_2(CNBu^t)_3(PMe_3)_2]$ (M = Mo or W) synthesis and reactivity of, preparation of $[MCl(CNBu^t)_4(PMe_3)_2]Cl$ and $[M(SnCl_3)(CNBu^t)_3(PMe_3)_3](SnCl_3)$ derivatives; crystal structure of $[MoCl(CNBu^t)_4(PMe_3)_2]Cl\cdot 2Me_2CO$ (M.J. Fernandez-Trujillo, M. Jimenez-Tenorio, M.C. Puerta, D.L. Hughes), (377) 241

$M(CO)_3(\eta^2\text{-bpy})(\eta^1\text{-dppm})$ (M = Mo, W), thermal behaviour of (M. Cano, J.A. Campo, P. Ovejero, J.V. Heras), (396) 49

$M(CO)_4(\eta^4$-norbornadiene) complexes of group 6 transition metals (M = Cr, Mo, W) in low-temperature matrices, photochemistry of (F.-W. Grevels, J. Jacke, W.E. Klotzbücher, K. Schaffner, R.H. Hooker, A.J. Rest), (382) 201

$M(CO)_6$ (M = Cr, Mo, W), pulsed laser flash photolysis of; volumes of activation for solvent displacement in (solvent)$M(CO)_5$ transients (S. Zhang, V. Zang, H.C. Bajaj, G.R. Dobson, R. van Eldik), (397) 279

Metal carbonyls, new methods of synthesis and investigations (G.K.-I. Magomedov), (385) 113

Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Mo(II) and W(II) centres, reductive CC coupling of two isocyanide ligands to; reaction sequence via Mo(0) and W(0) isocyanide and aminocarbyne complexes (A.C. Fillipou, W. Grünleitner), (393) C10

Molybdenum and tungsten carbyne complexes, oxygen tripod ligand supported; carbon–carbon bond

formation reactions; crystal structures of $[L(CO)_2W{\equiv}CC_6H_4\text{-}p\text{-}CH_3]$ and $[L(CO)\overline{Mo(\mu\text{-}CO)}\overline{Pd(I)}\overline{C(C_6H_4\text{-}p\text{-}CH_3)C_6H_4\text{-}o\text{-}CH_2N(CH_3)_2}]$, $L^- = [(C_5H_5)Co\{P(O)(OCH_3)_2\}_3]^-$ (W. Kläui, H. Hamers, M. Pfeffer, A. de Cian, J. Fischer), (394) 213

Molybdenum(0) and tungsten(0) complexes containing *cis*-$[M(NO)(N_2Ar)]^{2+}$ structural unit, synthesis, chemistry and X-ray crystallographic characterisation of (M.E. Deane, F.J. Lalor, G. Ferguson, B.L. Ruhl, M. Parvez), (381) 213

Molybdenum(0) and tungsten(0) homoleptic alkylisocyanide complexes of; precursors for the synthesis of low-valent dialkylaminocarbyne complexes (A.C. Filippou, W. Grünleitner), (398) 99

Molybdenum– and tungsten–sulphur bonds, reversible insertion of alkynes into (L. Carlton, W.A.W.A. Bakar, J.L. Davidson), (394) 177

Molybdenum(II) and tungsten(II) polyisonitrile substituted half-sandwich complexes (A.C. Filippou, W. Grünleitner), (378) 387

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Nickel–molybdenum and nickel–tungsten complexes as building blocks in the synthesis of mixed-metal clusters (M.J. Chetcuti, P.N. Cunningham, J.C. Gordon, B.E. Grant, J. Klaiss), (394) 765

Pentacarbonylhalogenaminophosphine complexes $(CO)_5MPRXNR'_2$, formation of (K. Diemert, W. Kuchen, D. Lorenzen), (378) 17

Peroxo-molybdenum and -tungsten anionic complexes, fast atom bombardment mass spectra of (O. Bortolini, P. Traldi), (379) C13

Phosphametallacycloalkanes, conformation and ^{31}P NMR data of (E. Lindner, R. Fawzi, H.A. Mayer, K. Eichele, K. Pohmer), (386) 63

Phosphine tripodal complexes of transition metals, structural characterization of; examples of chair and twisted-boat conformations in six-membered chelate rings (S.-T. Liu, G.-J. Liu, C.-H. Yieh, M.-C. Cheng, S.-M. Peng), (387) 83

Phosphinidene and arsinidene complexes containing pentamethylcyclopentadienyl (Cp^*) ligands: synthesis and Cp^* transfer (P. Jutzi, R. Kroos), (390) 317

η^3-Phosphino-, -arsino- and -thioketen complexes of tungsten, synthesis of (M. Wolfgruber, C.M. Stegmair, F.R. Kreissl), (376) 45

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

(P)InM(L) and (P)TIM(L) σ-bonded heteronuclear metalloporphyrin complexes ($M(L) = Mn(CO)_5$, $Co(CO)_4$, $Cr(CO)_3Cp$, $Mo(CO)_3Cp$, or $W(CO)_3Cp$), physicochemical study of (R. Guilard, A. Tabard, A. Zrineh, M. Ferhat), (389) 315

Selenobenzaldehyde chromium and tungsten complexes, synthesis, structure and η^1/η^2 isomerism of (H. Fischer, S. Zeuner, U. Gerbing, J. Riede, C.G. Kreiter), (377) 105

Tetranuclear mixed-metal hydride complexes, $LWM_3(CO)_{11}(\mu\text{-}H)_3$, ($L = C_5H_5$, C_5Me_5 and M = Ru, Os), synthesis and characterization of (Y. Chi, C.-Y. Cheng, S.-L. Wang), (378) 45

Tetranuclear tungsten carbide cluster formed by the reductive cleavage of carbon monoxide; structural characterization of $W_4(\mu_4\text{-}C)(OCH_2\text{-}c\text{-}C_5H_9)_{14}$ (M.H. Chisholm, C.E. Hammond, J.C. Huffman, V.J. Johnston), (394) C16

Thio- and seleno-carbene-chromium, -tungsten and -manganese complexes, formation of (R. Aumann, J. Schröder), (378) 57

Thio- and seleno-ketene imines from thio- and seleno-carbene complexes of chromium, tungsten, manganese and isocyanides (R. Aumann, J. Schröder, C. Krüger, R. Goddard), (378) 185

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Transition metal coordinated heteroalkenes thio- and seleno-aldehyde complexes, characterisation of intermediate in reaction with bis(diethylamino)acetylene of (H. Fischer, K. Treier, J. Hofmann), (384) 305

Tricarbonyl-chromium, -molybdenum and -tungsten complexes of bis(2-diphenylphosphinoethyl)-amine, formation and characterization of (J. Ellermann, M. Moll, N. Will), (378) 73

Tricarbonyl-$\eta^{5:1}$-(2-cyclopentadiendiyl)ethyl-molybdenum and -tungsten, photochemical reactions with cyclic dienes (C.G. Kreiter, M. Wenz, P. Bell), (394) 195

Tricarbonyl-$\eta^{5:1}$-(2-cyclopentadiendiyl)ethyl-tungsten, photochemical reactions with conjugated dienes (C.G. Kreiter, M. Wenz, P. Bell), (387) 175

Tricarbonyl hydride complexes, $Cp'W(CO)_3H$ ($Cp' = \eta^5\text{-}C_5H_5$, $\eta^5\text{-}C_5Me_5$), rearrangements with methyl- and dimethyl-acetylenes of (H.G. Alt, H.E. Engelhardt, B. Wrackmeyer, R.D. Rogers), (379) 289

Trifluoromethylisocyanide complexes of chromium, molybdenum and tungsten, synthesis of hexakis(trifluoromethylisocyanide chromium) (D. Lentz), (381) 205

Trigonal bipyramidal methylidine clusters, $EFe_3(CO)_9CH$ (E = As, Sb, Bi), preparation and reactions of (C. Caballero, B. Nuber, M.L. Ziegler), (386) 209

Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of $[N(PPh_3)_2]_2[(OC)_4Fe–Hg–Fe(CO)_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Tungsten(II) cationic monobut-2-yne complexes containing dithiocarbamates and related ligands (P.K. Baker, K.R. Flower), (397) 59

Tungsten(II) metallacycles via two-dimensional indirect (^1H, ^{183}W) NMR spectroscopy, ^{183}W NMR data for (R. Benn, A. Rufińska, M.A. King, C.E. Osterberg, T.G. Richmond), (376) 359

Vinyl- and chlorovinyl-isocyanide complexes, synthesis and reactivity of (W.P. Fehlhammer, G. Beck), (379) 97

$[W(CO)(NCMe)(S_2CNC_4H_8)(\eta^2\text{-}MeC_2Me)_2][BPh_4]$ cationic bisbut-2-yne complex, synthesis, structure and reactions of (P.K. Baker, M.G.B. Drew, K.R. Flower), (391) C12

$W(CO)_3(PR_3)_2$ H_2-coordinating fragments, binding characteristics of; optical and electrochemical properties of dinuclear pyrazine complexes (W. Bruns, W. Kaim), (390) C45

$W_4(OCH_2Pr^i)_{12}(\eta^2,\mu_4\text{-}CO)(CO)_2$ tricarbonyl, tetranuclear tungsten cluster supported by alkoxide ligands (M.H. Chisholm, K. Folting, V.J. Johnston, C.E. Hammond), (394) 265

Zirconoxycarbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexacarbonyltungsten and a ketone; crystal structure of $Cp_2\overline{ZrOC[=W(CO)_5]CH_2CHC(CH_3)CH_2}$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Uranium

$(C_9H_7)_3U/(C_9H_7)_3U–I/(C_9H_7)_3U–CH_3$ system, uranium–ligand bond disruption enthalpies in (S. Bettonville, J. Goffart, J. Fuger), (393) 205

$(\eta\text{-}C_8H_8)UI_2(THF)_2$, a precursor to monocyclooctatetraenyl uranium complexes, synthesis of (J.-C. Berthet, J.-F. Le Maréchal, M. Ephritikhine), (393) C47

$(\eta\text{-}C_5H_5)_3U(THF)$, oxidative addition of organic halides to; synthesis of triscyclopentadienyl uranium(IV) hydrocarbyl complexes (C. Villiers, M. Ephritikhine), (393) 339

Cyanotrihydroboranatotris(η^5-cyclopentadienyl)acetonitrileuranium(IV), preparation and X-ray diffraction study of (M. Adam, K. Yünlü, R.D. Fischer), (387) C13

Diphenylphosphinocyclopentadienyluranium-transition metal heterodinuclear complexes $(CpPPh_2)_nU(NEt_2)_{4-n}M(CO)_4$ (n = 2, 4; M = Cr, Mo) (A. Dormond, P. Hepiègne, A. Hafid, C. Moise), (398) C1

Monocyclooctatetraenyluranium(IV) borohydrides; crystal structure of $(\eta\text{-}C_8H_8)U(BH_4)_2(OPPh_3)$ (D. Baudry, E. Bulot, M. Ephritikhine, M. Nierlich, M. Lance, J. Vigner), (388) 279

Monocyclopentadienyl uranium alkoxides, synthesis by alcoholysis of triscyclopentadienyl uranium chlorides (B. Delavaux-Nicot, M. Ephritikhine), (399) 77

Substituted benzamidinate anions as steric equivalents of $\eta^5\text{-}C_5H_5$ and $\eta^5\text{-}C_5Me_5$; crystal structures of $[PhC(NSiMe_3)_2]_3UCl$, $[4\text{-}CF_3C_6H_4C(NSiMe_3)_2]_3UCl$, $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2UCl_2$ and $[2,4,6\text{-}(CF_3)_3C_6H_2C(NSiMe_3)_2]_2ThCl_2$ (M. Wedler, F. Knösel, M. Noltemeyer, F.T. Edelmann, U. Behrens, (388) 21

Tricyclopentadienyluranium(III) anionic complexes; crystal structure of $[(C_5H_5)_3UClU(C_5H_5)_3]$-$[Na(18\text{-crown-}6)(THF)_2]$ (J.F. LeMaréchal, C. Villiers, P. Charpin, M. Nierlich, M. Lance, J. Vigner, M. Ephritikhine), (379) 259

Tris(indenyl)actinide hydrocarbyls, actinide–ligand bond disruption enthalpies in (S. Bettonville, J. Goffart, J. Fuger), (377) 59

Uranium cyclohexadienyl complexes (D. Baudry, E. Bulot, M. Ephritikhine), (397) 169

Vanadium

Bis(1,4-difluorobenzene)vanadium, conformation of (M.-D. Su, S-Y. Chu), (384) 71

Carbonylvanadates, hydrido- and alkyl-carbonylvanadium complexes containing alkylated oligophosphines as ancillary ligands (F. Süssmilch, W. Glöckner, D. Rehder), (388) 95

Carbonylvanadium, 1,4- and 2,3-diazadiene complexes of; their ^{51}V NMR properties; crystal structure of *cis*-$[\eta^5\text{-}C_5Me_5V(CO)_2{}^iPrN{=}CHCH{=}N^iPr]$ (C. Woitha, U. Behrens, V. Vergopoulos, D. Rehder), (393) 97

Chalcogen-bridged dinuclear pentamethylcyclopentadienyl-vanadium complexes, ^{51}V NMR characterisation of; X-ray crystal structure determination of $Cp^{\star}_2V_2Se_2S_2$ and $Cp^{\star}_2V_2Se_3O$ (M. Herberhold, M. Kuhnlein, M. Schrepfermann, M.L. Ziegler, B. Nuber), (398) 259

$(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2Ti(Sb_2F_{11})_2$; synthesis and characterization of; structure of $(C_5H_5)_2Ti(SbF_6)_2$ and $(C_5H_5)_2V(SbF_6)_2$ (P. Gowik, T. Klapötke, U. Thewalt), (385) 345

π-Complexes, organic reactions of; annual survey 1988 (B.W. Rockett, G. Marr), (392) 161

1,3-Dichalcogena-2-vanada-[3]ferrocenophanes (M. Herberhold, M. Schrepfermann, A.L. Rheingold), (394) 113

(η^3-Indenyl)(η^5-indenyl)$V(CO)_2$ 17-electron complex, electrochemistry of an oxidatively induced ring slippage in (G.A. Miller, M.J. Therien, W.C. Trogler), (383) 271

Metallocene hexafluoropnicogenate complexes of elements of groups 4 to 7; synthesis, structure, thermodynamics and reactivity of (P. Gowik, T. Klapötke), (398) 1

Monofluoroallyl alcohols, diastereoselective epoxidation of (T. Dubuffet, C. Bidon, R. Sauvêtre, J.-F. Normant), (393) 173

Multiple bonds and materials chemistry (A.H. Cowley), (400) 71

Organocobalt compounds, reactions with aromatic hydrocarbons (K. Jonas), (400) 165

Transition metal alkyne complexes, $^{13}C\{^1H\}$ NMR studies of (U. Rosenthal, G. Oehme, V.V. Burlakov, P.V. Petrovskii, V.B. Shur, M.E. Vol'pin), (391) 119

Vanadium binuclear complexes containing sulphur and selenium ligands; reactions of $CpV(CO)_4$ and $Cp\star V(CO)_4$ with dichalcogenides E_2R_2 (E = S, Se, R = Me, Ph); X-ray crystallographic structures of $Cp^{\star}_2V_2(CO)_4(\mu\text{-}SR)_2$ (R = Me, Ph; Cp = C_5H_5, $Cp^{\star}$ = C_5Me_5) (M. Herberhold, M. Kuhnlein, W. Kremnitz, A.L. Rheingold), (383) 71

Ytterbium

Anionic tetramethylethylene-bridged dicyclopentadienyl ytterbium chloride ion-pair complex, preparation and crystal structure of (P. Yan, N. Hu, Z. Jin, W. Chen), (391) 313

Bis(t-butylcyclopentadienyl)ytterbium(II), synthesis of; derivatives and molecular structure of bis(t-butylcyclopentadienyl)bis(tetrahydrofuran)ytterbium(II) (Q. Shen, D. Zheng, L. Lin, Y. Lin), (391) 321

Bis(triphenylgermane)tetrakis(tetradrofuran)ytterbium, synthesis and structure of (M.N. Bochkarev, I.M. Penyagine, L.N. Zakharov, Yu.F. Rad'kov, E.A. Fedorova, S.Ya. Khorshev, Yu.T. Struchkov), (378) 363

Carbonylcobalt derivatives of lanthanides in catalysis of octene-1 hydroformylation (I.P. Beletskaya, G.K.-I. Magomedov, A.Z. Voskoboinikov), (385) 289

$M(C_5H_4CH_3)_2 \cdot CH_3OCH_2CH_2OCH_3$ (M = Ca, Yb), investigations of (A. Hammel, W. Schwarz, J. Weidlein), (378) 347

{1,1′-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Samarium(II) soluble complex, synthesis of; crystal structure of $(C_5H_4CH_2CH_2CH_2C_5H_4)Yb(THF)_2$ (S.J. Swamy, J. Loebel, H. Schumann), (379) 51

$[Yb(C_5H_4CH_3)_2NH_2]_2$, crystal structure of (A. Hammel, J. Weidlein), (388) 75

Yttrium

Heterobimetallic bridged alkynide complex, $(C_5Me_5)Y(\mu\text{-}C{\equiv}CCMe_3)_2Li(THF)$, synthesis and X-ray structure of (W.J. Evans, D.K. Drummond, T.P. Hanusa, J.M. Olofson), (376) 311

{1,1′-(3-Oxa-pentamethylene)dicyclopentadienyl}(cyclopentadienyl)lantanide derivatives, synthesis, identification and bonding properties of (C. Qian, Z. Xie, Y. Huang), (398) 251

Zinc

Alkynylsilanes with a cyclic ether group, one-pot synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 139

Bis(pentamethylcyclopentadienyl)zinc and bis(tetramethylphenylcyclopentadienyl)zinc, solid state structures of (B. Fischer, P. Wijkens, J. Boersma, G. van Koten, W.J.J. Smeets, A.L. Spek, P.H.M. Budzelaar), (376) 223

Calcium and strontium, and zinc (phenazine)$^{-\cdot}$ species (G.E. Jacobsen, C.L. Raston), (395) C1

trans-[$(CO)_5M\{Ph_2PX(CH_2)_3N{=}CHC_6H_4$-*o*-$O\}]_2M'$ (M = Mo; X = NH or M = Cr, W; X = CH_2; M' = Ni, Cu, Zn) complexes, synthesis and characterization of; X-ray crystal structure of *trans*-[$(CO)_5Mo\{P(OCH_2CMe_2CH_2O)NH(CH_2)_2N{=}CHC_6H_4$-*o*-$O\}]_2Cu$, (G.M. Gray, N. Takada, M. Jan, H. Zhang, J.L. Atwood), (381) 53

Dihexyn-4-ylzinc, intramolecular interaction between a zinc atom and a carbon–carbon triple bond in (E. Oknińska, K.B. Starowieyski), (376) 7

4,4-Dimethyl-1-phenylpenta-1,2-diene (1-Ph-3-t-Bu-allene), chiral induction in the synthesis catalyzed by chiral phosphine complexes of palladium of (W. de Graaf, J. Boersma, G. van Koten, C.J. Elsevier), (378) 115

Diorganozincs, enantioselective addition to aldehydes catalyzed by β-amino alcohols of (B. Noyori, S. Suga, K. Kawai, S. Okada, M. Kitamura, N. Oguni, M. Hayashi, T. Kaneko, Y. Matsuda), (382) 19

1-Hydroxy-2,4,6,8-tetrakis(t-butyl)phenoxazin-10-yl radical, coordination and organometallic compounds based on (I.V. Karsanov, Ye.P. Ivakhnenko, V.S. Khandkarova, A.I. Prokof'ev, A.Z. Rubezhov, M.I. Kabachnik), (379) 1

Organometallic reagents derived from $CF_2{=}CFCl$, $CF_2{=}CCl_2$ and $CF_2{=}CH_2$ in the synthesis of selectively fluorinated substrates (J.-F. Normant), (400) 19

Organozinc compounds, regioselectivity towards α-iminoesters of (G. Courtois, L. Miginiac), (376) 235

Organozinc enolates of *N,N*-disubstituted glycine esters, synthesis of; crystal structure of [$EtZnOC(OMe){=}C(H)N(t\text{-}Bu)Me]_4$ (F.H. van der Steen, J. Boersma, A.L. Spek, G. van Koten), (390) C21

Quasi-aromatic main group ring systems; synthesis, characterisation and properties of (P.P. Power), (400) 49

Trialkylsilyl α- or ω-chlorinated homopropargylic alcohols, regioselective synthesis via organozinc compounds (D. Mesnard, L. Miginiac), (397) 127

Trimetallic anionic compounds containing Fe–E–M skeletons (E = Zn, Cd, Hg; M = Fe, Mo, W); crystal structure of $[N(PPh_3)_2]_2[(OC)_4Fe{-}Hg{-}Fe(CO)_4]$ (S. Alvarez, M. Ferrer, R. Reina, O. Rossell, M. Seco, X. Solans), (377) 291

Zinc[bis[3-(dimethylamino)propyl-*C,N*]tin]bis(dibenzoylmethanato)-(*Sn–Zn*), crystal structure of; stabilisation of a dialkyltin(II) compound by Sn–Zn coordination (J.T.B.H. Jastrzebski, H.A.J. Sypkens, F.J.A. des Tombe, P.A. van der Schaaf, J. Boersma, G. van Koten, A.L. Spek, A.J.M. Duisenberg), (396) 25

Zinc–oxygen monomeric compounds containing diethylzinc and pyrocatechol or saligenin moieties, synthesis of (W. Kuran, E. Mazanek), (384) 13

Zirconium

3-Arsolenes (W.A. Schenk, E. Voss), (396) C8

Benzenyl-1,2,4,5-tetrathiolato dinuclear titanocene, zirconocene and hafnocene complexes, formation and characterisation of (H. Köpf, H. Balz), (387) 77

Binuclear alkenyl-bridged zirconium complex catalyst for the chemoselective hydrogenation of 1,3-cyclooctadiene to cyclooctene (Y. Raoult, R. Choukroun, D. Gervais, G. Erker), (399) C1

Bridged dinuclear zirconocene complexes (H.G. Alt, C.E. Denner), (398) 91

1-Camphenyl-titanium, -zirconium and -hafnium compounds, synthesis of (D. Schenke, K.-H. Thiele), (382) 109

Chalcogen-containing metallocenic compounds with elemental chalcogens, thermal stability and reaction of (G. Tainturier, M. Fahim, G. Trouvé-Bellan, B. Gautheron), (376) 321

(η^5-C_5H_5)(η^5-C_5Me_5)$Zr[Si(SiMe_3)_3]Me$, insertions of nitriles and pyridine into the Zr–Si bond of (H.-G. Woo, T. D. Tilley), (393) C6

$(C_5H_5)_2Ti^{IV}$ and $(C_5H_5)_2Zr^{IV}$ complexes with oxydiacetate ligands, preparation and reactions of (U. Thewalt, T. Güthner), (379) 59

$C_5H_5ZrCl_3$, organometallic Lewis acid, molecular structure of a H_2O adduct of (G. Erker, C. Sarter, S. Werner, C. Krüger), (377) C55

[(CpZrCl)(μ-η^1 : η^5-C_5H_4)]$_2$ intermediate species, ^1H and ^{13}C NMR evidence for; cyclopentadienyl C–H bond activation by thermolysis of $[Cp_2Zr(H)Cl]_n$, $Cp_2Zr(R)Cl$, and $[Cp_2ZrCl]_2$ (R. Choukroun, Y. Raoult, D. Gervais), (391) 189

Cp_2Zr ligand complexes, theoretical study of dyotropic rearrangements of (G.N. Sastry, E.D. Jemmis), (388) 289

(η-Cyclopentadienyl)zirconium trichloride derivatives, potentially useful organometallic Lewis acid catalysts (G. Erker, C. Sarter, M. Albrecht, S. Dehnicke, C. Krüger, E. Raabe, R. Schlund, R. Benn, A. Rufińska, R. Mynott), (382) 89

Di-μ-chlorobis[trichloro(ethylacetate)]dizirconium(IV), crystal structure of (P. Sobota, M.O. Mustafa, T. Lis), (377) 69

Diphosphazirconocene dichloride, $(\eta^5\text{-}C_4Me_4P)_2ZrCl_2$, reactivity of; crystal and molecular structure of $(CO)_3Fe(\mu\text{-}\eta^5,\eta^1\text{-}C_4Me_4P)_2ZrCl_2$ (F. Nief, F. Mathey, L. Ricard), (384) 271

Directly bonded zirconium–ruthenium heterobimetallic complexes, synthesis and reactions of (C.P. Casey), (400) 205

Early-late heterobimetallic μ-alkylidene complexes, synthesis of (C.P. Casey, F.R. Askham, L.M. Petrovich), (387) C31

(η^2-Formaldehyde)zirconocene, reactions with heteromolecules (G. Erker, M. Mena, S. Werner, C. Krüger), (390) 323

Germoles, synthesis by transmetalation reactions with group 14 metallocyclopentadienes of (P. Dufour, M. Dartiguenave, Y. Dartiguenave, J. Dubac), (384) 61

Hydrozirconation-isomerisation reaction, aspects of (U. Annby, J. Alvhäll, S. Gronowitz, A. Hallberg), (377) 75

Lithium and zirconocene(IV)-phosphido complexes of *ortho*-phenylenebisphosphido ligands, 1,2-$(PH)_2C_6H_4$ (E. Hey), (378) 375

Mono(η-cyclopentadienyl)zirconium complexes, coordination chemistry of and enantioselective catalysis by (G. Erker), (400) 185

Phosphorus analogues of unsaturated hydrocarbon–transition metal π-complexes, preparation from phosphorus heterocycles (F. Mathey), (400) 149

Titanocene and zirconocene stereorigid derivatives; synthesis and crystal structure of $[\eta^5\text{-}\eta^5\text{-}(C_5H_4)_2Si(CH_3)_2]Ti[CH_2Si(CH_3)_3]_2$ (R. Gómez, T. Cuenca, P. Royo, W.A. Herrmann, E. Herdtweck), (382) 103

Transition metals, diene complexes of (A. Nakamura), (400) 35

Trimethylsiloxy groups, reactivity towards hydrozirconation reagent $(C_5H_5)_2Zr(H)Cl$ of (E. Uhlig, B. Bürglen, C. Krüger, P. Betz), (382) 77

Zirconocene, ethyl complexes of (H.G. Alt, C.E. Denner), (391) 53

Zirconocenes, metallacycles of (H.G. Alt, C.E. Denner), (390) 53

Zirconoxycarbene complexes, preparation by regioselective coupling of (isoprene)zirconocene with hexacarbonyltungsten and a ketone; crystal structure of $Cp_2\dot{Z}rOC[=W(CO)_5]CH_2CHC(CH_3)\dot{C}H_2$ (G. Erker, F. Sosna, R. Pfaff, R. Noe, C. Sarter, A. Kraft, C. Krüger, R. Zwettler), (394) 99

Book review

Activation and functionalization of alkanes; edited by C.L. Hill (P.A. Chaloner), (391) C33

Advances in metal carbene chemistry, NATO ASI Series, Series C: Mathematical and physical sciences, Volume 269; edited by U. Schubert (P.A. Chaloner), (378) C9

Advances in metal-organic chemistry, Volume 1; edited by L.S. Liebeskind (P.A. Chaloner), (395) C51

Bioinorganic chemistry, structure and bonding, Volume 70, contributions by P. Aisen, B.C. Antanaitis, S.J. Berners-Price, K. Doi, H. Köpf-Maier, and P.J. Sadler (P.A. Chaloner), (381) C62

Boranes and metalloboranes: structure, bonding and reactivity; by C.E. Housecroft (J.D. Smith), (397) C33

Carbyne complexes; by H. Fischer, P. Hofmann, F.R. Kreissl, R.R. Schrock, U. Schubert and K. Weiss (M.F. Lappert), (395) C21

Carcinogenic and mutagenic metal compounds 2, Current topics in environmental and toxicological chemistry, Volume 11, edited by E. Merian, R.W. Frei, W. Härdi, and Ch. Schlatter (P.A. Chaloner), (381) C63

Chemical reactions on polymers, ACS Symposium Series Volume 364, edited by J.L. Benham and J.F. Kinstle (P.A. Chaloner), (378) C7

Chemistry of tin; edited by P.G. Harrison (C. Eaborn), (391) C17

Chemistry with ultrasound; edited by T.J. Mason (P.D. Lickiss), (396) C25

Comprehensive organic transformations; by R.C. Larock (J.R. Hanson), (389) C26

Crown ethers and analogues; by E. Weber, J.L. Toner, I. Goldberg, F. Vögtle, D.A. Laidler, J.F. Stoddardt, R.A. Bartsch, C.L. Liotta (P.A. Chaloner), (396) C26

Dictionary of organometallic compounds. Fifth supplement (in two volumes); by J.E. Macintyre (C. Eaborn), (391) C48
Dictionary of organometallic compounds. Fourth supplement; by J.E. Macintyre (C. Eaborn), (377) C42
Electrophilic aromatic substitution; by R. Taylor (C. Eaborn), (396) C27
Elements of inorganic photochemistry, by G.J. Ferraudi (K.R. Seddon), (385) C55
Gas phase inorganic chemistry; edited by D.H. Russell (A.J. Stace), (387) C17
Gmelin handbook of inorganic chemistry, Si — silicon. Supplement Volume B4. Silicon–nitrogen compounds. (C. Eaborn), (381) C31
Gmelin handbook of inorganic chemistry, 8th edition, INDEX, Formula Index, 2nd Supplement (K.R. Seddon), (386) C20
Gmelin handbook of inorganic chemistry, 8th edition, Mo—molybdenum, supplement volume B3b: oxomolybdenum species in aqueous solutions (continued). Oxomolybdenum species in nonaqueous solvents. Oxomolybdenum species in melts. Peroxomolybdenum species (K.R. Seddon), (399) C9
Gmelin handbook of inorganic chemistry, 8th edition, Mo—molybdenum. Supplement Volume A2b: physical properties, part 2. Electrochemistry (K.R. Seddon), (398) C29
Gmelin handbook of inorganic chemistry, 8th edition, Pd—palladium. Supplement Volume B2: palladium compounds (K.R. Seddon), (398) C11
Gmelin handbook of inorganic chemistry, 8th edition, Pt. Supplement Volume A2: isotopes, atoms, and clusters (G.J. Leigh), (389) C26
Gmelin handbook of inorganic chemistry, 8th edition, Th—thorium, Supplement Volume A4: General properties. Spectra. Recoil reactions (K.R. Seddon), (386) C19
Gmelin handbook of inorganic chemistry, 8th edition, W. Supplement Volume A6b: reactions with metals (G.J. Leigh), (389) C36
Gmelin handbook of inorganic chemistry, 8th edition, Ge — organogermanium compounds, part 2, (C. Eaborn), (377) C43
Innovation in zeolite materials science; edited by P.J. Grobet, W.J. Mortier, E.F. Vansant, G. Schulz-Ekloff (K.R. Seddon), (382) C25
Inorganic syntheses, Volume 25, editor-in-chief H.R. Allcock (P.A. Chaloner), (381) C61
Instrumental methods of analysis, seventh edition; by H.H. Willard, L.L. Merritt, Jr., J.A. Dean, F.A. Settle, Jr. (J.R. Hanson), (393) C57
Modern synthetic methods, edited by R. Scheffold (P.A. Chaloner), (381) C60
Molecular structure of organosilicon compounds; by E. Lukevics, O. Pudova, R. Sturkovich (C. Eaborn), (391) C34
Naming organic compounds; by E.W. Godly (C. Eaborn), (393) C56
Nitration, methods and mechanism; by G.A. Olah, R. Malhotra, S.C. Narang (R. Taylor), (393) C21
One and two dimensional NMR spectroscopy, by Atta-ur-Rahman (G. Lawless), (385) C33
Organic and inorganic low-dimensional crystalline materials (NATO ASI series B: Physics volume 168); edited by P. Delhaes and M. Drillon (K. Prassides), (377) C40
Organic chemical nomenclature; by P. Fresenius (C. Eaborn), (393) C56
Organic functional group preparations, Volume 12-III, second edition; by S.R. Sandler and W. Karo (P.A. Chaloner), (395) C52
Organic high pressure chemistry; edited by W.J. Le Noble (R.A. Jackson), (382) C26
Organometallic Chemistry, Volume 17, (Specialist Periodical Report), Senior Reporters, E.W. Abel, F.G.A. Stone (P.A. Chaloner), (377) C81
Organometallics in organic synthesis 2; edited by H. Werner and G. Erker (P.A. Chaloner), (395) C53
Organotin chemistry; by I. Omae (J.D. Smith), (389) C19
Photochemistry and photophysics of coordination compounds; edited by H. Yersin and A. Vogler (K.R. Seddon), (385) C21
Photoinduced electron transfer, parts A–D; edited by M.A. Fox and M. Channon (P.A. Chaloner), (396) C28
Reactions of Coordinated Ligands, Volume 2, edited by P.S. Braterman (P.A. Chaloner), (377) C83
Ruthenium and other non-platinum metal complexes in cancer chemotherapy (P.A. Chaloner), (389) C34
Syntheses and separations using functional polymers; edited by D.C. Sherrington and P. Hodge (P.A. Chaloner), (393) C20
The chemistry of organic silicon compounds, parts 1 and 2; edited by S. Patai and Z. Rappoport (P.D. Lickiss), (384) C65
The chemist's English, third edition; by R. Schoenfeld (C. Eaborn), (395) C54

The elements; by J. Emsley (P.A. Chaloner), (390) C69
The nuclear Overhauser effect in structural and conformational analysis; by D. Neuhaus, M. Williamson (G. Lawless), (376) C44
Topics in current chemistry, Volume 148, Electrochemistry III; by E. Steckhan (P.A. Chaloner), (377) C41
Transition metal complexes as drugs and chemotherapeutic agents; by N. Farrell (P.A. Chaloner), (389) C35
Two-dimensional NMR methods for establishing molecular connectivity; a chemist's guide to experiment selection, performance and interpretation; by G.E. Martin and A.S. Zektzer (P.A. Chaloner), (386) C16
Ultrasound in synthesis; by S.V. Ley, C.M.R. Low (P.D. Lickiss), (389) C20
United States–Japan seminar on host–guest chemistry; edited by G.W. Gokel, K. Koga (P.A. Chaloner), (390) C70
X-ray structure determination—a practical guide; by G.H. Stout, L.H. Jensen (P.B. Hitchcock), (389) C21